

ARCHITECTURAL CERAMICS



ARCHITECTURAL CERAMICS

COLORS



AVORIO



BEIGE



SILVER



TITANO

ARCHITECTURAL CERAMICS

AVORIO





24x24





12x24

3x12



12x24 Rome Deco



1x1 Aurelia Mosaic



2x2 Mosaic



ARCHITECTURAL CERAMICS

BEIGE





24x24





12x24





12x24 Rome Deco



1x1 Aurelia Mosaic



2x2 Mosaic



ARCHITECTURAL CERAMICS

SILVER





24x24





12x24

3x12



12x24 Rome Deco



1x1 Aurelia Mosaic



2x2 Mosaic



ARCHITECTURAL CERAMICS

TITANO





24x24





12x24

3x12



12x24 Rome Deco



1x1 Aurelia Mosaic



2x2 Mosaic







ARCHITECTURAL CERAMICS







AVAILABLE SIZES	FIELD					DECO	MOSAIC			TRIM	
	24x48	23x47	24x24	12x24	3x12	12x24 Rome	2x2	12x12 Appia Spaccatella	12x12 Aurelia	3x24	3x23
Avorio	Ν	L	N	Ν	Ν	Ν	Ν	N	L	Ν	L
Beige	Ν	L	N	Ν	Ν	Ν	Ν	N	L	Ν	L
Silver	N	L	N	Ν	Ν	Ν	Ν	N	L	Ν	L
Titano	Ν	L	N	Ν	Ν	Ν	Ν	N	L	Ν	L

L=Lappato finish, N=Natural finish

Italicized items are special order from Italy with extended lead times. Please consult an ACI sales rep for sample & product availability.

Lead times for specialty & non-stocked items varies depending on product ordered, quantity, and destination. Please contact ACI to determine the lead time to order samples and material.

DESCRIPTION

Some works are untouched by time. Amongst them is Nuovo, the collection freely inspired by ageless travertine stone. Strong and lovely as the natural stone, Nuovo expresses contemporary taste in a new series with an exquisite surface, skillfully designed with subtle marks that evoke hand-workmanship in four different shades. The simple, refined surface is available in natural and lappato finishes to underline the modernity of an exclusive elegance. The Rome deco highlights the collections affinity with works of sculpture, with tactile waves in which the material creates effects with reflections and relief textures.

INSTALLATION & MAINTENANCE

Nuovo may be installed using standard ceramic tile installation methods and materials, as recommended by the Tile Council of North America (TCNA). An Architectural Ceramics sales representative will advise you on general installation questions. The manufacturer of this product recommends a 2mm grout joint.

TECHNICAL INFORMATION

ORIGIN: ITALY AVAILABLE FINISHES: NATURAL & LAPPATO TYPE: PORCELAIN EDGE: RECTIFIED LOOK: TRAVERTINE / DIRECTIONAL APPLICATION: WALL & FLOOR USE: LIGHT COMMERCIAL PACKAGING: PLEASE CONSULT YOUR ACI SALES REP FOR PACKAGING INFORMATION COLOR VARIATION: V3 - MODERATE VARIATION THICKNESS: 10 MM PORCELAIN ENAMEL INSTITUTE SCALE: N/A DYNAMIC COEFFICIENT OF FRICTION: >0.42 BREAKING STRENGTH: COMPLIANT TO ASTM C-648 > 250 LBS WATER ABSORPTION: < 0.5% STAIN RESISTANCE: YES FROST RESISTANCE: YES ENVIRONMENT: 7.5% PRE-CONSUMER RECYCLED CONTENT

WEBSITE LINKS

WWW.architecturalceramics.com/catalogs PLEASE NOTE THIS LINK IS CASE SENSITIVE

CONTACT INFORMATION: www.architecturalceramics.com 1.800.287.1742 For general sales inquiries: sales@architecturalceramics.com For commercial & hospitality sample requests: samples@architecturalceramics.com Headquarters: 800 E Gude Dr Suite F Rockville, MD 20850