


TECHNIROCK

Through Body Porcelain

ARCHITECTURAL
CERAMICS



COLORS



WHITE



IVORY



LIGHT GRAY



TOFFEE




DARK GRAY



BLACK



11x14 Random Linear Mosaic
AVAILABLE IN ALL COLORS



3x6 Mosaic
AVAILABLE IN ALL COLORS



2x2 Mosaic
AVAILABLE IN ALL COLORS









AVAILABLE SIZES	FIELD		MOSAICS			TRIM		
	24x24	12x24	2x2	3x6	11x14 Random Linear	4x12 BN	6x12 CB	1x6 C Corner
White	M	L, M, T	M	M	L, M, T Blend	M	M	M
Ivory	M	L, M, T	M	M	L, M, T Blend	M	M	M
Light Gray	M	L, M, T	M	M	L, M, T Blend	M	M	M
Toffee	M	L, M, T	M	M	L, M, T Blend	M	M	M
Dark Gray	M	L, M, T	M	M	L, M, T Blend	M	M	M
Black	M	L, M, T	M	M	L, M, T Blend	M	M	M

L=Lappato finish, M=Matte finish, T=Textured finish

Lead times for specialty & non-stocked items varies depending on product ordered, quantity, and destination. Please contact ACI to determine the lead time to order samples and material.

DESCRIPTION

Technirock is the collection that has it all. This technical porcelain boasts three finishes – matte, lappato and textured – as well as the most popular field tile sizes which are complemented by three mosaic sizes, including a random linear mosaic that blends all three textures. Mars Stone exudes refined elegance; its minimalist design is softened by intricate design elements in one-on-tone and subtly contrasting colors.

INSTALLATION & MAINTENANCE

Technirock may be installed using standard ceramic tile installation methods and materials, as recommended by the Tile Council of North America (TCNA). An Architectural Ceramics sales representative will advise you on general installation questions.

TECHNICAL INFORMATION

ORIGIN: CHINA
 AVAILABLE FINISHES: MATTE, POLISHED
 TYPE: THROUGH BODY PORCELAIN
 EDGE: RECTIFIED
 LOOK: CONCRETE
 APPLICATION: WALL & FLOOR
 USE: COMMERCIAL & RESIDENTIAL
 PACKAGING: PLEASE CONSULT YOUR ACI SALES REP FOR PACKAGING INFORMATION

COLOR VARIATION: V1 - MODERATE VARIATION
 THICKNESS: 10MM
 PORCELAIN ENAMEL INSTITUTE SCALE: N/A
 DYNAMIC COEFFICIENT OF FRICTION: 0.42
 BREAKING STRENGTH: COMPLIANT TO ASTM C-648 > 250 LBS
 WATER ABSORPTION: < 0.5%
 STAIN RESISTANCE: YES
 FROST RESISTANCE: YES
 ENVIRONMENT: 7.5% PRE-CONSUMER RECYCLED CONTENT

WEBSITE LINKS

www.architecturalceramics.com/catalogs

PLEASE NOTE THIS LINK IS CASE SENSITIVE

CONTACT INFORMATION:

www.architecturalceramics.com

1.800.287.1742

For general sales inquiries: sales@architecturalceramics.com

For commercial & hospitality sample requests: samples@architecturalceramics.com

Headquarters: 800 E Gude Dr Suite F Rockville, MD 20850