

ENIGMA PELLE

Porcelain

ARCHITECTURAL
CERAMICS



COLORS

MARTELLATA FINISH



CUOIO - Martellata

COCCO FINISH



CUOIO - Cocco



NERO - Martellata



NERO - Cocco



FANGO - Martellata




FANGO - Cocco


THE SWATCH PROJECT

Multiple configurations are available exclusively on request.

ABACUS OF ELEMENTS



LAYING AND MATCHING SUGGESTIONS



Additional matchings are available combining the 3 colours of leather and the 3 different surfaces among them.





AVAILABLE SIZES	FIELD TILE		DECO
		24x48	36x36
Cuoio	<i>M, C</i>	<i>M, C</i>	<i>L/M (Custom)</i>
Nero	<i>M, C</i>	<i>M, C</i>	
Fango	<i>M, C</i>	<i>M, C</i>	

M=Martellata, C=Cocco (These textures all have a natural finish)

Italicized items are special order from Italy with extended lead times. Please consult an ACI sales rep for sample & product availability.

Additional trim available. Please contact your sales representative

Lead times for specialty & non-stocked items varies depending on product ordered, quantity, and destination. Please contact ACI to determine the lead time to order samples and material.

DESCRIPTION

Enigma Pelle - Leather skins assume a new form and use in the Enigma Leather collection. Three proposals of surfaces that are soft both to the touch and to the eye; smooth, raised grain and crocodile-print; three selected colors; Cuoio, Nero, and Fango, for a collection rich in vibrations able to excite lovers of cutting-edge design.

INSTALLATION & MAINTENANCE

Enigma Pelle may be installed using standard ceramic tile installation methods and materials, as recommended by the Tile Council of North America (TCNA). An Architectural Ceramics sales representative will advise you on general installation questions.

TECHNICAL INFORMATION

ORIGIN: ITALY
 AVAILABLE FINISHES: MARTELLATA NATURAL, COCCO NATURAL
 TYPE: PORCELAIN
 EDGE: RECTIFIED
 LOOK: LEATHER
 APPLICATION: WALL & FLOOR
 USE: HEAVY COMMERCIAL
 PACKAGING: PLEASE CONSULT YOUR ACI SALES REP FOR PACKAGING INFORMATION

COLOR VARIATION: V3 - MODERATE VARIATION
 THICKNESS: 10MM
 PORCELAIN ENAMEL INSTITUTE SCALE: N/A
 DYNAMIC COEFFICIENT OF FRICTION: ≥ 0.42
 BREAKING STRENGTH: COMPLIANT TO ASTM C-648 > 250 LBS
 WATER ABSORPTION: < 0.5%
 STAIN RESISTANCE: YES
 FROST RESISTANCE: YES
 ENVIRONMENT: 7.5% PRE-CONSUMER RECYCLED CONTENT

WEBSITE LINKS

www.architecturalceramics.com/catalogs

PLEASE NOTE THIS LINK IS CASE SENSITIVE

CONTACT INFORMATION:

www.architecturalceramics.com

1.800.287.1742

For general sales inquiries: sales@architecturalceramics.com

For commercial & hospitality sample requests: samples@architecturalceramics.com

Headquarters: 800 E Gude Dr Suite F Rockville, MD 20850