

GREEK STONE

Porcelain

ARCHITECTURAL
CERAMICS



COLORS



IVORY



IVORY - 2x4 MOSAIC



LIGHT GRAY



LIGHT GRAY - 2x4 MOSAIC



LIGHT BROWN



LIGHT BROWN - 2x4 MOSAIC



DARK GRAY



DARK GRAY - 2x4 MOSAIC







AVAILABLE SIZES	FIELD					MOSAIC	TRIM		
	18x36	6x36	24x24	12x24	12x12	2x4	4x12 BN	6x12 CB	1x6 C Corner
Ivory	M, P	M, P	M, P	M, P	M	M	M, P	M	M
Light Gray	M, P	M, P	M, P	M, P	M	M	M, P	M	M
Light Brown	M, P	M, P	M, P	M, P	M	M	M, P	M	M
Dark Gray	M, P	M, P	M, P	M, P	M	M	M, P	M	M

M=Matte finish, P=Polished finish

Lead times for specialty & non-stocked items varies depending on product ordered, quantity, and destination. Please contact ACI to determine the lead time to order samples and material.

DESCRIPTION

A striking emulation of authentic Greek stone, this new porcelain tile collection captures the dramatic natural beauty of the Greek Islands. Bold graphics are balanced with soft, rich colors in a palette that reflects current trends but echoes timeless traditions.

INSTALLATION & MAINTENANCE

Greek Stone may be installed using standard ceramic tile installation methods and materials, as recommended by the Tile Council of North America (TCNA). An Architectural Ceramics sales representative will advise you on general installation questions.

TECHNICAL INFORMATION

ORIGIN: CHINA
 AVAILABLE FINISHES: MATTE, POLISHED
 TYPE: PORCELAIN
 EDGE: RECTIFIED
 LOOK: MARBLE
 APPLICATION: WALL & FLOOR
 USE: COMMERCIAL & RESIDENTIAL
 PACKAGING: PLEASE CONSULT YOUR ACI SALES REP FOR PACKAGING INFORMATION

COLOR VARIATION: V3 - MODERATE VARIATION
 THICKNESS: 36" LENGTHS ARE 11.2MM, ALL OTHERS 9.5MM
 PORCELAIN ENAMEL INSTITUTE SCALE: N/A
 DYNAMIC COEFFICIENT OF FRICTION: > .42
 BREAKING STRENGTH: COMPLIANT TO ASTM C-648 > 250 LBS
 WATER ABSORPTION: < 0.5%
 STAIN RESISTANCE: YES
 FROST RESISTANCE: YES
 ENVIRONMENT: N/A

WEBSITE LINKS

www.architecturalceramics.com/catalogs

PLEASE NOTE THIS LINK IS CASE SENSITIVE

CONTACT INFORMATION:

www.architecturalceramics.com

1.800.287.1742

For general sales inquiries: sales@architecturalceramics.com

For commercial & hospitality sample requests: samples@architecturalceramics.com

Headquarters: 800 E Gude Dr Suite F Rockville, MD 20850