

REVIVAL

Porcelain

ARCHITECTURAL
CERAMICS



COLORS



IVORY



BEIGE



GRAY



TAUPE











AVAILABLE SIZES	FIELD			TRIM		
	24x24	12x24	6x24	4x12 BN	6x12 CB	1x6 C Corner
Ivory	M, P	M, P	M, P	M, P	M	M
Beige	M, P	M, P	M, P	M, P	M	M
Gray	M, P	M, P	M, P	M, P	M	M
Taupe	M, P	M, P	M, P	M, P	M	M

M=Matte finish, P=Polished finish

Lead times for specialty & non-stocked items varies depending on product ordered, quantity, and destination. Please contact ACI to determine the lead time to order samples and material.

DESCRIPTION

Light linear veining with subtle traces of wood grain characterize Revival. Inspired by Palissandro marble, which has graced Italian architecture for centuries, Orvieto captures the essence of aged marble yet offers the performance of porcelain tile.

INSTALLATION & MAINTENANCE

Revival may be installed using standard ceramic tile installation methods and materials, as recommended by the Tile Council of North America (TCNA). An Architectural Ceramics sales representative will advise you on general installation questions.

TECHNICAL INFORMATION

ORIGIN: CHINA
 AVAILABLE FINISHES: MATTE, POLISHED
 TYPE: PORCELAIN
 EDGE: RECTIFIED
 LOOK: MARBLE, WOOD
 APPLICATION: WALL & FLOOR
 USE: COMMERCIAL & RESIDENTIAL
 PACKAGING: PLEASE CONSULT YOUR ACI SALES REP FOR PACKAGING INFORMATION

COLOR VARIATION: V2 - SLIGHT VARIATION
 THICKNESS: 9.5MM
 PORCELAIN ENAMEL INSTITUTE SCALE: N/A
 DYNAMIC COEFFICIENT OF FRICTION: > .42
 BREAKING STRENGTH: COMPLIANT TO ASTM C-648 > 250 LBS
 WATER ABSORPTION: < 0.5%
 STAIN RESISTANCE: YES
 FROST RESISTANCE: YES
 ENVIRONMENT: N/A

WEBSITE LINKS

www.architecturalceramics.com/catalogs

PLEASE NOTE THIS LINK IS CASE SENSITIVE

CONTACT INFORMATION:

www.architecturalceramics.com

1.800.287.1742

For general sales inquiries: sales@architecturalceramics.com

For commercial & hospitality sample requests: samples@architecturalceramics.com

Headquarters: 800 E Gude Dr Suite F Rockville, MD 20850