

**CAMBRIDGE**  
Glazed Ceramic

ARCHITECTURAL  
CERAMICS



COLORS



Super White



White



Bone



Taupe



Light Grey



Silver



Bronze

## SUPER WHITE

---



3x12 Super White Glossy



3x6 Super White Glossy



2x12 Chair Rail Super White Glossy



7" Hex Super White Glossy

## WHITE

---



3x12 White Craquel Glossy



## BONE



3x12 Bone Glossy



3x12 Bone Craquel Glossy



3x6 Bone Glossy



7" Hex Bone Glossy

## LIGHT GREY



3x12 Light Grey Glossy



3x12 Light Grey Craquel Glossy



3x6 Light Grey Glossy



7" Hex Light Grey Glossy

## TAUPE

---



3x12 Taupe Glossy



3x12 Taupe Craquel Glossy



3x6 Taupe White Glossy

## SILVER

---



3x12 Silver Metallic

## BRONZE

---



3x12 Bronze Metallic











AVAILABLE SIZES	WALL			
	3x12	3x6	7" Hex	2x12 Chair Rail
Super White	G	G	G	G
White	C			
Bone	C, G	G	G	
Taupe	C, G	G	G	
Light Grey	C, G	G	G	
Silver	Me			
Bronze	Me			

C=Craquel/Glossy finish, G=Glossy finish, Me=Metallic finish

Lead times for specialty & non-stocked items varies depending on product ordered, quantity, and destination. Please contact ACI to determine the lead time to order samples and material.

## DESCRIPTION

A contemporary collection of wall tiles in 3x12 and 3x6 bricks and 7" hexagons.

## INSTALLATION & MAINTENANCE

Cambridge may be installed using standard ceramic tile installation methods and materials, as recommended by the Tile Council of North America (TCNA). An Architectural Ceramics sales representative will advise you on general installation questions. Metallic not OK for wet areas. Cambridge tiles are not pre-sealed.

## TECHNICAL INFORMATION

ORIGIN: SPAIN  
 AVAILABLE FINISHES: CRACKLE/GLOSSY, GLOSSY, METALLIC  
 TYPE: GLAZED CERAMIC  
 EDGE: NOT RECTIFIED  
 LOOK: BRICK  
 APPLICATION: WALL  
 USE: COMMERCIAL & RESIDENTIAL  
 PACKAGING: PLEASE CONSULT YOUR ACI SALES REP FOR PACKAGING INFORMATION

COLOR VARIATION: V2 - SLIGHT VARIATION  
 THICKNESS: 5/16"  
 PORCELAIN ENAMEL INSTITUTE SCALE: N/A  
 DYNAMIC COEFFICIENT OF FRICTION: N/A  
 BREAKING STRENGTH: N/A  
 WATER ABSORPTION: 17.60%  
 STAIN RESISTANCE: YES  
 FROST RESISTANCE: NO  
 ENVIRONMENT: ?

## WEBSITE LINKS

[www.architecturalceramics.com/catalogs](http://www.architecturalceramics.com/catalogs)

PLEASE NOTE THIS LINK IS CASE SENSITIVE

## CONTACT INFORMATION:

[www.architecturalceramics.com](http://www.architecturalceramics.com)

1.800.287.1742

For general sales inquiries: [sales@architecturalceramics.com](mailto:sales@architecturalceramics.com)

For commercial & hospitality sample requests: [samples@architecturalceramics.com](mailto:samples@architecturalceramics.com)

Headquarters: 800 E Gude Dr Suite F Rockville, MD 20850