

K STREET

Ceramic

ARCHITECTURAL
CERAMICS



WALL




4x16 Grey Glossy*



3x6 Grey Glossy*

FLOOR



12x12 White Matte*



12x12 Black Matte*

* Stocked Sizes

AVAILABLE SIZES	WALL		FIELD
		4x16	3x6
White			M*
Grey	G*	G*	
Black			M*

G=Glossy finish, M=Matte finish, *Stocked sizes

Lead times for specialty & non-stocked items varies depending on product ordered, quantity, and destination. Please contact ACI to determine the lead time to order samples and material.

DESCRIPTION

K Street is a timeless ceramic wall and floor collection.

INSTALLATION & MAINTENANCE

K Street may be installed using standard ceramic tile installation methods and materials, as recommended by the Tile Council of North America (TCNA). An Architectural Ceramics sales representative will advise you on general installation questions.

TECHNICAL INFORMATION

ORIGIN: CHINA

AVAILABLE FINISHES: GLOSSY & MATTE

TYPE: CERAMIC

EDGE: NATURAL

LOOK: SOLID/MONOCHROMATIC

APPLICATION: WALL & FLOOR

USE: COMMERCIAL & RESIDENTIAL

PACKAGING: PLEASE CONSULT YOUR ACI SALES REP FOR PACKAGING INFORMATION

COLOR VARIATION: V1

THICKNESS: 8MM (WALL), 9.5MM (FIELD),

PORCELAIN ENAMEL INSTITUTE SCALE: N/A

DYNAMIC COEFFICIENT OF FRICTION: N/A

BREAKING STRENGTH: TBD

WATER ABSORPTION: ≥10% (WALL) 10-15% (FLOOR)

STAIN RESISTANCE: YES

FROST RESISTANCE: NO

ENVIRONMENT: N/A

WEBSITE LINKS

www.architecturalceramics.com/catalogs

PLEASE NOTE THESE LINKS ARE CASE SENSITIVE

CONTACT INFORMATION:

www.architecturalceramics.com

1.800.287.1742

For general sales inquiries: sales@architecturalceramics.com

For commercial & hospitality sample requests: samples@architecturalceramics.com

Headquarters: 800 E Gude Dr Suite F Rockville, MD 20850