

CENTURY WOOD

Porcelain

ARCHITECTURAL CERAMICS




COLORS



BACK



TINTO



ESSENZE

BACK

Variation Range



8x47



8x71



32x32 Back Tangram*



4 piece range (not to scale)

* Stocked Sizes

TINTO

Variation Range



6x48



8x47



8x71



32x32 Tinto Tangram*



4 piece range (not to scale)

* Stocked Sizes

ESSENZE


Variation Range




6x48



8x47



8x71



32x32 Essenze Tangram*

4 piece range (not to scale)

* Stocked Sizes











AVAILABLE SIZES	FIELD				TRIM		
	6x48	8x47	8x71	32x32 Tangram	3x47 Bullnose	13x48x1x1 Step	13x48x1x1 Step Corner
Back		N	N	N*	N	N	N
Tinto	N	N	N	N* +	N	N	N
Essenze	N	N	N	N* +	N	N	N

N=Natural finish, *Stocked Sizes +discontinued

Italicized items are special order from Italy with extended lead times. Please consult an ACI sales rep for sample & product availability.

Lead times for specialty & non-stocked items varies depending on product ordered, quantity, and destination. Please contact ACI to determine the lead time to order samples and material.

DESCRIPTION

Century Wood is an original series based on three variants of salvaged wood and a tangram. The first variant is “Essenze”, which combines old wooden planks of different origins to create random but always attractive variations in color. The second is “Back”, a sophisticated project which recovers the undersides of pieces of wood. The effect is one of great variety, with different size tiles that mask surfaces’ dimensions after installation. The third is “Tinto”, a distinctive stained salvaged wood in various shades of grey, with hues that vary depending on how the wood absorbed the stain. The series is completed by the 32x32 Tangram tile, used in the tradition of the Chinese game to interlock, build up and break down geometric forms, the basis for infinite installation layouts.

INSTALLATION & MAINTENANCE

Century Wood may be installed using standard ceramic tile installation methods and materials, as recommended by the Tile Council of North America (TCNA). An Architectural Ceramics sales representative will advise you on general installation questions. The manufacturer of this product recommends a 2mm grout joint.

TECHNICAL INFORMATION

ORIGIN: ITALY

AVAILABLE FINISHES: NATURAL

TYPE: PORCELAIN

EDGE: RECTIFIED

LOOK: WOOD

APPLICATION: WALL & FLOOR

USE: HEAVY COMMERCIAL

PACKAGING: PLEASE CONSULT YOUR ACI SALES REP FOR PACKAGING INFORMATION

COLOR VARIATION: V3 - MODERATE VARIATION

THICKNESS: 10 MM

PORCELAIN ENAMEL INSTITUTE SCALE: N/A

DYNAMIC COEFFICIENT OF FRICTION: >0.42

BREAKING STRENGTH: COMPLIANT TO ASTM C-648 > 250 LBS

WATER ABSORPTION: < 0.5%

STAIN RESISTANCE: YES

FROST RESISTANCE: YES

ENVIRONMENT: 7.5% PRE-CONSUMER RECYCLED CONTENT

WEBSITE LINKS

www.architecturalceramics.com/catalogs

PLEASE NOTE THIS LINK IS CASE SENSITIVE

CONTACT INFORMATION:

www.architecturalceramics.com

1.800.287.1742

For general sales inquiries: sales@architecturalceramics.com

For commercial & hospitality sample requests: samples@architecturalceramics.com

Headquarters: 800 E Gude Dr Suite F Rockville, MD 20850