

**ROCCA**  
Color Body Porcelain

ARCHITECTURAL  
CERAMICS



## COLORS

---



WHITE



GOLDEN GREY



GREY



BLACK



## WHITE CLOUD



16x32



12x24



2x2 Mosaic

## GOLDEN GREY



16x32



12x24



2x2 Mosaic

## GREY



16x32



12x24



2x2 Mosaic


## BLACK



16x32



12x24



2x2 Mosaic

AVAILABLE SIZES	FIELD		MOSAIC	TRIM
		16x32	12x24	2x2
White	M	M	M	M
Golden Grey	M	M	M	M
Grey	M	M	M	M
Black	M	M	M	M

M=Matte finish

Lead times for specialty & non-stocked items varies depending on product ordered, quantity, and destination. Please contact ACI to determine the lead time to order samples and material.

## DESCRIPTION

Rocca's outstanding achievement lies in it's ability to accurately depict the look and feel of natural slate's flaky layers which are vividly reproduced with the help of the latest HD Inkjet technology. This series consists of four distinctive tones that are both texturally dynamic and highly detailed. It's textural range includes a dense veining that helps accentuate its underlying earth tones in a variety of sizes that include 12"x24", 16"x32", 3"x24" Bullnose and 2"x2" mosaic on 12"x12" mesh sheet. Rocca can be used for commercial and residential applications.

## INSTALLATION & MAINTENANCE

Rocca may be installed using standard ceramic tile installation methods and materials, as recommended by the Tile Council of North America (TCNA). An Architectural Ceramics sales representative will advise you on general installation questions.

## TECHNICAL INFORMATION

ORIGIN: ITALY  
 AVAILABLE FINISHES: MATTE  
 TYPE: COLOR BODY PORCELAIN  
 EDGE: RECTIFIED  
 LOOK: SLATE  
 APPLICATION: FLOOR & WALL  
 USE: COMMERCIAL & RESIDENTIAL  
 PACKAGING: PLEASE CONSULT YOUR ACI SALES REP FOR PACKAGING INFORMATION

COLOR VARIATION: V4 - SUBSTANTIAL VARIATION  
 THICKNESS: 3/8"  
 PORCELAIN ENAMEL INSTITUTE SCALE: CLASS 5 - EXTRA HEAVY TRAFFIC, ABRASIVE DIRT, CHEMICALLY MORE RESISTANT.  
 DYNAMIC COEFFICIENT OF FRICTION: >.42  
 BREAKING STRENGTH: COMPLIANT TO ASTM C-648 > 250 LBS  
 WATER ABSORPTION: < 0.5%  
 STAIN RESISTANCE: YES  
 FROST RESISTANCE: YES  
 ENVIRONMENT: N/A

## WEBSITE LINKS

[www.architecturalceramics.com/catalogs](http://www.architecturalceramics.com/catalogs)

PLEASE NOTE THIS LINK IS CASE SENSITIVE

## CONTACT INFORMATION:

[www.architecturalceramics.com](http://www.architecturalceramics.com)

1.800.287.1742

For general sales inquiries: [sales@architecturalceramics.com](mailto:sales@architecturalceramics.com)

For commercial & hospitality sample requests: [samples@architecturalceramics.com](mailto:samples@architecturalceramics.com)

Headquarters: 800 E Gude Dr Suite F Rockville, MD 20850