

OSLO

Porcelain

 ARCHITESSA

an Architectural Ceramics brand





OSLO Wall Cashmere & Beige 6x24, OSLO Floor Beige 12x24



Oslo Wall Seafoam & Blue Spruce 6x24, OSLO Floor Beige 12x24



OSLO Wall Cream 3x12, Floor Cream 3x12

OSLO

 ARCHITESSA
an Architectural Ceramics brand




OSLO Ivory 12x24 & 24x24

www.architessa.com



OSLO Wall Black 3x12, OSLO Floor Ivory 24x24

COLORS - MATTE



Beige



Charcoal



Cream



Fern



Fog



Grey



Ivory



Pool



Steel Blue

COLORS - FLOOR



Beige



Charcoal



Cream



Fern



Fog



Grey



Ivory



Pool




Steel Blue

COLORS - CHISELED



Beige



Charcoal



Cream




Fern



Fog



Grey



Ivory



Pool



Steel Blue

COLORS - WALL



Beige



Black




Blue Spruce



Cream



Grey



Ivory



Mist



Pewter




Sage



Seafoam



Slate Blue



Storm

AVAILABLE SIZES

	FLOOR						
	12x12	12x24	24x24	24x48	2x2 Mosaic	3x12 Bullnose	6x12 Cove base
Beige	M, R	M, R, C	M, R	M, R, C	M, R	M	M
Charcoal	M, R	M, R, C	M, R	M, R, C	M, R	M	M
Cream	M, R	M, R, C	M, R	M, R, C	M, R	M	M
Fern	M, R	M, R, C	M, R	M, R, C	M, R	M	M
Fog	M, R	M, R, C	M, R	M, R, C	M, R	M	M
Grey	M, R	M, R, C	M, R	M, R, C	M, R	M	M
Ivory	M, R	M, R, C	M, R	M, R, C	M, R	M	M
Pool	M, R	M, R, C	M, R	M, R, C	M, R	M	M
Steel Blue	M, R	M, R, C	M, R	M, R, C	M, R	M	M

	WALL		
	3x12	6x24	6x24 Bullnose
Beige	G	G	G
Black	G	G	G
Blue Spruce	G	G	G
Cream	G	G	G
Grey	G	G	G
Ivory	G	G	G
Mist	G	G	G
Pewter	G	G	G
Sage	G	G	G
Seafoam	G	G	G
Slate Blue	G	G	G
Storm	G	G	G

M= Matte, G= Glossy, R= Raw, C= Chiseled

Lead times for specialty & non-stocked items varies depending on product ordered, quantity, and destination. Please contact Architessa to determine the lead time to order samples and material.

CONTACT INFORMATION:

www.architessa.com

1.800.287.1742

For general sales inquiries: sales@architessa.com

For commercial & hospitality sample requests: samples@architessa.com

Headquarters: 1803 Research Blvd. Suite 402 Rockville, MD 20850

DESCRIPTION

OSLO's urban aesthetic uses raw textures and gentle colors combine to create harmonious escapes within a growing city. Embrace that world, comfortably.

INSTALLATION & MAINTENANCE

OSLO

may be installed using standard porcelain installation methods and materials, as recommended by the Tile Council of North America (TCNA). An Architessa sales representative will advise you on general installation

TECHNICAL INFORMATION

ORIGIN: USA

AVAILABLE FINISHES: GLOSSY, MATTE, CHISELED, RAW

TYPE: PORCELAIN

EDGE: WALL TILE = PRESSED & FIELD TILE = RECTIFIED

LOOK: MONOCHROMATIC & CONCRETE

APPLICATION: WALL & FLOOR

USE: INDOOR/OUTDOOR - RESIDENTIAL AND
COMMERCIAL

PACKAGING: PLEASE CONSULT YOUR YOUR SALES REP

COLOR VARIATION: V1

THICKNESS: WALL 8MM – FIELD 10MM

PORCELAIN ENAMEL INSTITUTE SCALE: N/A

DYNAMIC COEFFICIENT OF FRICTION: FIELD $\geq 0.42\%$
WET

BREAKING STRENGTH: 8MM ≥ 300 LB/FT² – 10MM ≥ 400
LB/FT²

WATER ABSORPTION: $\leq 0.4\%$

STAIN RESISTANCE: YES

FROST RESISTANCE: YES

ENVIRONMENT: N/A

WEBSITE

www.architessa.com

CONTACT INFORMATION:

www.architessa.com

1.800.287.1742

For general sales inquiries: sales@architessa.com

For commercial & hospitality sample requests: samples@architessa.com

Headquarters: 1803 Research Blvd. Suite 402 Rockville, MD 20850