



an Architectural Ceramics brand









COLORS



Meridian




Revel

BOXES MAY CONTAIN RANDOM LENGTHS FROM 15.75" TO 74.8" x 7.5"




HARDWOOD TRANSITION PIECES




Flush Reducer




Flush Stairnose




Overlap Reducer



Overlap Stairnose



Quarter Round



T-Molding

Trim images are for illustration purposes only. Actual dimensions will vary.



AVAILABLE SIZES

Boxes May Contain Random Lengths From 15.75" To 74.8" x 7.5"

Lead times for specialty & non-stocked items varies depending on product ordered, quantity, and destination. Please contact Architessa to determine the lead time to order samples and material.

DESCRIPTION

With an abundance of the natural charm that makes hardwood floors so desirable, FULTON is white oak at its finest. Subtle wirebrushing and stylish $7\,1/2$ " width plank let the beauty of the wood shine through for a timeless look that ages gracefully.

INSTALLATION & MAINTENANCE

FULTON may be installed using standard wood installation methods and materials. An Architessa sales representative will advise you on general installation questions.

• INSTALLATION: NAIL, STAPLE, GLUE, FLOATING • INSTALLATION GRADE: ABOVE, ON, BELOW

TECHNICAL INFORMATION

TYPE: ENGINEERED WOOD SPECIES: WHITE OAK

ORIGIN: USA

SIZE: 7.5" WIDTH, RANDOM LENGTHS FROM 15.75"

TO 74.8"

EDGE: MICRO BEVEL

FINISH: UV ALUMINUM OXIDE

GLOSS LEVEL: 7%

THICKNESS: 12.7MM

TRAFFIC RATING: HEAVY RESIDENTIAL &

LIGHT COMMERCIAL
VARIATION: MODERATE
TEXTURE: WIREBRUSHED
RADIENT HEAT APPROVED: YES

ENVIRONMENT: N/A

CONTACT INFORMATION:

www.architessa.com 1.800.287.1742

For general sales inquiries: sales@architessa.com

For commercial & hospitality sample requests: samples@architessa.com

Headquarters: 1803 Research Blvd. Suite 402 Rockville, MD 20850