

**ELLIS**  
Ceramic

 **ARCHITESSA**  
an Architectural Ceramics brand



[www.architessa.com](http://www.architessa.com)





ELLIS Powder Glossy 3x12





ELLIS Powder Glossy 3x12



ELLIS

 ARCHITESSA  
an Architectural Ceramics brand



ELLIS Silver Glossy 3x12

[www.architessa.com](http://www.architessa.com)



ELLIS

 ARCHITESSA  
an Architectural Ceramics brand

ELLIS Petal Glossy 3x12

[www.architessa.com](http://www.architessa.com)



ELLIS

ARCHITESSA  
an Architectural Ceramics brand



ELLIS Ink Glossy 3x12



ELLIS

 ARCHITESSA  
an Architectural Ceramics brand



ELLIS Emerald Glossy Hexagon

## WALL - 3x12



Powder



Silver



Stone



Bamboo



Petal



Emerald



Sky



Ink



Sterling



Charcoal



## WALL - HEXAGON




Powder



Silver




Stone




Bamboo



Petal



Emerald




Sky



Ink



Sterling



Charcoal



## AVAILABLE SIZES

	WALL		TRIM
	3x12	6x6 Hex	0.35x12 QR
Bamboo	G	G	G
Charcoal	G	G	G
Emerald	G	G	G
Ink	G	G	G
Petal	G	G	G
Powder	G	G	G
Silver	G	G	G
Sky	G	G	G
Sterling	G	G	G
Stone	G	G	G

G= Glossy

Lead times for specialty & non-stocked items varies depending on product ordered, quantity, and destination. Please contact Architessa to determine the lead time to order samples and material.

## DESCRIPTION

ELLIS is inspired by the artisanal feel of handmade ceramics. Playful, yet sophisticated colors and formats with texture make ELLIS a desired wall tile collection.

## INSTALLATION &amp; MAINTENANCE

ELLIS may be installed using standard ceramic tile installation methods and materials, as recommended by the Tile Council of North America (TCNA). An Architessa sales representative will advise you on general installation questions.

## TECHNICAL INFORMATION

TYPE: CERAMIC  
 ORIGIN: TURKEY  
 EDGE: PRESSED  
 THICKNESS: 9MM  
 LOOK: MONOCHROMATIC  
 SHADE VARIATION: V2 - SLIGHT VARIATION  
 SURFACE ABRASION: N/A  
 TRAFFIC RATING: NOT RECOMMENDED FOR FLOORS

DCOF: N/A  
 BREAKING STRENGTH: >240LBF  
 WATER ABSORPTION:  $\geq 10\%$   
 STAIN RESISTANCE: YES - CLASS B  
 FROST RESISTANCE: N/A  
 ENVIRONMENT: SDS

## CONTACT INFORMATION:

[www.architessa.com](http://www.architessa.com)

1.800.287.1742

For general sales inquiries: [sales@architessa.com](mailto:sales@architessa.com)

For commercial & hospitality sample requests: [samples@architessa.com](mailto:samples@architessa.com)

Headquarters: 1803 Research Blvd. Suite 402 Rockville, MD 20850