

## AGPOINT BORON DISCS



Agpoint Part Number	Similar To McCOY	Guage mm	Style	Dish mm	Centre Hole	Radial Holes	P.C.D. mm	Application	Unit KG
<b>13" Diameter</b>									
133-1RB	4150	3	PLAIN-RFB	27	N.C.H.	5 x 7.1MM DIA.	95.2	CSN 450 ,SH (H99-43) SH (10342) Garnell,Gyral	2.30
133-2B	4252	3	PLAIN	24	46MM DIA.	7 x 7.1MM DIA.	101.6		2.30
134-5B		4	PLAIN	24	52MM DIA.	5 x 7MM DIA.	96		3.00
<b>14" Diameter</b>									
145-3B		5	PLAIN	34	NCH	6 x 7.0 MM SQ.	110	DISC WEEDER ASSY	3.50
<b>16" Diameter</b>									
164-IH		4	PLAIN-FB	30	25MM SQ.	3 x 10.3MM DIA.	112	IH	4.00
164-CH		4	PLAIN	35	25MM DIA.			CH	4.00
164-722SD		4	SCALLOP	38	24MM & 25.5MM SQ.			ELLIS	3.80
<b>17" Diameter</b>									
174-IH		4	PLAIN-FB	38	25MM SQ.			IH	4.50
174-SH*		4	PLAIN	16	30MM SQ.			SH (H346-166)	4.50
<b>18" Diameter</b>									
18011	18011	4	MINI SC F/C	41	NCH	4 X 12MM DIA.	120	<b>New</b> <b>CATROS SERIES 3</b> DB103,MF,NG,BNL, JA,CSN	4.70
185-092SD	18006C	5	SCALLOP	53	27MM X 30MM SQ.				6.50
<b>19" Diameter</b>									
194-SH*		4	PLAIN	19	30MM SQ.			SH (Z901)	5.10
<b>20" Diameter</b>									
204-022D	20011C	4	PLAIN	67	27MM X 30MM SQ.	4 X 18MM DIA. 4 X 18MM DIA.	137 137	HB,SH,JA,BNL,NG,CSN340,GR,MF534 & 581,NH340 SH,JA,BNL,NG,MF GZY ( Grumpy ) GZY ( Grumpy ) IH,MF	6.10
204-102SD	20012C	4	SCALLOP	67	27MM X 30MM SQ.				5.80
204-3SB		4	SCALLOP	50	70MM DIA.				5.80
204-6SB*		4	FILLER	50	70MM DIA.				5.80
204-7SFD	20013C	4	SCALL-FB	51	27MM X 31MM SQ.				5.80

# AGPOINT BORON DISCS



Agpoint Part Number	Similar To McCOY	Guage mm	Style	Dish mm	Centre Hole	Radial Holes	P.C.D. mm	Application	Unit KG
<b>20" Diameter (cont.)</b>									
204-586		4	PLAIN	50	38MM DIA. (PILOT HOLE)	3 x 10.3MM SQ.CSK	152.4		6.10
205-49D	20017C	5	PLAIN	57	30MM X 33MM SQ.			IH, GL90, A1-A2-A3, CSN, NH, SH	7.20
206-1SFB		6	SCALL-FC	52	NCH	5 X 13MM DIA.	106	<b>New</b> HORSCH JOKER	9.75
<b>22" Diameter</b>									
225-3SB	22044	5	SCALLOP	70	70MM DIA.	4 X 18MM DIA.	137	GZY ( Grumpy ), K LINE	7.70
225-6SB		5	FILLER	70	70MM DIA.	4 X 18MM DIA.	137	GZY ( Grumpy )	7.25
225-021D	22021C	5	PLAIN	70	39MM X 41MM SQ.			FORWARD, HB, SH	10.50
225-824D	22024C	5	PLAIN	70	27MM X 30MM SQ.			WESTERN	10.50
225-060SD	22300 Blank	5	SCALLOP	70	33MM x 40MM SQ.			JA, BNL, WY	9.80
225-166S	22041C	5	SCALLOP	62	30MM SQ.			HGE, SH 500/505/608, MF, NG, TW	9.80
225-166SD		5	SCALLOP	62	30MM X 33MM SQ.			HGE, SH 500/505/608, MF, NG, TW, BNL, HB,	9.80
225-171SB	22043	5	SCALLOP	70	70MM DIA.	6 X 17.5MM DIA.	112.8	CS (Baby Giant)	9.80
225-558SD	22041C	Use 225-166SD	SCALLOP	62	30MM X 33MM SQ.			HGE, NG 340, BNL, SH, HB, MF, TW	9.80
225-9SFD	22042C	5	SCALL-FB	62	27MM X 31MM SQ.			CH, IH, MF	9.80
225-1081SD	22040C	5	SCALLOP	70	39MM X 41MM SQ.			JA, HU, TW, WY, BNL	9.80
225-703SD	22041C	5	SCALLOP	70	30MM x 33MM SQ.			CSN, FE, GR, HB, HE, JA, TW, NG	9.80
226-1SB	22051	6	SCALLOP	70	70MM DIA.	6 X 17.5MM DIA.	112.8	CS (Baby Giant)	10.70
226-3SB	22055	6	SCALLOP	70	70MM DIA.	4 X 18MM DIA.	137	<b>New</b> GZY ( Grumpy ), K LINE	10.70
226-6SB*		6	FILLER	70	100MM DIA.	6 X 22.2MM DIA.	185	GZY	10.70
226-992S	22053C	6	SCALLOP	70	41.5MM SQ.			GS, CW, TRIPLE DISC HILLER	10.70
<b>23" Diameter</b>									
235-1SFB		5	SCALLOP-FC	53	NCH	4 X 13MM DIA.	110	<b>New</b> POTTINGER TERRA	9.70

## AGPOINT BORON DISCS



Agpoint Part Number	Similar To McCOY	Guage mm	Style	Dish mm	Centre Hole	Radial Holes	P.C.D. mm	Application	Unit KG
<b>24" Diameter</b>									
244-240	24064	4	PLAIN	100	33MM SQ.			CA,CH	10.20
245-226S	24072C	5	SCALLOP	67	30MM SQ.			NG,SH,HGE	10.80
245-237SD	24094C/95C	5	SCALLOP	68	40MM X 41.5MM SQ.			NG 032,JA,DB	10.80
245-241	24084	5	PLAIN	100	33MM SQ.			CA,CH	11.60
245-288SD	24092C	5	SCALLOP	75	30MM X 33MM SQ.			NG,SH	10.80
245-2RB	24088	5	PLAIN-RFB	80	DOME	6 X 13.5MM SQ. C/LEAF	204	CS( Series 1 to 3 )	11.60
245-3WB*		5	FLUTED	70	70MM DIA.	4 X 18MM DIA.	137	GRIZZLY (Grumpy)	11.60
245-395	24083	5	PLAIN	84	27MM DIA.	4 X 11.9MM SQ. CSK	165.2	MF 63/67/63-5	11.60
245-477S	24093	5	SCALLOP	84	70MM DIA.	6 X 17.5 MM DIA.	112.8	CS (Baby Giant)	10.80
245-531E USE	24081	5	PLAIN	80	26MM DIA.	4 X 13.5MM DIA. SQ EMB	181	IH (1-6)	11.60
245-538	24080	5	PLAIN	89	27MM DIA.	6 X 12.7MM DIA. CSK	165.2	SH (5 GP)	11.60
245-581	24086	5	PLAIN	84	N.C.H.	3 X 17MM SQ. C/LEAF	184	CS (Series 4, 3 Bolt-Hole)	11.60
245-608	24085C	5	PLAIN	75	40MM SQ.			SH (Sov), IH (Unibeam), HB	11.60
246-10SD	24102	6	SCALLOP	80	54MM X 60MM SQ.			IH(3-5),SH500	13.50
246-1SB	24103	6	SCALLOP	85	70MM DIA.	6 X 17.5MM DIA.	112.8	CS (Baby Giant)	13.50
246-109SF USE	24109	6	SCALLOP-SF	70	39MM SQ.			IHC596	13.50
246-226SD	24074C	6	SCALLOP	67	30MM X 33MM SQ.			CSN,FORD,NG,MF,TW,BH, SH, HODGE	13.50
246-3SB	24099S	6	SCALLOP	75	70MM DIA.	4 X 18MM DIA.	137	<b>K Line</b> , GZY ( Grumpy )	13.50
246-6SB		6	FILLER	75	100MM DIA.	6 X 22.2MM DIA.	185	GZY	13.50
246-26SB	24107	6	SCALLOP	75	100MM DIA.	6 X 22.2MM DIA.	185	GZY	13.50
246-38SD	24101C	6	SCALLOP	75	40MM x 42MM SQ.			BNL, GR, ALFM	13.50
246-41		6	PLAIN	74	46MM DIA.			MIL,KEL,KRS,SH(Sunflower),DELMAD,BALDAN	14.70
246-41S	24106	6	SCALLOP	75	46MM DIA.			MIL,KEL,KRS,SH(Sunflower),DELMAD,BALDAN	13.50
246-43SD	24100C	6	SCALLOP	75	30MM X 33MM SQ.			SH,BH,CH	13.50
246-241		6	PLAIN	89	33MM SQ.			CH	14.70
246-521S*	24100C	Also use 246-43SD		75	30MM SQ.			BH,SH (505/606)	13.50
246-562SD	24105C	6	SCALLOP	68	40MM x 41.5MM SQ.			JA,TW,NG 670, MF 700, Allis	14.30
246-548SD	24100C	6	SCALLOP	90	30MM x 33MM SQ.			SH606, SH505	13.50
246-1077D	24091C	6	PLAIN	75	30MM X 33MM SQ.			HB, CSN, JD, SH, BH	14.70
246-1SFB		6	SCALL-FC	66	NCH	6 X 12.7MM DIA.	125	<b>New</b> HORSCH JOKER HD	13.50

## AGPOINT BORON DISCS



Agpoint Part Number	Similar To McCOY	Guage mm	Style	Dish mm	Centre Hole	Radial Holes	P.C.D. mm	Application	Unit KG
<b>26" Diameter</b>									
265-086 USE	26117	5	PLAIN	100	28.5MM DIA.	5 X 12MM SQ. CSK	210	MF564,569 & 65	14.20
265-415SD		5	SCALLOP	68	30MM X 33MM SQ.			TW,NG 690	13.50
265-589	26122	5	PLAIN	88	27MM DIA.	6 X 12.7MM DIA.CSK	165.2	SH (5GP)	14.20
265-603	26119	5	PLAIN	88	33MM SQ.			CA,CH	14.20
266-138S		use 266-205B as alternative		68	130MM DIA.,	4 X 13 MM SQ. CSK (INSIDE)	228	BNL TRASH INC.	16.00
266-16SD	26143C	6	SCALLOP	88	54MM x 60MM SQ.			IH (3-5), SH (700)	16.00
266-1SB	26140	6	SCALLOP	87	78MM DIA.	6 X 22.2MM DIA.	190.6	CS (Little Giant), BNL	16.00
266-3SB	26137	6	SCALLOP	88	70MM DIA.	4 X 18MM DIA.	137	GZY ( Grumpy )	16.00
266-3WB	26137W	6	FLUTED	82	70MM DIA.	4 X 18MM DIA.	137	GZY ( Grumpy )	16.00
266-6SB*		6	FILLER	89	100MM DIA.	6 X 22.2MM DIA.	185	GZY	15.00
266-20SB		6	SCALLOP	68	28.5MM DIA.	4 X 13.5MM SQ. CSK	230	HODGE	16.00
266-26SB	26139S	6	SCALLOP	89	100MM DIA.	6 X 22.2MM DIA.	185	GZY	16.00
266-26WB	26139W	6	FLUTED	82	100MM DIA.	6 X 22.2MM DIA.	185	GZY	16.00
266-27SB		6	SCALLOP	60	25MM DIA.	4 X 18MM DIA.	230	MSW	16.00
266-49SD	26141C	6	SCALLOP	88	39.5MM X41.5MM SQ.			JA, GR, CN,NG,HU,SH, KUHN DISCOVER XM2	16.00
266-589	26164	6	PLAIN	88	27MM DIA.	6 X 12.7MM DIA.CSK	165.2	SH (5GP)	17.00
266-593S	26142C	6	SCALLOP	79	42MM SQ.			JA, GR, NG	16.00
266-5SD	26142C	6	SCALLOP	68	40MM X 42MM SQ.			TW, JA (Alt to S49)	16.00
266-9SD	26160C	6	SCALLOP	68	30MM X 33MM SQ.			TW,HE,JA,FORD690	16.00
266-603D	26124C	6	PLAIN	88	30MM X 33MM SQ.			BH,TW,CSN,CH	17.00
266-1SF	26161	6	SCALLOP-FB	80	39MM SQ.			IH 770, IH596	16.00
268-1SB	26153	8	SCALLOP	87	78MM DIA.	6 X22.5MM DIA.	190	CSN,BONEL, ENNOR	20.70
268-2SB	26151	8	SCALLOP	88	100MM DIA.	6 X22.5MM DIA.	185	GZY, BELMAC	20.70
268-2WB	26151W	8	FLUTED	90	100MM DIA.	6 X22.5MM DIA.	185	GZY, BELMAC	20.70
268-49SD	26154C	8	SCALLOP	88	39MM X 41MM SQ.			CSN,GR,FORD,GR,HE,BNL,AL	20.70
268-7	26128	8	PLAIN	94	52MM DIA.			EZN,STG,CW	23.00
268-7S	26152	8	SCALLOP	95	52MM DIA.			EZN,STG,CW	20.70

## AGPOINT BORON DISCS



Agpoint Part Number	Similar To McCOY	Guage	Style	Dish mm	Centre Hole	Radial Holes	P.C.D. mm	Application	Unit KG
<b>28" Diameter</b>									
286-29SD	28166C	6	SCALLOP	61	39.5MM X 41.5MM SQ.			CN,SH,NG,BNL,HGE,JA,TW	19.50
286-31B	28165	6	PLAIN	111	28.5MM DIA.	4 X 13.5MM SQ. CSK	230	CN,IH,BNL,HGE	21.00
286-1SF	28179-6	6	SCALL-FB	93	39MM SQ.			IH(770)	19.50
286-8SB	28168S	6	SCALLOP	104	100MM DIA.	6 X 22.2MM DIA.	185	GRIZZLY, BELMAC	19.50
286-8WB	28168W	6	FLUTED	100	100MM DIA.	6 X 22.2MM DIA.	185	GRIZZLY, BELMAC	19.50
286-293B	28163	6	PLAIN	104	28.5MM DIA.	5 X 12MM SQ. CSK	210	MF	21.00
286-606SD	28167C	6	SCALLOP	93	39.5MM X 41.5MM SQ.			BNL,HGE,NG, SH, JA, NB	19.50
286-848SDB		6	SCALLOP	70	39.5MM X 41.5MM SQ.	4 X 18MM DIA.	230	BNL TRASH INC. HE, JA, SH	19.50
286-1013SB	28170	6	SCALLOP	104	78MM DIA.	6 X 22.2MM DIA.	190	BNL,EN,CSN780 L/GIANT	19.50
286-1021S	28185C	6	SCALLOP	100	60MM SQ.			IH 3-5	19.50
288-1086SB	28171	8	SCALLOP	104	78MM DIA.	6 X 22.2MM DIA.	190	BNL, EN,CSN780 L/GIANT	24.00
288-1073SD	28175C	8	SCALLOP	104	39MM X 41MM SQ.			SH,CSN,HGE,BNL	24.00
288-1SB	28169S	8	SCALLOP	104	100MM DIA.	6 X 22.2MM DIA.	185	GRIZZLY, BELMAC	24.00
288-1WB	28169W	8	FLUTED	100	100MM DIA.	6 X 22.2MM DIA.	185	GRIZZLY, BELMAC	24.00
288-1SF	28179	8	SCALL-FB	93	39MM SQ.			IH	24.00
288-17S	28178	8	SCALLOP	104	52MM DIA.			CW	24.00
2810-2SB		10	SCALLOP	104	100MM DIA.	6 X 22.2MM DIA.	185	<b>NEW!!!!</b> GRIZZLY	30.00
<b>30" Diameter</b>									
306-14B	30182	6	PLAIN	116	28.5MM DIA.	4 X 13.5MM SQ. CSK.	230	BNL,CH,HGE,IH	24.20
<b>32" Diameter</b>									
328-1SF	32190	8	SCALL-FB	125	46MM SQ.			IH 780	32.50
3210-10SD	32193C	10	SCALLOP	111	62MM DIA. x 59MM SQ.			ALFARM 080, TOWNER	39.00
3210-10SD*	Priced to quit	10	SCALLOP	125	62MM DIA. x 59MM SQ.			ALFARM 080: NOT SUITABLE FOR BACKING PLATE USE	39.00
3210-2SB	32199S	10	SCALLOP	110	100MM DIA.	6 X 22.2MM DIA.	185	GZY	39.00
3212-10SD use	32196C	12	SCALLOP	122	62MM DIA. x 59MM SQ.			ALFARM 080, TOWNER	39.00
<b>36" Diameter</b>									
3612-2SB	Inside Bevel	12	SCALLOP	123	100MM DIA.	6 X 22.2MM DIA.	185	<b>New</b> GRIZZLY TINY 290 & 390	62.00
3612-208SB	36208	12	SCALLOP	137	64MM Dia.	6 X 18MM SQ CSK	254	SAVANNAH	62.00