



DIMENSIONS	850	700	550
WIDTH (A)	40.5"	34.5"	25.5"
HEIGHT (B)	22"	22"	22"
DEPTH (C)	23"	23"	23"
GRILL SURFACE	610 in <sup>2</sup>	500 in <sup>2</sup>	370 in <sup>2</sup>
TOTAL BTU	67,500	57,000	46,500

## Cut-Out Dimensions

MODELS	A WIDTH	B DEPTH	C HEIGHT	D	E	F
LUX JLS550 BI	24 ¾"	18 ¾"	10"	5 ½"	12"	15 ½"
LUX JLS700BI	33"	18 ¾"	10"	5 ½"	12"	15 ½"
SUPREME JSS550 BI	24 ¾"	18 ½"	9 ¾"	5 ½"	12"	15 ½"
SUPREME JSS700BI	33"	18 ½"	9 ¾"	5 ½"	12"	15 ½"
SUPREME JSS850BI	40"	18 ½"	9 ¾"	5 ½"	12"	15 ½"

*B	Depth is measured from the finished face of the island/cabinet
*C	Height is measured from the finished counter top on the island/cabinet
*D	Minimum distance to rear vertical wall; required to fully open lid (from cutout)
*E/F	Minimum distance to rear/sides adjacent vertical combustibles (counter top MUST be non combustible)

*Measurements are subject to change without notice*

**TECH TIP:** Leave the cabinet that the grill head is inserted into open to encourage air flow. SSVENTS also encourage proper air flow.

Cabinets with Non Combustible Materials (Eg: metal studs, cement board, tiles, marble)

