




Tractor Mounted Rotary Hoe Blade Identification

POWERSHED

www.powershed.com.au

Rev. H 7/2018
Page 1 of 2

Howard Rotary Hoe blades are manufactured from Alloy Spring Steel or Boron Steel and are heat treated to ensure the perfect balance between long life and durability.



Blades for tractor mounted rotary hoes (All measurements expressed in mm unless otherwise shown.)

Machine Model	Blade Type	Bolt Size	Hole Centres	Matl. Section	Depth A	Cut B	Part No. LH	Part No. RH	Bolt Set or bolt/nut/w
HR4	J	7/16"	95	60 x 6	210	115	106138	106139	628519
HR6	C	12	40	60 x 6	175	115	661060	661061	661062
HR8 Italy HLJ	C	7/16"	57	80 x 6	175	105	9877	9876	650528
R400 HR8 Fr HR10, 11, 12 HL, UTR	L C	7/16"	57	75 x 6 80 x 6	175 175	140 135	9900 9953	9901 9954	650528
R200 Rotacadet Model J	J	7/16"	114	40 x 8	265	100	9941	9942	628519
R300	C	7/16"	35	60 x 6	158	135	665149	665150	650528
HR20 Early Late	L L	7/16" 1/2"	57	75 x 6 80 x 7	175 175	140 140	9900 3900	9901 3901	650528 103902
R500 HR30, 35 HR30A E, AR, ST	L (Std) L (H/D) LS C T Reno	1/2"	57	80 x 7 90 x 8 90 x 8 90 x 8 90 x 8 76 x 6	175 175 210 210 200 210	140 140 140 145 76 -	3900 63604 5978 610768 611618 610749	3901 63605 5979 610769 611619 -	103902
HR35-R2 (R2 Rotor)	L C	14	56	80 x 8	215	140	79970 79972	79971 79973	79969
R600 AH, CH, RC HR40-43 HR40A, AH S, M, HD	L LS C T4	16	51	90 x 8	175 210 210 200	140 145 145 76	9862 9910 9950 611694	9863 9911 9951 611695	762409
Rotalabour	Lab	16	50	60 x 12	230	40	653256	653257	762409
F1 Rotor	F1	16	1 hole	60 x 12	250	40	653828	653829	652968
Point	P	10	1 hole	Ø 30	180	-	652816	-	652817
HR50, 60, 61 (‘S’ rotor)	L LS C	16	51	90 x 8	175 210 210	140 140 145	9862 9910 9950	9863 9911 9951	762409
HR50, 60, 61 (‘F’ Rotor)	L C	16	76	105 x 8	190 215	150 140	762719 109343	762720 109344	652231

PFG Australia reserves the right to amend product specifications without notice. This leaflet is for information purposes and does not constitute an offer for sale.

PFG AUSTRALIA Pty Ltd ABN 82093037533

199 Australis Drive, Derrimut, Victoria 3026 P +61 3 8353 3600 F +61 3 8353 3699 W www.howard-australia.com.au





Tractor Mounted Rotary Hoe Blade Identification

POWERSHED

www.powershed.com.au

Rev. H 7/2018
Page 1 of 2

Howard Rotary Hoe blades are manufactured from Alloy Spring Steel or Boron Steel and are heat treated to ensure the perfect balance between long life and durability.



Blades for tractor mounted rotary hoes (All measurements expressed in mm unless otherwise shown.)

Machine Model	Blade Type	Bolt Size	Hole Centres	Matl. Section	Depth A	Cut B	Part No. LH	Part No. RH	Bolt Set or bolt/nut/w
Falc A	C	12	42	60 x 6	162	88	88.30.00	88.30.01	301112355 307112012 308120045
Falc BS (Fits: Maschio)	C	12	42	60 x 6	195	88	10.023	10.097	301112355 307112012 308120045
Falc C, CS, E (Fits: Celli E, Krone)	L	14	57	80 x 7	180	135	762427	762428	79969
Falc D (Fits: Maschio)	L	14	56	80 x 7	215	140	79970	79971	79969
Falc F,G (Fits: Kuhn, Krone)	L C	16	76	105 x 8	190 215	150 140	762719 109343	762720 109344	762409

Blades for pedestrian controlled rotary hoes (All measurements expressed in mm unless otherwise shown.)

H200 Bullfinch	L	5/16"	38	50 x 4	145	114	14130	14131	14144
Terrier 2000 / 21 / 30	L	3/8"	38	50 x 4	135	95	75660	75661	101306085 107106015 108061145
300 / 350 352	L Centre	5/16"	38	50 x 4	140 130	95 20	9896 64486	9897 64485	14144
Gem	L	7/16" (csk bolt)	57	75 x 6	175	140	9900	9901	650528 (104607105)