70146

Mixer w/Holes, Metal Detectable, Ø31 mm, 1200 mm, Yellow





This fully-moulded, metal-detectable Mixer features a small blade and a long handle. Suitable for stirring food ingredients in large pots and vats. Small holes allow ingredients to pass through the stirrer blade and ease stirring. Metal detection can be confirmed using a test kit (11113).

Technical Data

Mefal & X-Ray detectable additive Complies with (EC) 1935/2004 on food contact materials' Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Quantity per Pallet (80 x 120 x 200 cm) 120 Pcs. Quantity per Layer (Pallet) 1 Pcs. Box Length 1200 mm Box Width 163 mm Box Height 37 mm Product Diameter 31 mm Length/Depth 1200 mm Width 163 mm Box Height 37 mm Net Weight Bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0209 kg Weight tag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0209 kg Weight tag (Recycling Symbol "4" Low Density Polyethylene (LOPE) 0.0212 fc Max. cleaning temperature (Dishwasher) 93 °c Max usage temperature (Ios contact)	Item Number	70146
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesFDA compliant raw material (CFR 21)YesComplies with UK 2019 No. 704 on food contact materialsYesMeets the REACH Regulation (EC) No. 1907/2006YesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesBox Quantity1 Pcs.Quantity per Pallet (80 x 120 x 200 cm)120 Pcs.Quantity Per Layer (Pallet)1 Pcs.Box Length1200 mmBox Vidth163 mmBox Vidth163 mmHeight37 mmProduct Diameter31 mmLength/Depth1200 mmWeight cardboard0.0209 kg(LDPE)0.0209 kgWeight cardboard0.0209 kgGross Weight1.06 kgGubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (Toshwasher)93 °CMax. usage temperature (non food contact)100 °CMin. usage temperature in Usage Concentration2 pHMax. pH-value in Usage Concentration2 pHMetal DetectableYes	Material	Metal & X-Ray
Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 120 Pcs. Quantity Per Layer (Pallet) 1 Pcs. Box Length 1200 mm Box Width 163 mm Box Width 163 mm Product Diameter 31 mm Length/Depth 1200 mm Weight bag (Recycling Symbol "4" Low Density Polyethylene (LOPE) 0.0209 kg Weight cardboard 0.0209 kg Tare total 0.007237 M3 Recommended sterilisation temperature (Autoclave) 121 "C Max. usage temperature (food contact) 100 "C Max. usage temperature (non food contact) 100 "C Max. usage temperature3 -20 "C Min.	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materialsYesMeets the REACH Regulation (EC) No. 1907/2006YesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesBox Quantity1 Pcs.Quantity per Pallet (80 x 120 x 200 cm)120 Pcs.Quantity Per Layer (Pallet)1 Pcs.Box Length1200 mmBox Width163 mmBox Height37 mmProduct Diameter31 mmLength/Depth1200 mmWidth163 mmHeight100 mmWeight0.0209 kgCuDPE)0.0209 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0209 kgCubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMax. pH-value in usage concentration2 pHMetal DetectableYes	Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Meets the REACH Regulation (EC) No. 1907/2006YesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesBox Quantity1 Pcs.Quantity per Pallet (80 x 120 x 200 cm)120 Pcs.Quantity Per Layer (Pallet)1 Pcs.Box Length1200 mmBox Width163 mmBox Width163 mmProduct Diameter31 mmLength/Depth1200 mmWidth163 mmNet Weight1020 mmWidth163 mmLength/Depth200 mmWidth163 mmLength/Depth0.020 mmWight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0209 kgWeight cardboard0.0209 kgCubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (Dishwasher)93 °CMax. usage temperature (non food contact)100 °CMin. usage temperature (non food contact)100 °CMin. pl-value in usage Concentration2 pHMetal DetectableYes	FDA compliant raw material (CFR 21)	Yes
Use of phthalates and bisphenol ANoIs Halal and Kosher compliantYesBox Quantity1 Pcs.Quantity per Pallet (80 x 120 x 200 cm)120 Pcs.Quantity Per Layer (Pallet)1 Pcs.Box Length1200 mmBox Kength163 mmBox Width163 mmBox Height37 mmProduct Diameter31 mmLength/Depth1200 mmWidth163 mmHeight37 mmNet Weight1.023 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0209 kgWeight cardboard0.0209 kgTare total0.0418 kgGross Weight1.06 kgCubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax. usage temperature (non food contact)100 °CMin. usage concentration2 pHMax. pH-value in usage concentration2 pHMetal DetectableYes	Complies with UK 2019 No. 704 on food contact materials	Yes
Is Halal and Kosher compliant Yes Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 120 Pcs. Quantity Per Layer (Pallet) 1 Pcs. Box Length 1200 mm Box Width 163 mm Box Height 37 mm Product Diameter 31 mm Length/Depth 1200 mm Width 163 mm Height 37 mm Net Weight 1023 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (D.0209 kg (LDPE) 0.0209 kg Weight cardboard 0.0209 kg Cubik metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. usage temperature³ -20 °C Min. pH-value in Usage Concentration 2 pH Max. pH-value in Usage Concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Box Quantity1 Pcs.Quantity per Pallet (80 x 120 x 200 cm)120 Pcs.Quantity Per Layer (Pallet)1 Pcs.Box Length1200 mmBox Width163 mmBox Height37 mmProduct Diameter31 mmLength/Depth1200 mmWidth163 mmMeight37 mmNet Weight1023 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0209 kgTare total0.0219 kgGross Weight1.06 kgCubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMin. usage temperature3-20 °CMin. pH-value in Usage Concentration2 pHMetal DetectableYes	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 200 cm)120 Pcs.Quantity Per Layer (Pallet)1 Pcs.Box Length1200 mmBox Width163 mmBox Height37 mmProduct Diameter31 mmLength/Depth1200 mmWidth163 mmNet Weight1200 mmWidth163 mmHeight37 mmNet Weight1.023 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0209 kgWeight cardboard0.0209 kgTare total0.0418 kgGross Weight1.06 kgCubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMax. usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMin. usage temperature3-20 °CMin. pH-value in usage Concentration2 pHMax. pH-value in Usage Concentration2 pHMetal DetectableYes	Is Halal and Kosher compliant	Yes
Quantity Per Layer (Pallet) 1 Pcs. Box Length 1200 mm Box Width 163 mm Box Height 37 mm Product Diameter 31 mm Length/Depth 1200 mm Width 163 mm Height 37 mm Product Diameter 31 mm Length/Depth 1200 mm Width 163 mm Height 37 mm Net Weight 1.023 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0209 kg Weight cardboard 0.0209 kg Gross Weight 1.06 kg Cubik metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes	Box Quantity	1 Pcs.
Box Length1200 mmBox Width163 mmBox Height37 mmProduct Diameter31 mmLength/Depth1200 mmWidth163 mmHeight37 mmNet Weight1.023 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0209 kgQueight cardboard0.0209 kgTare total0.0418 kgGross Weight1.06 kgCubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (non food contact)100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHMetal DetectableYes	Quantity per Pallet (80 x 120 x 200 cm)	120 Pcs.
Box Width163 mmBox Height37 mmProduct Diameter31 mmLength/Depth1200 mmWidth163 mmHeight37 mmNet Weight1.023 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0209 kgWeight cardboard0.0209 kgGross Weight1.06 kgCubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMax. usage temperature (food contact)100 °CMin. usage temperature3-20 °CMin. usage temperature3-20 °CMin. usage temperature3-20 °CMax. pH-value in usage Concentration2 pHMetal DetectableYes	Quantity Per Layer (Pallet)	1 Pcs.
Box Height37 mmProduct Diameter31 mmLength/Depth1200 mmWidth163 mmHeight37 mmNet Weight1.023 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0209 kgWeight cardboard0.0209 kgTare total0.0418 kgGross Weight1.06 kgCubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (non food contact)100 °CMin. usage temperatures-20 °CMin. usage temperature (non food contact)100 °CMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYes	Box Length	1200 mm
Product Diameter31 mmLength/Depth1200 mmWidth163 mmHeight37 mmNet Weight1.023 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0209 kgWeight cardboard0.0209 kgTare total0.0418 kgGross Weight1.06 kgCubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature 3-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHMetal DetectableYes	Box Width	163 mm
Length/Depth1200 mmWidth163 mmHeight37 mmNet Weight1.023 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0209 kgWeight cardboard0.0209 kgTare total0.0418 kgGross Weight1.06 kgCubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHMetal DetectableYes	Box Height	37 mm
Width163 mmHeight37 mmNet Weight1.023 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0209 kgWeight cardboard0.0209 kgTare total0.0418 kgGross Weight1.06 kgCubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperatures-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHMetal DetectableYes	Product Diameter	31 mm
Height37 mmNet Weight1.023 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0209 kgWeight cardboard0.0209 kgTare total0.0418 kgGross Weight1.06 kgCubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMin. usage temperature a-20 °CMin. usage temperature a-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYes	Length/Depth	1200 mm
Net Weight1.023 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0209 kgWeight cardboard0.0209 kgTare total0.0418 kgGross Weight1.06 kgCubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYes	Width	163 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0209 kgWeight cardboard0.0209 kgTare total0.0418 kgGross Weight1.06 kgCubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperatures-20 °CMin. pH-value in Usage Concentration2 pHMetal DetectableYes	Height	37 mm
(LDPE)0.0209 kgWeight cardboard0.0209 kgTare total0.0418 kgGross Weight1.06 kgCubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYes	Net Weight	1.023 kg
Tare total0.0418kgGross Weight1.06kgCubik metre0.007237M3Recommended sterilisation temperature (Autoclave)121°CMax. cleaning temperature (Dishwasher)93°CMax. usage temperature (food contact)100°CMax usage temperature (non food contact)100°CMin. usage temperature³-20°CMin. pH-value in usage concentration2pHMax. pH-value in Usage Concentration10.5pHMetal DetectableYes	Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)	0.0209 kg
Gross Weight1.06 kgCubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYes	Weight cardboard	0.0209 kg
Cubik metre0.007237M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYes	Tare total	0.0418 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYes	Gross Weight	1.06 kg
Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYes	Cubik metre	0.007237 M3
Max. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYes	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYes	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYes	Max. usage temperature (food contact)	100 °C
Min. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYes	Max usage temperature (non food contact)	100 °C
Max. pH-value in Usage Concentration10.5 pHMetal DetectableYes	Min. usage temperature ³	-20 °C
Metal Detectable Yes	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number 5705022032774	Metal Detectable	Yes
	GTIN-13 Number	5705022032774

Customs Tariff No.	39241000
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.