

Product Information

00 11 06 V01

Universal Key "Construction"

For all standard cabinets and shut-off systems



- Same model as universal key (00 11 06) with additional insertable, magnetically held attachment: for locks with PZ perforation and step square
- Compact key for locking systems in electrical engineering, the supply of gas and water, air conditioning and ventilation systems, industry, technical installations in buildings, etc.
- Support with cylinder perforation suitable for profile cylinders in doors
- For 7 different locking systems
- · With detachable chain and snap hook
- Total length: 96 mm
- Total length: 157 mm

General	
Part No.	00 11 06 V01
EAN	4003773075394
Weight	255 g
Dimensions	96 x 96 x 20 mm
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Tachnical dataile	

Technical details	
Capacity double-bit key	3 - 5 mm
Capacity square	5.0 / 6.0 / 7.0 — 8.0 / 9.0 — 10.0 mm
Capacity triangular	7.0 - 8.0 / 9.0 - 10.0 / 11.0 mm
Step-wise square / driving square	6 / 7 / 8 / 9 mm
half-moon	6 mm
catch for locks with cylinder lock perforation	PZ

Technical changes and errors excepted

KNIPEX Quality – Made in Germany















KNIPEX Quality – Made in Germany





