

Certificate of Conformity

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the authorised Approval Mark on the product of the same type and the Regulatory Compliance Mark (RCM) mark provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the Approval and RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. – This Certificate meets the requirements of a Recognised External Certification Scheme (EESS- RECS) and a Recognised External Approval Scheme (NSW-REAS).

CERTIFICATION AND CERTIFICATE HOLDER DETAILS

Company Name	Thermosoft Australia Pty Ltd	Other Name	
Address	1/3 Franklin ct Frankston VIC 3199 Australia		
Client ID	109435	Global-Mark File Number:	109435-001
Certificate Number & Approval Mark	GMA-516291-EA	Revision Number	00
Certification Standard(s)	AS/NZS 60335.2.30:2015 including A1 - 4 & AS/NZS 60335.1:2020 including A1 Household and similar electrical appliances - Safety - Particular requirements for room heaters		
Type of Certification	Electrical Safety Product	Scheme	Global-Mark Electrical Product Safety Certification Scheme

CERTIFICATE DATES

Certificate Issue Date	11/01/2024
Certificate Last Update Date	
Certification Expiry Date	11/01/2029

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Certificate of Conformity

CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	Product Description	Trade Name	Model Number	Rating
Room Heater	room heater	Purmo Group	AUYALI D P 03 080 11 230 05 1Z	230vac, 50hz, 500watt, IP44
Room Heater	room heater	Purmo Group	AUYALI D P 03 050 21 230 05 1Z	230vac, 50hz, 500watt, IP44
Room Heater	room heater	Purmo Group	AUYALI D P 05 040 21 230 05 1Z	230vac, 50hz, 500watt, IP44
Room Heater	room heater	Purmo Group	AUYALI D P 05 055 11 230 05 1Z	230vac, 50hz, 500watt, IP44
Room Heater	room heater	Purmo Group	AUYALI D P 03 080 21 230 08 1Z	230vac, 50hz, 750watt, IP44
Room Heater	room heater	Purmo Group	AUYALI D P 05 050 21 230 08 1Z	230vac, 50hz, 750watt, IP44
Room Heater	room heater	Purmo Group	AUYALI D P 03 110 11 230 08 1Z	230vac, 50hz, 750watt, IP44
Room Heater	room heater	Purmo Group	AUYALI D P 05 080 11 230 08 1Z	230vac, 50hz, 750watt, IP44
Room Heater	room heater	Purmo Group	AUYALI D P 05 065 21 230 10 1Z	230vac, 50hz, 1000watt, IP44
Room Heater	room heater	Purmo Group	AUYALI D P 03 100 21 230 10 1Z	230vac, 50hz, 1000watt, IP44
Room Heater	room heater	Purmo Group	AUYALI D P 03 150 11 230 10 1Z	230vac, 50hz, 1000watt, IP44
Room Heater	room heater	Purmo Group	AUYALI D P 05 105 11 230 10 1Z	230vac, 50hz, 1000watt, IP44
Room Heater	room heater	Purmo Group	AUYALI D P 03 130 21 230 13 1Z	230vac, 50hz, 1250watt, IP44
Room Heater	room heater	Purmo Group	AUYALI D P 05 080 21 230 13 1Z	230vac, 50hz, 1250watt, IP44

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Certificate of Conformity

Room Heater	room heater	Purmo Group	AUYALI D P 05 130 11 230 13 1Z	230vac, 50hz, 1250watt, IP44
Room Heater	room heater	Purmo Group	AUYALI D P 03 160 21 230 15 1Z	230vac, 50hz, 1500watt, IP44
Room Heater	room heater	Purmo Group	AUYALI D P 05 095 21 230 15 1Z	230vac, 50hz, 1500watt, IP44
Room Heater	room heater	Purmo Group	AUYALI D P 03 200 21 230 20 1Z	230vac, 50hz, 2000watt, IP44
Room Heater	room heater	Purmo Group	AUYALI D P 05 125 21 230 20 1Z	230vac, 50hz, 2000watt, IP44
Room Heater	room heater	Purmo Group	AUYALI R P 03 080 11 230 05 1Z	230vac, 50hz, 500watt, IP44
Room Heater	room heater	Purmo Group	AUYALI R P 03 050 21 230 05 1Z	230vac, 50hz, 500watt, IP44
Room Heater	room heater	Purmo Group	AUYALI R P 05 040 21 230 05 1Z	230vac, 50hz, 500watt, IP44
Room Heater	room heater	Purmo Group	AUYALI R P 05 055 11 230 05 1Z	230vac, 50hz, 500watt, IP44
Room Heater	room heater	Purmo Group	AUYALI R P 03 080 21 230 08 1Z	230vac, 50hz, 750watt, IP44
Room Heater	room heater	Purmo Group	AUYALI R P 05 050 21 230 08 1Z	230vac, 50hz, 750watt, IP44
Room Heater	room heater	Purmo Group	AUYALI R P 03 110 11 230 08 1Z	230vac, 50hz, 750watt, IP44
Room Heater	room heater	Purmo Group	AUYALI R P 05 080 11 230 08 1Z	230vac, 50hz, 750watt, IP44
Room Heater	room heater	Purmo Group	AUYALI R P 05 065 21 230 10 1Z	230vac, 50hz, 1000watt, IP44
Room Heater	room heater	Purmo Group	AUYALI R P 03 100 21 230 10 1Z	230vac, 50hz, 1000watt, IP44

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Certificate of Conformity

Room Heater	room heater	Purmo Group	AUYALI R P 03 150 11 230 10 1Z	230vac, 50hz, 1000watt, IP44
Room Heater	room heater	Purmo Group	AUYALI R P 05 105 11 230 10 1Z	230vac, 50hz, 1000watt, IP44
Room Heater	room heater	Purmo Group	AUYALI R P 03 130 21 230 13 1Z	230vac, 50hz, 1250watt, IP44
Room Heater	room heater	Purmo Group	AUYALI R P 05 080 21 230 13 1Z	230vac, 50hz, 1250watt, IP44
Room Heater	room heater	Purmo Group	AUYALI R P 05 130 11 230 13 1Z	230vac, 50hz, 1250watt, IP44
Room Heater	room heater	Purmo Group	AUYALI R P 03 160 21 230 15 1Z	230vac, 50hz, 1500watt, IP44
Room Heater	room heater	Purmo Group	AUYALI R P 05 095 21 230 15 1Z	230vac, 50hz, 1500watt, IP44
Room Heater	room heater	Purmo Group	AUYALI R P 03 200 21 230 20 1Z	230vac, 50hz, 2000watt, IP44
Room Heater	room heater	Purmo Group	AUYALI R P 05 125 21 230 20 1Z	230vac, 50hz, 2000watt, IP44
Room Heater	room heater	Purmo Group	AUYALI P P 03 080 11 230 05 1Z	230vac, 50hz, 500watt, IP44
Room Heater	room heater	Purmo Group	AUYALI P P 03 050 21 230 05 1Z	230vac, 50hz, 500watt, IP44
Room Heater	room heater	Purmo Group	AUYALI P P 05 040 21 230 05 1Z	230vac, 50hz, 500watt, IP44
Room Heater	room heater	Purmo Group	AUYALI P P 05 055 11 230 05 1Z	230vac, 50hz, 500watt, IP44
Room Heater	room heater	Purmo Group	AUYALI P P 03 080 21 230 08 1Z	230vac, 50hz, 750watt, IP44
Room Heater	room heater	Purmo Group	AUYALI P P 05 050 21 230 08 1Z	230vac, 50hz, 750watt, IP44

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Certificate of Conformity

Room Heater	room heater	Purmo Group	AUYALI P P 03 110 11 230 08 1Z	230vac, 50hz, 750watt, IP44
Room Heater	room heater	Purmo Group	AUYALI P P 05 080 11 230 08 1Z	230vac, 50hz, 750watt, IP44
Room Heater	room heater	Purmo Group	AUYALI P P 05 065 21 230 10 1Z	230vac, 50hz, 1000watt, IP44
Room Heater	room heater	Purmo Group	AUYALI P P 03 100 21 230 10 1Z	230vac, 50hz, 1000watt, IP44
Room Heater	room heater	Purmo Group	AUYALI P P 03 150 11 230 10 1Z	230vac, 50hz, 1000watt, IP44
Room Heater	room heater	Purmo Group	AUYALI P P 05 105 11 230 10 1Z	230vac, 50hz, 1000watt, IP44
Room Heater	room heater	Purmo Group	AUYALI P P 03 130 21 230 13 1Z	230vac, 50hz, 1250watt, IP44
Room Heater	room heater	Purmo Group	AUYALI P P 05 080 21 230 13 1Z	230vac, 50hz, 1250watt, IP44
Room Heater	room heater	Purmo Group	AUYALI P P 05 130 11 230 13 1Z	230vac, 50hz, 1250watt, IP44
Room Heater	room heater	Purmo Group	AUYALI P P 03 160 21 230 15 1Z	230vac, 50hz, 1500watt, IP44
Room Heater	room heater	Purmo Group	AUYALI P P 05 095 21 230 15 1Z	230vac, 50hz, 1500watt, IP44
Room Heater	room heater	Purmo Group	AUYALI P P 03 200 21 230 20 1Z	230vac, 50hz, 2000watt, IP44
Room Heater	room heater	Purmo Group	AUYALI P P 05 125 21 230 20 1Z	230vac, 50hz, 2000watt, IP44
Room Heater	room heater	Purmo Group	AUYALI D C 03 080 11 230 05 1Z	230vac, 50hz, 500watt, IP44
Room Heater	room heater	Purmo Group	AUYALI D C 03 050 21 230 05 1Z	230vac, 50hz, 500watt, IP44

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager




Certificate of Conformity

Room Heater	room heater	Purmo Group	AUYALI D C 05 040 21 230 05 1Z	230vac, 50hz, 500watt, IP44
Room Heater	room heater	Purmo Group	AUYALI D C 05 055 11 230 05 1Z	230vac, 50hz, 500watt, IP44
Room Heater	room heater	Purmo Group	AUYALI D C 03 080 21 230 08 1Z	230vac, 50hz, 750watt, IP44
Room Heater	room heater	Purmo Group	AUYALI D C 05 050 21 230 08 1Z	230vac, 50hz, 750watt, IP44
Room Heater	room heater	Purmo Group	AUYALI D C 03 110 11 230 08 1Z	230vac, 50hz, 750watt, IP44
Room Heater	room heater	Purmo Group	AUYALI D C 05 080 11 230 08 1Z	230vac, 50hz, 750watt, IP44
Room Heater	room heater	Purmo Group	AUYALI D C 05 065 21 230 10 1Z	230vac, 50hz, 1000watt, IP44
Room Heater	room heater	Purmo Group	AUYALI D C 03 100 21 230 10 1Z	230vac, 50hz, 1000watt, IP44
Room Heater	room heater	Purmo Group	AUYALI D C 03 150 11 230 10 1Z	230vac, 50hz, 1000watt, IP44
Room Heater	room heater	Purmo Group	AUYALI D C 05 105 11 230 10 1Z	230vac, 50hz, 1000watt, IP44
Room Heater	room heater	Purmo Group	AUYALI D C 03 130 21 230 13 1Z	230vac, 50hz, 1250watt, IP44
Room Heater	room heater	Purmo Group	AUYALI D C 05 080 21 230 13 1Z	230vac, 50hz, 1250watt, IP44
Room Heater	room heater	Purmo Group	AUYALI D C 05 130 11 230 13 1Z	230vac, 50hz, 1250watt, IP44
Room Heater	room heater	Purmo Group	AUYALI D C 03 160 21 230 15 1Z	230vac, 50hz, 1500watt, IP44
Room Heater	room heater	Purmo Group	AUYALI D C 05 095 21 230 15 1Z	230vac, 50hz, 1500watt, IP44

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Certificate of Conformity

Room Heater	room heater	Purmo Group	AUYALI D C 03 200 21 230 20 1Z	230vac, 50hz, 2000watt, IP44
Room Heater	room heater	Purmo Group	AUYALI D C 05 125 21 230 20 1Z	230vac, 50hz, 2000watt, IP44
Room Heater	room heater	Purmo Group	AUYALI R C 03 080 11 230 05 1Z	230vac, 50hz, 500watt, IP44
Room Heater	room heater	Purmo Group	AUYALI R C 03 050 21 230 05 1Z	230vac, 50hz, 500watt, IP44
Room Heater	room heater	Purmo Group	AUYALI R C 05 040 21 230 05 1Z	230vac, 50hz, 500watt, IP44
Room Heater	room heater	Purmo Group	AUYALI R C 05 055 11 230 05 1Z	230vac, 50hz, 500watt, IP44
Room Heater	room heater	Purmo Group	AUYALI R C 03 080 21 230 08 1Z	230vac, 50hz, 750watt, IP44
Room Heater	room heater	Purmo Group	AUYALI R C 05 050 21 230 08 1Z	230vac, 50hz, 750watt, IP44
Room Heater	room heater	Purmo Group	AUYALI R C 03 110 11 230 08 1Z	230vac, 50hz, 750watt, IP44
Room Heater	room heater	Purmo Group	AUYALI R C 05 080 11 230 08 1Z	230vac, 50hz, 750watt, IP44
Room Heater	room heater	Purmo Group	AUYALI R C 05 065 21 230 10 1Z	230vac, 50hz, 1000watt, IP44
Room Heater	room heater	Purmo Group	AUYALI R C 03 100 21 230 10 1Z	230vac, 50hz, 1000watt, IP44
Room Heater	room heater	Purmo Group	AUYALI R C 03 150 11 230 10 1Z	230vac, 50hz, 1000watt, IP44
Room Heater	room heater	Purmo Group	AUYALI R C 05 105 11 230 10 1Z	230vac, 50hz, 1000watt, IP44
Room Heater	room heater	Purmo Group	AUYALI R C 03 130 21 230 13 1Z	230vac, 50hz, 1250watt, IP44

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Certificate of Conformity

Room Heater	room heater	Purmo Group	AUYALI R C 05 080 21 230 13 1Z	230vac, 50hz, 1250watt, IP44
Room Heater	room heater	Purmo Group	AUYALI R C 05 130 11 230 13 1Z	230vac, 50hz, 1250watt, IP44
Room Heater	room heater	Purmo Group	AUYALI R C 03 160 21 230 15 1Z	230vac, 50hz, 1500watt, IP44
Room Heater	room heater	Purmo Group	AUYALI R C 05 095 21 230 15 1Z	230vac, 50hz, 1500watt, IP44
Room Heater	room heater	Purmo Group	AUYALI R C 03 200 21 230 20 1Z	230vac, 50hz, 2000watt, IP44
Room Heater	room heater	Purmo Group	AUYALI R C 05 125 21 230 20 1Z	230vac, 50hz, 2000watt, IP44
Room Heater	room heater	Purmo Group	AUYALI P C 03 080 11 230 05 1Z	230vac, 50hz, 500watt, IP44
Room Heater	room heater	Purmo Group	AUYALI P C 03 050 21 230 05 1Z	230vac, 50hz, 500watt, IP44
Room Heater	room heater	Purmo Group	AUYALI P C 05 040 21 230 05 1Z	230vac, 50hz, 500watt, IP44
Room Heater	room heater	Purmo Group	AUYALI P C 05 055 11 230 05 1Z	230vac, 50hz, 500watt, IP44
Room Heater	room heater	Purmo Group	AUYALI P C 03 080 21 230 08 1Z	230vac, 50hz, 750watt, IP44
Room Heater	room heater	Purmo Group	AUYALI P C 05 050 21 230 08 1Z	230vac, 50hz, 750watt, IP44
Room Heater	room heater	Purmo Group	AUYALI P C 03 110 11 230 08 1Z	230vac, 50hz, 750watt, IP44
Room Heater	room heater	Purmo Group	AUYALI P C 05 080 11 230 08 1Z	230vac, 50hz, 750watt, IP44
Room Heater	room heater	Purmo Group	AUYALI P C 05 065 21 230 10 1Z	230vac, 50hz, 1000watt, IP44

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Certificate of Conformity

Room Heater	room heater	Purmo Group	AUYALI P C 03 100 21 230 10 1Z	230vac, 50hz, 1000watt, IP44
Room Heater	room heater	Purmo Group	AUYALI P C 03 150 11 230 10 1Z	230vac, 50hz, 1000watt, IP44
Room Heater	room heater	Purmo Group	AUYALI P C 05 105 11 230 10 1Z	230vac, 50hz, 1000watt, IP44
Room Heater	room heater	Purmo Group	AUYALI P C 03 130 21 230 13 1Z	230vac, 50hz, 1250watt, IP44
Room Heater	room heater	Purmo Group	AUYALI P C 05 080 21 230 13 1Z	230vac, 50hz, 1250watt, IP44
Room Heater	room heater	Purmo Group	AUYALI P C 05 130 11 230 13 1Z	230vac, 50hz, 1250watt, IP44
Room Heater	room heater	Purmo Group	AUYALI P C 03 160 21 230 15 1Z	230vac, 50hz, 1500watt, IP44
Room Heater	room heater	Purmo Group	AUYALI P C 05 095 21 230 15 1Z	230vac, 50hz, 1500watt, IP44
Room Heater	room heater	Purmo Group	AUYALI P C 03 200 21 230 20 1Z	230vac, 50hz, 2000watt, IP44
Room Heater	room heater	Purmo Group	AUYALI P C 05 125 21 230 20 1Z	230vac, 50hz, 2000watt, IP44

RELEVANT TRADEMARK (S)

COMMENTS OR CONDITIONS ON THE CERTIFICATION
Nil

End of document

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager


