



CLS Static Camera WIFI & 4G Specifications



Outdoor HD 2K WiFi IP Camera 5 Megapixel, IP66 Weatherproof, Wireless Security Camera

Supports 128GB microSD, IP66 Outdoor Weatherproof, 24/7 Live Streaming with Premium HD 2K 5 Megapixel Resolution @ 18fps.

Simple and Easy Mobile Wi-Fi Setup for iOS and Android devices. Quickly setup your camera using a mobile device to find a Wi-Fi network.

Support P2P Function. No need to go through Port Forwarding and DDNS setting when you can just scan the QR code on the bottom of the camera to connect it to smart phone. Its that simple.

Smart Motion Alerts on Mobile Devices. Receive Push Notifications and Email Alerts when Motion is Detected. Limited Local Windows PC Access with Firefox, IE and Apple Mac Access with Safari.

Wide 26-96° deg Viewing Angle, and Night Vision Distance up to 40 meters. RoHS FCC and CE. Certified with 1 Year Warranty.

National Service Centre: 0330 912 7424 **E Mail:** operations@countrysidelandownerssecurity.com

Head Office: Integrity House, Three Point Business Park, Charles Lane, Haslingden, BB4 5EH

Bigger Project Web Site www.countrysidelandownerssecurity.com

E Commerce Web Site www.clsonline.co.uk



Follow us



WiFi Camera Specification

Model		B19 Wifi
Video	Sensor	5 megapixel 1/2.8 " SONY335 low lux CMOS
	Video resolution	Main stream: 2560x1920@15fps, 2560x1440@15fps Sub stream: 800x600/800x448@25fps, 640x480/640x352@25fps
	Video compression	H.265 / H.264
	Lens	3.6mm lens
	View angle	26-96°
	Night vision	6pcs array infrared LEDs, night vision distance 40m
Alarm	Motion detecting alarm	Can set 4 independent detection region (1-100 sensitivity can be set)
	Alarm activation linkage	Alarm send pictures to a mailbox, Alarm can upload pictures and videos to the FTP server, Alarm can record pictures and videos to Micro SD card, Alarm can send a mobile phone message push Alarm triggers sound alarm
	Alarm recording	Support Micro SD card and PC client linkage alarm recording
Network	Wireless	IEEE 802.11 b/g/n
	Ethernet	RJ45 Ethernet
	Onvif protocol	Support ONVIF 2.4(backward compatible)
Audio	Audio compression	G.726/G.711
	Audio code rate	8Kbps, 16bit
	Audio input/output	Built-in MIC and speakers, support two way audio
Storage	Micro SD card	Supports up to 128G micro SD card, external card slot, easy to install
	Recording mode	Alarm record, timing record,
	Video playback	Supports APP, IE browser, remote client play and download the video
	Power	DC12V 1A

National Service Centre: 0330 912 7424 **E Mail:** operations@countrysidelandownerssecurity.com

Head Office: Integrity House, Three Point Business Park, Charles Lane, Haslingden, BB4 5EH

Bigger Project Web Site www.countrysidelandownerssecurity.com

E Commerce Web Site www.clsonline.co.uk

Follow us   



General specification	Operating environment	Environment -35°C~+60°C(-4°F~+140°F), Humidity 10%~90%, non-condensing
	Waterproof level	IP66 All metal shell
	Product size	175mm×62mm×66mm(L×W×H)
	Product weight	0.35kg
	Package size	218mmx158mmx106mm(L×W×H)
	Package weight	0.6kg
	Reset button	Support

Camera Operational features

Remote Viewing:	Worldwide via smart phone or tablet
Recording:	Continuous, scheduled or motion activated
View Recordings:	View and download remotely
Motion Alerts:	Receive motion alerts to your smart phone or tablet
SMTP Sever:	Enables e-mail notifications
Audio:	Two-way audio via mobile phone App

4G Model No NC17G-EU

Outdoor HD 1080p WiFi IP Camera 5 Megapixel, IP66 Weatherproof, Wireless Security Camera

Supports 128GB microSD, IP66 Outdoor Weatherproof, 24/7 Live Streaming with Premium HD 1080p 2 Megapixel Resolution @ 25fps.

Simple and Easy Mobile Wi-Fi Setup for iOS and Android devices. Quickly setup your camera using a mobile device to find a Wi-Fi network.

Support P2P Function. No need to go through Port Forwarding and DDNS setting when you can just scan the QR code on the bottom of the camera to connect it to smart phone. Its that simple.

Smart Motion Alerts on Mobile Devices. Receive Push Notifications and Email Alerts when
National Service Centre: 0330 912 7424 **E Mail:** operations@countrysidelandownerssecurity.com
Head Office: Integrity House, Three Point Business Park, Charles Lane, Haslingden, BB4 5EH **Bigger Project Web Site** www.countrysidelandownerssecurity.com

E Commerce Web Site www.clsonline.co.uk

Follow us   



Motion is Detected. Limited Local Windows PC Access with Firefox, IE and Apple Mac Access with Safari.

Wide 96° deg Viewing Angle, and Night Vision Distance up to 40 meters. RoHS FCC and CE Certified with 1 Year Warranty

4G Camera Specification

Model		4G NC17G-EU
Video	Sensor	5 megapixel 1/2.8 " Sony 307 CMOS
	Video resolution	Main stream: 1920x1080@25fps, 1280x720@25fps Sub stream: 640x352@25fps, 320x176@25fps
	Video compression	H.265 / H.264
	Lens	3.6mm lens
	View angle	26°/96°
	Night vision	6pcs array infrared LEDs, night vision distance 40m
Alarm	Motion detecting alarm	Can set 4 independent detection region (1-100 sensitivity can be set)
	Alarm linkage	Alarm send pictures to the mailbox, Alarm upload pictures and videos to the FTP server, Alarm record pictures and videos to Micro SD card, Alarm mobile phone message push Alarm trigger sound alarm
	Alarm recording	Support Micro SD card and PC client linkage alarm recording
Network	Wireless	IEEE 802.11 b/g/n
	Ethernet	RJ45 Ethernet
	Onvif protocol	Support ONVIF 2.4(backward compatible)
Audio	Audio compression	G.726/G.711
	Audio code rate	8Kbps, 16bit
	Audio input/output	Built-in MIC and speakers, support two way audio
Storage	Micro SD card	Support up to 128G micro SD card, external card slot, easy to install
	Recording mode	Alarm record, timing record,
	Video playback	Support APP, IE browser, remote client play and download the video

National Service Centre: 0330 912 7424 **E Mail:** operations@countrysidelandownerssecurity.com

Head Office: Integrity House, Three Point Business Park, Charles Lane, Haslingden, BB4 5EH

Bigger Project Web Site www.countrysidelandownerssecurity.com

E Commerce Web Site www.clsonline.co.uk



Follow us

Countryside Landowners Security specialising in rural security technology is part of Secure Empty Property Limited



General specification	Power	DC12V 1A
	Operating environment	Environment -35°C~+60°C(-4°F~+140°F), Humidity 10%~90%, non-condensing
	Waterproof level	IP66 All metal shell
	Product size	175mm×62mm×66mm(L×W×H)
	Product weight	0.35kg
	Package size	218mm×158mm×106mm(L×W×H)
	Package weight	0.6kg
	Reset button	Support

National Service Centre: 0330 912 7424 **E Mail:** operations@countrysidelandownerssecurity.com

Head Office: Integrity House, Three Point Business Park, Charles Lane, Haslingden, BB4 5EH

Bigger Project Web Site www.countrysidelandownerssecurity.com

E Commerce Web Site www.clsonline.co.uk



Follow us