Truss Accessories

Add your creativity

Truss Accessories

- All types of connectors
- Aluminium base plates
- Heavy-duty plates
- Male & female cube connectors
- Ceiling supports
- Plastic clips
- Connection sets

CCM

Series	kg	lbs
M222	**0.06** (0.13)	

Conical connector M



PM|PIN

Series	kg	lbs
M222	**0.02** (0.04)	

Pin M

PMM6SET

Series	kg	lbs
M222	**0.02** (0.04)	

Pin M with M6 thread
Supplied with washer and nylock nut.

CCMM8|MALE

Series	kg	lbs
M222	**0.03** (0.07)	

Half connector M with M8 thread
Fixing screw not included (order separately if required)

SRPM

Series	kg	lbs
M222	**0.01** (0.01)	

Safety R Clip M

CCMD10

Series	kg	lbs
M222	**0.08** (0.18)	

Spacer M 10 mm (0.39")

CCMD20

Series	kg	lbs
M222	**0.10** (0.22)	

Spacer M 20 mm (0.79")

CCMD30

Series	kg	lbs
M222	**0.12** (0.26)	

Spacer M 30 mm (1.18")

CCMD40

Series	kg	lbs
M222	**0.14** (0.31)	

Spacer M 40 mm (1.58")



MWPDC|MALE

Series	kg	lbs
M222	**0.40** (0.88)	

Duo base plate with half connectors
Base plate includes mounting holes



MWPTC|MALE

Series	kg	lbs
M222	**0.60** (1.32)	

Trio base plate with half connectors
Base plate includes mounting holes



MWPQC|MALE

Series	kg	lbs
M222	**0.94** (2.07)	

Quatro base plate with half connectors
Base plate includes mounting holes



MWPD|FEMALE

Series	kg	lbs
M222	**0.50** (1.10)	

Duo base plate with female receivers
Base plate includes mounting holes



MWPT|FEMALE

Series	kg	lbs
M222	**0.70** (1.54)	

Trio base plate with female receivers
Base plate includes mounting holes



MWPQ|FEMALE

Series	kg	lbs
M222	**1.04** (2.29)	

Quatro base plate with female receivers
Base plate includes mounting holes

CON03M|CELL

Series	kg	lbs
M222	**0.27** (0.60)	

Clamp extension long
For 32 mm (1.26") tubes



CON04M|CELL

Series	kg	lbs
M222	**0.24** (0.53)	

Clamp extension short
For 32 mm (1.26") tubes



CS-M222

Series	kg	lbs
M222	**1.2** (2.64)	

Ceiling support for M222
SWL 250 kg (551 lbs)



CS-M222|COLOR

Series	kg	lbs
M222	**1.2** (2.64)	

Ceiling support for M222
SWL 250 kg (551 lbs)

CON85M|FEMALEPIN

Series	kg	lbs
M222	**0.08** (0.18)	

Female fitting for Multicube QC-M222
Supplied with washer and M10x25 bolt.



CON77M|MALEPIN

Series	kg	lbs
M222	**0.07** (0.15)	

Male fitting for Multicube QC-M222
Supplied with washer and M10x16 bolt.

CON19M|PARCELTRIO

Series	kg	lbs
M222	**0.30** (0.66)	

Connection set - TRIO truss
3x CCM, 6xPM|Pin, 6x SRPM

CON20M|PARCELQUATRO

Series	kg	lbs
M222	**0.40** (088)	

Parcel quatro (4xCCM, 8xPM, 8xSRPM)x
Connection set for QUATRO truss

CON18M|PARCELDUO

Series	kg	lbs
M222	**0.20** (0.44)	

Connection set - DUO truss
2x CCM, 4xPM|Pin, 4x SRPM

CCB

Series	kg	lbs
M290 M290E M390 M290x390	**0.11** (0.24)	

Conical connector B
F & U compatible versions available



PB|PIN

Series	kg	lbs
M290 M290E M390 M290x390	**0.05** (0.11)	

Pin B

PBM8SET

Series	kg	lbs
M290 M290E M390 M290x390	**0.08** (0.18)	

Pin B with M8 thread
Supplied with washer and nylock nut.

PBM8SSSET

Series	kg	lbs
M290 M290E M390 M290x390	**0.08** (0.18)	

Stainless steel Pin B with M8 thread
Supplied with washer and nylock nut.

CCBM10|MALE

Series	kg	lbs
M290 M390 M290x390	**0.07** (0.15)	

Half connector B with M10 thread
Fixing screw not included (order separately if required)
F&U compatible versions available

CCBM12|MALE

Series	kg	lbs
M290 M390 M290x390	**0.12** (0.26)	

Half connector B with M12 thread
Fixing screw not included (order separately if required)
F&U compatible versions available



SRPB

Series	kg	lbs
M222 M290E M390 M290x390	**0.002** (0.01)	

Safety R Clip B

CCBD10

Series	kg	lbs
M290 M390 M290x390	**0.20** (0.44)	

Spacer B 10 mm (0.39")
F & U compatible versions available

CCBD20

Series	kg	lbs
M290 M390 M290x390	**0.25** (0.55)	

Spacer B 20 mm (0.79")
F & U compatible version available

CCBD30

Series	kg	lbs
M290 M390 M290x390	**0.30** (0.66)	

Spacer B 30 mm (1.18")
F & U compatible version available

CCBD40

Series	kg	lbs
M290 M290E M390 M290x390	**0.36** (0.79)	

Spacer B 40 mm (1.58")
F & U compatible version available

CCBD50

Series	kg	lbs
M290 M290E M390 M290x390	**0.41** (0.90)	

Spacer B 50 mm (2")
Various lengths available on request
F & U compatible version available



CFBD105

Series	kg	lbs
M290 M390 M290x390	**0.33** (073)	

105 mm (4.13") female spacer
F & U compatible version available



CFBD210

Series	kg	lbs
M290 M390 M290x390	**0.68** (0.84)	

210 mm (8.27") female spacer
F & U compatible version available



BBPSC|MALE

Series	kg	lbs
M100 M290 M390 M290x390	**0.19** (0.42)	

Base plate with half connector
F & U compatible version available



BWPDC|MALE

Series	kg	lbs
M290	**0.64** (1.41)	

Duo base plate with half connectors
Base plate includes mounting holes F & U compatible versions available



BWPTC|MALE

Series	kg	lbs
M290	**1.08** (2.38)	

Trio base plate with half connectors
Wall plates have mounting holes F & U compatible versions available



BWPQC|MALE

Series	kg	lbs
M290	**1.65** (3.64)	

Quatro base plate with half connectors
Base plate includes mounting holes F & U compatible versions available



BWPD|FEMALE

Series	kg	lbs
M290	**0.74** (1.63)	

Duo base plate with female receivers
Base plate includes mounting holes
F & U compatible versions available



BWPT|FEMALE

Series	kg	lbs
M290	**1.23** (2.71)	

Trio base plate with female receivers
Base plate includes mounting holes
F & U compatible versions available



BWPQ|FEMALE

Series	kg	lbs
M290	**1.86** (4.09)	

Quatro base plate with female receivers
Base plate includes mounting holes
F & U compatible versions available



KWPDC|MALE

Series	kg	lbs
M390	**0.79** (1.68)	

Duo base plate with half connectors
Base plate includes mounting holes
F compatible versions available



KWPTC|MALE

Series	kg	lbs
M390	**1.57** (3.46)	

Trio base plate with half connectors
Base plate includes mounting holes
F compatible versions available



KWPQC|MALE

Series	kg	lbs
M390	**2.63** (5.80)	

Quatro base plate with half connectors
Base plate includes mounting holes
F compatible versions available



KWPD|FEMALE

Series	kg	lbs
M390	**0.89** (1.96)	

Duo base plate with female receivers
Base plate includes mounting holes
F compatible versions available



KWPT|FEMALE

Series	kg	lbs
M390	**1.73** (3.81)	

Trio base plate with female receivers
Base plate includes mounting holes
F compatible versions available



KWPQ|FEMALE

Series	kg	lbs
M390	**2.83** (6.24)	

Quatro base plate with female receivers
Base plate includes mounting holes
F compatible versions available



OBPQC|MALE

Series	kg	lbs
M400	**3.10** (6.83)	

Quatro base plate with half connectors



PBPQC|MALE

Series	kg	lbs
M520	**10.85** (23.92)	

Quatro base plate with half connectors



4GS-35-BPF

Series	kg	lbs
4GS-35	**2.84** (6.26)	

Female base plate



4GS-35-BPM

Series	kg	lbs
4GS-35	**2.77** (6.11)	

Male base plate



4GS-62-BPF

Series	kg	lbs
4GS-62	**12.71** (28.02)	

Female base plate



4GS-62-BPM

Series	kg	lbs
4GS-62	**12.20** (26.90)	

Male base plate



BBPD800|QTB|STEEL

Series	kg	lbs
M222		
M290	**38.58** (85.05)	
M390		

Round steel base plate with half connectors
Pre-drilled holes for multiple truss ranges & shapes
F & U compatible versions available



BBP600X600X10|QTB|STEEL

Series	kg	lbs
M222		
M290	**27.14** (59.83)	
M390		

Steel base plate with half connectors
Pre-drilled holes for multiple truss ranges & shapes
F & U compatible versions available



BBP600X600X6|QTB|STEEL

Series	kg	lbs
M222		
M290	**16.1** (35.5)	
M390		

Steel base plate with half connectors
Pre-drilled holes for multiple truss ranges & shapes
F & U compatible versions available







BBP800X800X6|QTB|STEEL

Series	kg	lbs
M222		
M290	**29.3** (64.6)	
M390		

Steel base plate with half connectors
Pre-drilled holes for multiple truss ranges & shapes
F & U compatible versions available

BBP1200X300|QTB|STEEL

Series	kg	lbs
M222		
M290	**16.75** (36.9)	

Steel base plate with half connectors
Pre-drilled holes for multiple truss ranges & shapes
F & U compatible versions available

CAGE-BP-M-B-K-D800

Series	kg	lbs
M222		
M390	**25.00** (55.12)	
M390		

Transport cage for BBPd800|QTB|STEEL
Holds up to 10 x BP-D800X10



CAGE-BP-M-B-K-600X600

Series	kg	lbs
M222		
M390	**18.00** (39.68)	
M390		

Transport cage for BBP600x600|QTB|STEEL
Holds up to 10 x BP-600X600X10

CCO

Series	kg	lbs
M400		
M520	**0.30** (0.66)	
M760		
M950		

Conical connector O

PO|PIN

Series	kg	lbs
M400		
M520	**0.12** (0.26)	
M760		
M950		

Pin O

POM12SET

Series	kg	lbs
M400 M520 M760 M950	**0.12** (0.26)	

Pin O with M12 thread
Supplied with washer and nylock nut.

POM12SSSET

Series	kg	lbs
M400 M520 M760 M950	**0.12** (0.26)	

Stainless steel Pin O withM12 thread
Supplied with washer and nylock nut.

CCOM16|MALE

Series	kg	lbs
M400 M520 M760 M950	**0.23** (0.51)	

Half conical connector O with M16 thread
Fixing screw not included (order separately if required).



SRPO

Series	kg	lbs
M400 M520 M760 M950	**0.003** (0.01)	

Safety R Clip O

CS-M290/M400

Series	kg	lbs
M290 M290E M390 M290x390 M400 4GS-35	**2.92** (6.44)	

Ceiling support - silver
SWL 1000 kg (2204 lbs) - DGUV17/BGVC1



CS-M290/M400|COLOR

Series	kg	lbs
M290 M290E M390 M290x390 M400 4GS-35	**2.92** (6.44)	

Ceiling support - black
SWL 1000 kg (2204 lbs) - DGUV17/BGVC1



CS-M520/M760|COLOR

Series	kg	lbs
M520 M760	**9.0** (19.84)	

Ceiling support - black
SWL 1120 kg (2470 lbs) - DGUV17/BGVC1



CS-M950|COLOR

Series	kg	lbs
M950	**9.6** (21.16)	

Ceiling support - black
SWL 1000 kg (2204 lbs) - DGUV17/BGV C1

CON01A/B|CELL

Series	kg	lbs
M290 M290E M390 M290x390	**1.15** (2.54)	

Clamp extension long
For 48 - 51 mm (1.89" - 2.01") tubes
F & U compatible versions available



CON02A/B|CELL

Series	kg	lbs
M290 M290E M390 M290x390	**1.00** (2.20)	

Clamp extension short
For 48 - 51 mm (1.89" - 2.01") tubes
F & U compatible versions available

CON03B|CELL

Series	kg	lbs
M290 M290E M390 M290x390	**1.08** (2.38)	

Clamp extension longxx
For 48 - 51 mm (1.89" - 2.01") tubes
F & U compatible versions available



CON04B|CELL

Series	kg	lbs
M290 M290E M390 M290x390	**0.94** (2.07)	

Clamp extension short
For 48 - 51 mm (1.89" - 2.01") tubes
F & U compatible versions available



CL32|CLEAR

Series	kg	lbs
M222	**0.02** (0.04)	

Clip 32x
Banner attachment for ø=32 mm (0.63") tubes. Colour: clear



CL50|CLEAR

Series	
M290B M290E M390K M290x390	**0.03** (0.07)

Clip 50
Banner attachment for ø=50 mm (2") tubes. Colour: clear
Not compatible with 48 mm (1.89") tubes.

CS3B-ADJ-M290

Series	kg	lbs
M290 M290 M290x390	**3.50** (7.71)	

Ceiling support for M290 - Adjustable center of gravity
SWL 749.6 lbs (340 Kg)



CS3B-ADJ-M390

Series	kg	lbs
M390	**3.50** (7.71)	

Ceiling support for M390 - Adjustable center of gravity
SWL 749.6 lbs (340 Kg)



CON64B|FEMALEPIN

Series	kg	lbs
M290 M390 M290x390	**0.32** (0.71)	

Female connector for Multicubes M290/M390 series
Supplied with washer and M12x35 bolt.
F & U compatible version available



CON63B|MALEPIN

Series	kg	lbs
M290 M390 M290x390	**0.17** (0.37)	

Male connector for Multicubes M290/M390 seriesxx
Supplied with washer and M12x25 bolt.
F & U compatible version available

CON47O|FEMALE

Series	
M400 M520 M950 M760	**0.50** (1.10)

Female connector for Multicubes M400/M520/M760/M950 series
Supplied with washer and M16x40 bolt.

CON16B|PARCELDUO

Series	kg	lbs
M290 M390	**0.49** (1.08)	

Connection set - DUO truss
2x CCB, 4xPB|Pin, 4x SRPB
F & U compatible versions available

CON12B|PARCELTRIO

Series	kg	lbs
M290 M390	**0.73** (1.61)	

Connection set - TRIO truss
3x CCB, 6xPB|Pin, 6x SRPB
F & U compatib le versions available

CON17B|PARCELQUATRO

Series	kg	lbs
M290 M390 M290x390	**0.73** (1.61)	

Connection set - QUATRO trussxx
4x CCB, 8xPB|Pin, 8x SRPB
F & U compatible versions available

CON60BE|PARCELDUO

Series	kg	lbs
M290E	**0.30** (0.66)	

Connection set - DUO electro trussx
1x CCB, 2x PB|Pin, 2x SRPB, M10x45 bolt / washer / nut

CON61BE|PARCELTRIO

Series	kg	lbs
M290E	**0.52** (1.15)	

Connection set - TRIO electro truss
2x CCB, 4x PB|Pin, 4x SRPB, M12x70 bolt / washer / nut

CON42O|PARCELQUATRO

Series	kg	lbs
M400 M520 M760 M950	**2.16** (4.76)	

Connection set - QUATRO truss
4x CCO, 8x PO|Pin, 8x SRPO

PGS|PIN|ZN

Series	kg	lbs
4GS-35 4GS-50 4GS-62	**0.10** (0.22)	

Pin GS

PGSF|PIN

Series	kg	lbs
4Gs-62f	**0.20** (0.44)	

Pin GS Folding



PGX

Series	kg	lbs
4GX-91	**0.29** (0.64)	

Pin GX



SRPO

Series	kg	lbs
4GS-35 4GS-50 4GS-62 4GS-62F 4GX-91	**0.0003** (0.01)	

Safety R Clip O

CON119GS|PARCELQUATRO

Series	kg	lbs
4GS-35 4GS-50 4GS-62 4GS-62F	**0.42** (0.93)	

Connection set - QUATRO truss
4x PGS, 4x SRPO

CON133GS|PARCELFOLD

Series	kg	lbs
4GS-62F	**0.42** (0.93)	

Connection set - FOLD truss
2x PGS, 3x SRPO, 1x PGSF

CON139GX|PARCELQUATRO

Series	kg	lbs
4GX-91	**1.15** (2.54)	

Connection set - QUATRO trussx
4x PGX, 4x SRPO



MT1-07B|HINGES|4PCS

Series	kg	lbs
M290 M390	**2.40** (5.28)	

Set of 4 Hinge parts for Towers
F & U compatible versions available

CUBEB-UNI

Series	kg	lbs
M100 M290 M390 M290x390	**0.27** (0.60)	

Multiconnection cube with 360°setting adjustability

HINGEQB-UNI

Series	kg	lbs
M100 M290 M390 M290x390	**0.27** (0.60)	

Multiconnection hinge with 360° setting adjustability

MODULARHINGE-B

Series	kg	lbs
M100 M290 M390 M290x390	**0.49** (1.08)	

Modular hinge solution for DUO, TRIO, QUATRO in one
Set includes 2x CON63B|MalePin
F & U compatible versions available

TRU-SLE-M290|WH
TRU-SLE-M290|BL

Series	kg	lbs
M290	**5.5/25m** (12.13/82ft)	

Truss textile sleeve for M290 quatro
Black or white, B1 flame retardant textile
Available lengths 1.5m; 2m; 2.5m or 25m roll



BBPSC-GW

Series	kg	lbs
M100 M290 M390 M290x390	**2.00** (4.41)	

Transport wheel with brake and half coupler
F & U compatible versions available



HP-STB-FLEX

Series	kg	lbs
M290 M390	**7.2** (15.87)	

Flexible Hinge Section for TRIO Truss
WLL 1000kg (2204.2 lbs)
DGUV17 / BGVC1
F & U compatible versions available



HP-QTB-FLEX

Series	kg	lbs
M290 M390	**9.7** (21.37)	

Flexible Hinge Section for QUATRO Truss
WLL 1000kg (2204.2 lbs)
DGUV17 / BGVC1
F & U compatible versions available

HANGING-PLATE-QTB

Series	kg	lbs
M290	**3.5** (7.72)	

Hanging plate for M290 quatro, incl. 8x half male connector
F & U compatible versions available

SPEAKER-MOUNT-D50

Series	kg	lbs
M100 M290 M390	**3.10** (6.80)	

Side mounted speaker holder for 48-51mm tube
SWL = 70 kg (154 lbs)

TOP-BRACKET-QTB

Series	kg	lbs
M290	**1.80** (4.00)	

M290 top bracket for lights, tube 48mm, incl. 4x half male connector
F & U compatible versions available

TOP-RING-QTB-D1000

Series	kg	lbs
M290	**6.00** (13.20)	

M290 top circle, outer d=1m, tube 50mm, incl. 4x half male connector
F & U compatible versions available



ALU-SHELF|M290

Series	kg	lbs
M290	**2** (4.4)	

Aluminium shelf



WALLPLATE-M290|500KG

Series	kg	lbs
M290	**6.2** (13.7)	

Truss wall mount, SWL 500 kg (1102 lbs)



WALLPLATE-M390|500KG

Series	kg	lbs
M390	**7.0** (15.4)	

Truss wall mount, SWL 500 kg (1102 lbs)



TRUSS-DOLLY

Series	kg	lbs
M290 M390	**10.1** (22.26)	

Truss dolly for transport & stocking



TRUSS-INSERT|M290
TRUSS-INSERT|M390

Series	kg	lbs
M290	**1.3 (2.86)**	
M390	**1.5 (3.3)**	

Truss insert for transport & stocking

TRA-CLI-2XD50

Series	kg	lbs
M290 M390	**0.08** (0.18)	

Truss transport clip
Fits 48-51mm tubes.



LEGM290V|572-950

Series	kg	lbs
M222	**7.70** (16.97)	

Adjustable pedestal leg 572-950mm
Available for M390

ID:1350164 1
SWL 1000kg BGV C1