

Product Information

00 11 01

KNIPEX TwinKey®

Control Cabinet Key

For all standard cabinets and shut-off systems



- 10 profiles. 2 crosses. 1 key.
- For all common locking systems
- Multifunctional key for the actuation of locking systems from the areas of facilities engineering (heating and plumbing, air conditioning, electrical technology), gas and water supply, and shut-off-systems $\frac{1}{2} \frac{1}{2} \frac$
- 8-arm version: two 4-way spider keys connected in a space-saving way using
- For 6 different locking systems
- With reversible bit: 1.0 x 7 mm slot and PH2 cross slot
 With bit adapter for 1/4" bits with magnet
- Key and reversible bit joined by stable stainless steel wire
- Total length: 92 mm




General	
Part No.	00 11 01
EAN	4003773074670
Weight	135 g
Dimensions	92 x 85 x 23 mm
REACH compliant	does not contain SVHC
RoHS compliant	not applicable

Technical details	
Capacity double-bit key	3 - 5 mm
Capacity square	5.0 / 6.0 - 7.0 / 8.0 - 9.0 / 10.0 - 11.0 mm
Capacity triangular	7.0 - 8.0 / 9.0 - 10.0 / 11.0 - 12.0 mm
Step-wise square / driving square	6 – 10 mm
half-moon	6 mm
Bit	PH2 / slotted 1x7

Technical changes and errors excepted

KNIPEX Quality – Made in Germany
















KNIPEX Quality – Made in Germany















KNIPEX Quality – Made in Germany









