

PHANTOM COLLECTION




normann
COPENHAGEN




DRAMATIC SILHOUETTES

Phantom is a series of voluminous lamps made from a special semi-transparent resin material. The outlines of archetypical chandeliers have served as inspiration for the lamps' dramatic silhouettes, which in the ivory veil achieve a soft iconic character.


COLLECTION OVERVIEW




Phantom Lamp Small
H: 47 x Ø: 45 cm




Phantom Lamp Medium
H: 44 x Ø: 80 cm



Phantom Lamp Large
H: 64 x Ø: 81 cm



Phantom Table Lamp
H: 43 x Ø: 29,5 cm



Phantom Floor Lamp
H: 156 x Ø: 46 cm



PRODUCT FACTS

PENDANTS

Description

The dramatic Phantom lamps are made from a steel skeleton, around which an elastic resin is sprayed in closely-spaced threads, as a silkworm forms its cocoon. Tightly wrapped, the lamp's outline stands out like a mysterious echo of the original shape. The lamps emit an indirect, diffuse light that creates warm and atmospheric illumination.

Designer / Year Of Design

Simon Legald / 2018

Material

Environmental Flame-retardant resin and steel frame

Construction

The Phantom lamps are made by spraying thin threads of flame retardant resin on a voluminous steel frame. Many layers of threads create the full lampshade and give it a textured exclusive finish.

Maintenance

Before cleaning, disconnect the power and allow the lamp to cool down for 10 minutes. Phantom is packed in a specially designed iron frame to protect its delicate structure. It is essential to follow the provided instructions carefully when opening the packaging to avoid damage. The resin lampshade should be handled with care, as excessive pressure or scratches may cause deformation or breakage. When installing or removing the lamp, always follow the instructions to ensure proper assembly.

PRODUCT FACTS
PENDANTS EU

Cord
4m textile cord in white

Canopy
White canopy included.
H: 7,7 x Ø: 9 cm, 0,04 kg

Dimmable funtion
With dimmable light source. Ensure your dimmer is compatible with LED

Voltage
220-240 V

Frequenzy
50/60 Hz

IP Rating
IP20

Classification
Class II

Socket
E27

Max Load
40W

Light source - recommended
LED E27 EU Ø 60 mm
Power: min 11 W
CCT: 3000 K
Lumen: 800 lm
CRI: ~80

General standards & certificates
EN 60598-1:2015 +A1:2018
EN 60598-2-1:1989
EN 62493: 2015



PRODUCT FACTS
PENDANTS US

Cord

4m textile cord in white

Canopy

White canopy included.

H: 4,5 x Ø: 12 cm, 0,04 kg

Dimmable funtion

With dimmable light source. Ensure your dimmer is compatible with LED

Voltage

120 V

Frequenzy

60 Hz

IP Rating

IP20

Classification

Class II

Socket

E26

Max Load

40W

Light source - recommended

LED E26 US Ø 60 mm

Power: min 11 W

CCT: 3 000 K

Lumen: 800 lm

CRI: ~ 80

Tests & certificates

30Oct2021< [UL 1598:2018 Ed.4]

30Oct2021< [CSA C22.2#250.0:2018 Ed.4]



PRODUCT FACTS
PHANTOM TABLE LAMP

Cord
2m textile cord in white

Voltage
100-240 V

Frequenzy
50/60 Hz

Max Load
8W

Classification
Class III

Ip rating
IP20

Dimmable funtion
Features a cord dimmer switch for on/off control

Light source - included
The integrated LED strip not to be replaced. With a lifetime use of 25.000 to 50.000 hours. The driver is replaceable and lasts for around 5 years.

Power: MAX 0.2W / LED
Adapter Power: DC12V
CCT: 3000K
Lumen: MAX 296lm
CRI: >90

Test & certificates
CE-EMC - EN55015 + EN61547
CE-LVD - EN62471



PRODUCT FACTS
PHANTOM FLOOR LAMP

Cord
3m textile cord in white

Voltage
100-240V

Frequenzy
60/60 Hz

Max Load
20W

Classification
Class III

Ip rating
IP20

Dimmable funtion
Features a foot dimmer switch for on/off control and stepless dimming

Light source - included
The integrated LED strip not to be replaced. With a lifetime use of 25.000 to 50.000 hours. The driver is replaceable and lasts for around 5 years.

Power: MAX 0.2W / LED
Adapter Power: DC12V
CCT: 3000K
Lumen: MAX 709lm
CRI: >90

Test
CE-EMC - EN55015 + EN61547
CE-LVD - EN62471



MATERIAL OPTIONS

Color



White



Contact

Normann Copenhagen

Niels Hemmingsens Gade 12, 1153 Copenhagen, Denmark

normann@normann-copenhagen.com

+45 35 55 44 59

normann

C O P E N H A G E N