

LOG CABIN STYLE CROCHET PULLOVER

Skill Level: **EASY** Pattern: **M24191 WE**



©2024 Lion Brand Yarn Company, all rights reserved.

LION BRAND[®] WOOL-EASE[®] LOG CABIN STYLE CROCHET PULLOVER

EASY

SIZES

Child 6-8 years (8-10 years, 10-12 years) **Finished Chest** 28 (30, 32) in. (71 (76, 81.5) cm) **Finished Length** 15 (16, 17) in. (38 (40.5, 43) cm)

Note: Pattern is written for smallest size with changes for larger sizes in parentheses. When only one number is given, it applies to all sizes. To follow pattern more easily, circle all numbers pertaining to your size before beginning.

MATERIALS

LION BRAND® WOOL-EASE® (Art. #620) #021 Antler 1 (1, 1) ball (A) #047 Raindrops 1 (1, 1) ball (B) #010 Nightshade 2 (2, 2) balls (C) #089 Tawny Port 1 (1, 1) ball (D)

#114 Denim 1 (1, 1) ball (E)

- LION BRAND® stitch markers
- LION BRAND® large-eyed blunt needle

ADDITIONAL MATERIALS

Crochet hook size J-10 (6 mm)

GAUGE

13 sc + 14 rows = about 4 in. (10 cm). BE SURE TO CHECK YOUR GAUGE.

STITCH EXPLANATION

sc2tog (sc 2 sts together) (Insert hook in next st and draw up a loop) twice, yarn over and draw through all 3 loops on hook – 1 st decreased.

NOTES

- 1. Pullover is made in 4 pieces: Back, Front, and 2 Sleeves.
- 2. Front is worked in a log cabin pattern beg with a first (center) block. Sts are worked along one edge of previous piece to beg

next block. Refer to Diagram for placement of blocks.

- 3. Back and Sleeves are worked in rows of single crochet.
- 4. Yarn color is changed to create stripes on Sleeves. To change yarn color, work last st of old color to last yarn over. Yarn over with new color and draw through all loops on hook to complete st. Proceed with new color. Fasten off old color.
- When you see work 'even' in the instructions, this means to continue on in the pattern st you have established without changing the st count by increasing, decreasing, or binding off.

васк

Ribbed Lower Band

With C, ch 9.

Row 1: Sc in 2nd ch from hook and in each ch across – you will have 8 sc in this row. **Row 2:** Ch 1, turn, working in back loops only,

sc in each st to last st; working in both loops, sc in last st.

Rep last row until piece measures about 14 (15, 16) in. (35.5 (38, 40.5) cm) from beg.

Body

Row 1 (RS): Ch 1, work 46 (50, 54) sc evenly spaced along long edge of band. Row 2: Ch 1, turn, sc in each st across. Rep Row 2 until piece measures about 14 (15, 16) in. (35.5 (38, 40.5) cm) from beg (including ribbed band).

Shape Shoulders

Next 2 rows: Ch 1, turn, sl st in first 5 sts, sc in each st to last 5 sts; leave last 5 sts unworked - you will have 26 (30, 34) sts when both of these rows are complete.

Next row: Ch 1, turn, sl st in first 6 sts, sc in each st to last 6 sts; leave last 6 sts unworked – 14 (18, 22) sts. Fasten off.

FRONT First Block

For thousands of free patterns, visit our website www.LionBrand.com

To order visit our website www.lionbrand.com or call: 877-412-9772 any time! Every effort has been made to produce accurate and complete instructions. We cannot be responsible for variance of individual makers, human error, or typographical mistakes. ©2024 Lion Brand Yarn Company, all rights reserved.

With A, ch 11 (15, 19).

Row 1 (RS): Sc in 2nd ch from hook and in each ch across – 10 (14, 18) sc.

Rows 2-10 (14, 18): Ch 1, turn, sc in each st across.

Note: First Block will measure about 3 (4, 5) in. (7.5 (10, 12.5) cm) square.

Second Block

Note: To beg working sc sts along the edge of a piece, place a slip knot on your hook then work the first sc as follows: Holding loop on hook with your index finger so that it doesn't slip around the hook, insert hook at beg of edge, yarn over and draw up a loop, yarn over and draw through both loops on hook.

Row 1 (RS): From RS with B, work 10 (14, 18) sc evenly spaced along right side edge of First Block.

Rows 2-7: Ch 1, turn, sc in each st across. Fasten off.

Third Block

Row 1 (RS): From RS with C, work 10 (14, 18) sc evenly spaced along bottom edge of First Block, and 6 sc along right side edge of Second Block (for a total of 16 (20, 24) sc).

Rows 2-7: Ch 1, turn, sc in each st across. Fasten off.

Fourth Block

Row 1 (RS): From RS with D, work 10 (14, 18) sc evenly spaced along left side edge of First Block, and 6 sc along right side edge of Third Block (for a total of 16 (20, 24) sc).

Rows 2-7: Ch 1, turn, sc in each st across. Fasten off.

Fifth Block

Row 1 (RS): From RS with E, work 6 sc evenly spaced along left side edge of Second Block, 10 (14, 18) sc along top edge of First Block, and 6

sc along right side edge of Fourth Block (for a total of 22 (26, 30) sc).

Rows 2-7: Ch 1, turn, sc in each st across. Fasten off.

Sixth Block

Row 1 (RS): From RS with B, work 6 sc evenly spaced along left side edge of Fourth Block, and 16 (20, 24) sc along top edge of Third Block, (for a total of 22 (26, 30) sc). **Rows 2-7:** Ch 1, turn, sc in each st across. Fasten off.

Seventh Block

Row 1 (RS): From RS with A, work 6 sc evenly spaced along left side edge of Fifth Block, 16 (20, 24) sc along top edge of Fourth Block, and 6 sc along right side edge of Sixth Block (for a total of 28 (32, 36) sc).

Rows 2-7: Ch 1, turn, sc in each st across. Fasten off.

Eighth Block

Row 1 (RS): From RS with C, work 22 (26, 30) sc evenly spaced along top edge of Fifth Block, and 6 sc along right side edge of Seventh Block (for a total of 28 (32, 36) sc).

Rows 2-7: Ch 1, turn, sc in each st across. Fasten off.

Ninth Block

Row 1 (RS): From RS with D, work 6 sc evenly spaced along left side edge of Sixth Block, 6 sc along left side edge of Third Block, 10 (14, 18) sc along top edge of Second Block, 6 sc along right side edge of Fifth Block, and 6 sc along right side edge of Eighth Block (for a total of 34 (38, 42) sc).

Rows 2-7: Ch 1, turn, sc in each st across. Fasten off.

Tenth Block

Row 1 (RS): From RS with A, work 6 sc evenly spaced along left side edge of Ninth Block, and 28 (32, 36) sc along top edge of Eighth Block (for a total of 34 (38, 42) sc).

For thousands of free patterns, visit our website www.LionBrand.com

To order visit our website www.lionbrand.com or call: 877-412-9772 any time! Every effort has been made to produce accurate and complete instructions. We cannot be responsible for variance of individual makers, human error, or typographical mistakes. ©2024 Lion Brand Yarn Company, all rights reserved.

Rows 2-7: Ch 1, turn, sc in each st across. Fasten off.

Eleventh Block

Row 1 (RS): From RS with E, work 6 sc evenly spaced along left side edge of Seventh Block, 22 (26, 30) sc along top edge of Sixth Block, and 6 sc along right side edge of Ninth Block, (for a total of 34 (38, 42) sc).

Rows 2-7: Ch 1, turn, sc in each st across. Fasten off.

Twelfth Block

Note: The neck and shoulders will be shaped while working the Twelfth Block.

Row 1 (RS): From RS with C, work 6 sc evenly spaced along left side edge of Eleventh Block, 34 (38, 42) sc along top edge of Ninth Block, and 6 sc along right side edge of Tenth Block, (for a total of 46 (50, 54) sc).

Row 2: Ch 1, turn, sc in each st across.

Shape Neck

Left Shoulder

Row 1 (RS): Ch 1, turn, sc in first 17 sts, sc2tog; leave rem sts unworked for right shoulder – 18 sc.

Row 2: Ch 1, turn, sc2tog, sc in each st across – 17 sc.

Row 3: Ch 1, turn, sc in each st to last 2 sts, sc2tog – 16 sc.

Row 4: Ch 1, turn, sc in each st across.

Row 5: Ch 1, turn, sl st in first 5 sts, sc in each st across – 11 sc.

Row 6: Ch 1, turn, sc in first 6 sts; leave rem sts unworked – 6 sc.

Fasten off.

Right Shoulder

Row 1 (RS): From RS, skip next 8 (12, 16) sts for front neck, join C with sl st in next st, ch 1, beg in same st, sc2tog, sc in each st across – 18 sc. Row 2: Ch 1, turn, sc in each st to last 2 sts, sc2tog – 17 sc. **Row 3:** Ch 1, turn, sc2tog, sc in each st across – 16 sc.

Row 4: Ch 1, turn, sc in each st across.
Row 5: Ch 1, turn, sc in each st to last 5 sts; leave last 5 sts unworked - 11 sc.
Row 6: Ch 1, turn, sl st in first 5 sts, sc in each sc across - 6 sc.
Fasten off.

Ribbed Lower Band

With B, ch 9.

Row 1: Sc in 2nd ch from hook and in each ch across – you will have 8 sc in this row.

Row 2: Ch 1, turn, working in back loops only, sc in each st to last st; working in both loops, sc in last st.

Rep last row until piece measures about 14 (15, 16) in. (35.5 (38, 40.5) cm) from beg. Fasten off, leaving a long tail for sewing. Sew band along lower edge of Front.

LEFT SLEEVE

Ribbed Wrist Edge With C, ch 9.

Row 1: Sc in 2nd ch from hook and in each ch across – you will have 8 sc in this row.

Row 2: Ch 1, turn, working in back loops only, sc in each st to last st; working in both loops, sc in last st.

Rep Row 2 until piece measures about 7 1/2 (8, 8 1/2) in. (19 (20.5, 21.5) cm) from beg. Fasten off.

Body of Sleeve

Note for yarn colors for sleeve

To make the sleeve, follow the instructions below and AT THE SAME TIME change yarn colors as follows:

Work next 14 rows with E, then 14 rows with D, and remainder of piece with A only.

Row 1 (RS): With E, ch 1, work 26 (28, 30) sc evenly spaced along long edge of band. **Rows 2-4:** Ch 1, turn, sc in each st across.

For thousands of free patterns, visit our website www.LionBrand.com

Row 5 (Increase row): Ch 1, turn, sc in first st, 2 sc in next st, sc in each st to last 2 sts, 2 sc in next st, sc in last st – 28 (30, 32) sc. Rep last 4 rows 6 (7, 8) more times – you will have 40 (44, 48) sc when all increases have been completed.

Next row: Ch 1, turn, sc in each st across. Rep last row until piece measures about 12 (13, 14) in. (30.5 (33, 35.5) cm) from beg.

Shape Top of Sleeve

Next row: Ch 1, turn, sl st in first 6 sts, sc in each st to last 6 sts; leave last 6 sts unworked – 28 (32, 36) sc.

Next row: Ch 1, turn, sl st in first 5 sts, sc in each st to last 5 sts; leave last 5 sts unworked – 18 (22, 26) sc.

Next row: Ch 1, turn, sl st in first 6 sts, sc in each st to last 6 sts; leave last 6 sts unworked – 6 (10, 14) sc. Fasten off.

RIGHT SLEEVE

Make same as Left Sleeve using A for ribbing then 14 rows with D, 14 rows with E, and remainder of piece with B only.

FINISHING

Sew shoulder seams.

Neck Band

With E, ch 6. **Row 1:** Sc in 2nd ch from hook and in each ch across – 5 sc.

Row 2: Ch 1, turn, working in back loops only, sc in each st to last st; working in both loops, sc in last st.

Rep last row until piece is long enough to fit loosely along neck edge.

Fasten off, leaving a long tail for sewing. Sew ends of band together then sew band around neck edge.

Place markers on side edges of Back and Front, about 6 ($6 \frac{1}{2}$, 7) in. (15 (16.5, 18) cm) from

shoulder seams. Sew Sleeves between markers. Sew Sleeve and side seams.

Weave in ends.

ABBREVIATIONS

beg = begin(ning)(s)
ch = chain
rep = repeat
rem = remain(ing)(s)
RS = right side
sc = single crochet
sl st(s) = slip stitch(es)
st(s) = stitch(es)

Every effort has been made to produce accurate and complete instructions. We cannot be responsible for variance of individual makers, human error, or typographical mistakes.

©2024 Lion Brand Yarn Company, all rights reserved.

We cannot be responsible for variance of individual makers, human error, or typographical mistakes. ©2024 Lion Brand Yarn Company, all rights reserved.



For thousands of free patterns, visit our website www.LionBrand.com To order visit our website www.lionbrand.com or call: 877-412-9772 any time! Every effort has been made to produce accurate and complete instructions. We cannot be responsible for variance of individual makers, human error, or typographical mistakes. ©2024 Lion Brand Yarn Company, all rights reserved.