



# MAGNA3



[net.grundfos.com/qr/i/99332342](https://net.grundfos.com/qr/i/99332342)

be  
think  
innovate


**GRUNDFOS** 




MAGNA3



MAGNA3 D







Max. 95 % RH   
Enclosure Type 2



Min./Max.  
+14°F – 230°F (-10°C – 110°C) 

PN 12: 175 psi/1.2 MPa 

Min./Max.  
+32°F – +104°F (0°C – 40°C) 

< 43 dB(A) 



**CAUTION:** Electrical cord should hang free and must not touch parts that are above 167°F (75°C).










**MISE EN GARDE:** Le cordon électrique doit être libre de support et ne doit pas toucher les pièces qui sont au-dessus de 167 ° F (75 ° C).





**PRECAUCIÓN:** El cable eléctrico debe colgar libremente y no debe tocar partes que estén por encima de los 167 ° F (75 ° C).
















8



9












13



14





15







16




17







18



19




20





21



22



1x115V/230V±10%  
~50/60 Hz ⚡



23



**Power cycle:** Max. 4 starts per 60 minutes

**Cycle de puissance:** Max. 4 démarrages par 60 minutes

**Ciclo de energía:** Max. 4 arranques por 60 minutos minutos

24



Further product documentation  
Documentation supplémentaire  
Información adicional de producto



[net.grundfos.com/qr/i/99332342](https://net.grundfos.com/qr/i/99332342)

Installation date: \_\_\_\_\_

Installer: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**GRUNDFOS Kansas City**

17100 West 118th Terrace  
Olathe, Kansas 66061  
Phone: (913) 227-3400  
Fax: (913) 227-3500

**GRUNDFOS Canada**

2941 Brighton Road  
Oakville, Ontario L6H 6C9 Canada  
Phone: +1-905 829 9533  
Telefax: +1-905 829 9512

**GRUNDFOS Mexico**

Boulevard TLC No. 15  
Parque Industrial Stiva Aeropuerto  
C.P. 66600 Apodaca, N.L. Mexico  
Phone: 011-52-81-8144 4000  
Fax: 011-52-81-8144 4010

99341856 1017

ECM: 1219824

**GRUNDFOS Holding A/S**

Poul Due Jensens Vej 7  
DK-8850 Bjerringbro  
Tel: +45 87 50 14 00  
www.grundfos.com

The name Grundfos, the Grundfos logo, and be think innovate are registered trademarks owned by Grundfos Holding A/S or Grundfos A/S, Denmark. All rights reserved worldwide.