

ProvaCharge Foam

Application Mixture

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758.

Issue date: 11/2/2022 Revision date: 12/6/2022

Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : ProvaCharge Foam
Product code : Not available

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use
Use of the substance/mixture : Sanitizer, Disinfectant (PT02 and PT4)
ProvaCharge Foam is a biocide system application consisting of a mixture of ProvaCharge F100 (UFI Q800-U0RP-S00U-117C) and ProvaCharge P500 (P200-U0CW-500U-QC27)

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer

Sterilex LLC
111 Lake Front Dr
Hunt Valley, MD 21030 - USA
T 443-541-8800

Distributor

Sterilex UK Ltd
Building 4, Foundation Park, Roxborough Way, Maidenhead, UK,
SL63UD Tel: +44 1628 274459

1.4. Emergency telephone number

Emergency number : ChemTel LLC (800)255-3924 (North America);
+1 (813)248-0585 (International)
ORFILA: +33(0)145425959 (France);
Giftnotruf Berlin +49 (0) 30 19240 (Germany)
NHS direct: 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin Irrit. 2 H315
Eye Dam. 1 H318

Full text of hazard classes, H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

Signal word (CLP) : Danger
Hazardous ingredients : Peracetic acid, Hydrogen peroxide, Acetic acid
Hazard statements (CLP) : H315 - Causes skin irritation.
H318 - Causes serious eye damage.
Precautionary statements (CLP) : P264 - Wash hands, forearms and face thoroughly after handling.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313 - If skin irritation occurs: Get medical advice/attention.

ProvaCharge Foam

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758.

P308+P311 - IF exposed or concerned: Call a POISON CENTER or doctor
P501 - Dispose of contents or container in accordance with local/regional/national/international regulation

2.3. Other hazards

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrogen peroxide substance with national workplace exposure limit(s) (GB) (Note B)	(CAS-No.) 7722-84-1 (EC-No.) 231-765-0 (EC Index-No.) 008-003-00-9	1 – 5	Ox. Liq. 1, H271 Acute Tox. 4 (Oral), H302 (ATE=1518 mg/kg bodyweight) Acute Tox. 2 (Inhalation), H330 (ATE=2 mg/l/4h) Skin Corr. 1A, H314 STOT SE 3, H335
Peracetic acid (Note B)(Note D)	(CAS-No.) 79-21-0 (EC-No.) 201-186-8 (EC Index-No.) 607-094-00-8	0.1 - 1	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 (ATE=1540 mg/kg bodyweight) Acute Tox. 4 (Dermal), H312 (ATE=1100 mg/kg bodyweight) Acute Tox. 4 (Inhalation), H332 (ATE=1.5 mg/l/4h) Skin Corr. 1A, H314 STOT SE 3, H335 Aquatic Acute 1, H400 (M=10)
Acetic acid, 2-hydroxy-	(CAS-No.) 79-14-1 (EC-No.) 201-180-5	0.1 - 1	Acute Tox. 4 (Oral), H302 (ATE=1950 mg/kg bodyweight) Acute Tox. 4 (Inhalation:dust,mist), H332 (ATE=3.6 mg/l/4h) Skin Corr. 1B, H314 Eye Dam. 1, H318

Specific concentration limits:

Name	Product identifier	Specific concentration limits
Hydrogen peroxide	(CAS-No.) 7722-84-1 (EC-No.) 231-765-0 (EC Index-No.) 008-003-00-9	(5 \leq C < 8) Eye Irrit. 2, H319 (8 \leq C < 50) Eye Dam. 1, H318 (35 \leq C < 50) Skin Irrit. 2, H315 (35 \leq C < 100) STOT SE 3, H335 (50 \leq C < 70) Skin Corr. 1B, H314 (50 \leq C < 70) Ox. Liq. 2, H272 (70 \leq C < 100) Skin Corr. 1A, H314 (70 \leq C < 100) Ox. Liq. 1, H271
Peracetic acid	(CAS-No.) 79-21-0 (EC-No.) 201-186-8 (EC Index-No.) 607-094-00-8	(1 \leq C < 100) STOT SE 3, H335

Note B : Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Note D : Certain substances which are susceptible to spontaneous polymerisation or decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in Part 3. However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier must state on the label the name of the substance followed by the words 'non-stabilised'.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact	: IF ON SKIN: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

ProvaCharge Foam

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758.

First-aid measures after ingestion : Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause irritation to the respiratory tract.
Symptoms/effects after skin contact : Causes skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.
Symptoms/effects after eye contact : Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns.
Symptoms/effects after ingestion : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.

4.3. Indication of any immediate medical attention and special treatment needed

Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media : Do not use water jet.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Products of combustion may include, and are not limited to: oxides of carbon. irritating vapours.

5.3. Advice for firefighters

Protection during firefighting : Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel. Do not touch or walk on the spilled product.

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

For containment : Absorb and/or contain spill with inert material (sand, vermiculite or other appropriate material), then place in suitable container. Do not flush into surface water or sewer system. Wear recommended personal protective equipment.
Methods for cleaning up : Sweep or shovel spills into appropriate container for disposal. Provide ventilation.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke.
Hygiene measures : Wash contaminated clothing before reuse. Wash hands, forearms and face thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.
Storage conditions : Keep out of the reach of children. Keep container tightly closed. Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

Not available.

ProvaCharge Foam

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Hydrogen peroxide (7722-84-1)

United Kingdom - Occupational Exposure Limits

WEL TWA (OEL TWA) [1]	1.4 mg/m ³
WEL TWA (OEL TWA) [2]	1 ppm
WEL STEL (OEL STEL)	2.8 mg/m ³
WEL STEL (OEL STEL) [ppm]	2 ppm

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station. Provide readily accessible eye wash stations and safety showers.

Hand protection:

Wear suitable gloves resistant to chemical penetration

Eye protection:

Wear eye/face protection

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Environmental exposure controls:

Avoid release to the environment.

Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear liquid
Colour	: Colourless
Odour	: No data available
Odour threshold	: No data available
pH	: 2.8
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability	: Not flammable
Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available

ProvaCharge Foam

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758.

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Heat. Incompatible materials.

10.5. Incompatible materials

Strong oxidizing agents. Strong reducing agents. Strong bases.

10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon. irritating vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified.
 Acute toxicity (dermal) : Not classified.
 Acute toxicity (inhalation) : Not classified.

Peracetic acid (79-21-0)	
LD50 oral rat	1540 mg/kg
LD50 dermal rat	> 2000 mg/kg
Acetic acid, 2-hydroxy- (79-14-1)	
LD50 oral rat	1950 mg/kg
LC50 inhalation rat	3.6 mg/l/4h
Hydrogen peroxide (7722-84-1)	
LD50 oral rat	1518 mg/kg
LD50 dermal rabbit	9200 mg/kg
LC50 inhalation rat	2000 mg/m ³ (Exposure time: 4 h)

Skin corrosion/irritation : Causes skin irritation.
 pH: 2.8

Serious eye damage/irritation : Causes serious eye damage.
 pH: 2.8

Respiratory or skin sensitisation : Not classified.

Additional information : Based on available data, the classification criteria are not met.

Germ cell mutagenicity : Not classified.

Additional information : Based on available data, the classification criteria are not met.

Carcinogenicity : Not classified.

Additional information : Based on available data, the classification criteria are not met.

Reproductive toxicity : Not classified.

Additional information : Based on available data, the classification criteria are not met.

STOT-single exposure : Not classified.

Additional information : Based on available data, the classification criteria are not met.

STOT-repeated exposure : Not classified.

Additional information : Based on available data, the classification criteria are not met.

Acetic acid, 2-hydroxy- (79-14-1)	
LOAEL (oral, rat, 90 days)	300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents), Guideline: EPA OPP 82-1 (90-Day Oral Toxicity)
NOAEL (oral, rat, 90 days)	150 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents), Guideline: EPA OPP 82-1 (90-Day Oral Toxicity)

ProvaCharge Foam

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758.

Aspiration hazard	: Not classified.
Additional information	: Based on available data, the classification criteria are not met.
Other information	: Likely routes of exposure: ingestion, inhalation, skin and eye.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: May cause long-term adverse effects in the aquatic environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified.
Hazardous to the aquatic environment, long-term (chronic)	: Not classified.

Peracetic acid (79-21-0)	
LC50 - Fish [1]	0.08 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	0.73 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	0.16 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
NOEC (chronic)	0.0121 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

Acetic acid, 2-hydroxy- (79-14-1)	
LC50 - Fish [1]	> 5000 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])
EC50 - Crustacea [1]	141 mg/l Test organisms (species): Daphnia magna

Hydrogen peroxide (7722-84-1)	
LC50 - Fish [1]	16.4 mg/l (Exposure time: 96 h - Species: Pimephales promelas)
LC50 - Fish [2]	18 – 56 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 - Crustacea [1]	18 – 32 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
EC50 72h - Algae [1]	1.38 mg/l Test organisms (species): Skeletonema costatum
LOEC (chronic)	1.25 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	0.63 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

12.2. Persistence and degradability

ProvaCharge Foaming System (STX FOAM)	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

ProvaCharge Foaming System (STX FOAM)	
Bioaccumulative potential	Not established.
Peracetic acid (79-21-0)	
BCF - Fish [1]	(not bioaccumulative, rapid degradation)
Acetic acid, 2-hydroxy- (79-14-1)	
Partition coefficient n-octanol/water	-1.11 (at 19 °C)
Hydrogen peroxide (7722-84-1)	
BCF - Fish [1]	(no bioaccumulation)

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Additional information	: No other effects known
------------------------	--------------------------

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations	: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
--	---

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

14.1. UN number

UN-No. (ADR)	: Not regulated
--------------	-----------------

ProvaCharge Foam

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758.

UN-No. (IMDG) : Not regulated
UN-No. (IATA) : Not regulated

14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not regulated
Proper Shipping Name (IMDG) : Not regulated
Proper Shipping Name (IATA) : Not regulated

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not regulated

IMDG

Transport hazard class(es) (IMDG) : Not regulated

IATA

Transport hazard class(es) (IATA) : Not regulated

14.4. Packing group

Packing group (ADR) : Not regulated
Packing group (IMDG) : Not regulated
Packing group (IATA) : Not regulated

14.5. Environmental hazards

Dangerous for the environment : No
Marine pollutant : No
Other information : No supplementary information available.

14.6. Special precautions for user

Special transport precautions : Do not handle until all safety precautions have been read and understood.

- Overland transport

Not regulated

- Transport by sea

Not regulated

- Air transport

Not regulated

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No additional information available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

15.1.1. EU-Regulations

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)
Contains no REACH candidate substance.
Contains no substance(s) listed on REACH Annex XIV (Authorisation List)
Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)
Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

15.1.2. National regulations

United Kingdom

British National Regulations : Not determined.

ProvaCharge Foam

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:

None.

Abbreviations and acronyms:

	<p>°C – Degrees Celsius °F – Degrees Fahrenheit ADR – European Agreement concerning the International Carriage of Dangerous Goods by Road. ACGIH – American Conference of Governmental Industrial Hygienists ATE – Acute Toxicity Estimate BCF – Bioconcentration Factor BEI – Biological Exposure Index CAS – Chemical Abstracts Service CLP – Regulation (EC) No 1272/2008 on the Classification, Labeling and Packaging of substances and mixtures. CMR – Carcinogen, Mutagen, Reproductive toxin cP – centipoise (unit of dynamic viscosity) cSt – centistokes (unit of kinematic viscosity) DNEL – Derived No-effect Level DMEL – Derived Minimal Effect Level EC50 – Half maximal effective concentration ECHA – European Chemicals Agency EC-No. – European Community number EU – European Union GHS – Globally Harmonized System of Classification and Labelling of Chemicals h – Hours IATA – International Air Transport Association IC50 – Inhibition concentration IDLH – Immediately Dangerous to Life or Health IMDG – International Maritime Dangerous Goods IOELV – Indicative Occupational Exposure Limit Value KIFS – Swedish Chemicals Agency's (KemI's) Code of Statutes kPa – kilopascal Koc – Adsorption Coefficient Kow – Octanol-Water Partition Coefficient LC50 – Median Lethal Concentration LD50 – Median Lethal Dose LOAEL – Lowest Observed Adverse Effect level mg/l – Milligram per liter mg/kg – Milligram per kilogram mg/m³ – Milligram per cubic meter Min – Minutes NIOSH – National Institute for Occupational Safety and Health NOEC – No Observed Effect Concentration NO(A)EL – No Observed (Adverse) Effect Level N.O.S. – Not Otherwise Specified OEL – Occupational Exposure Limit PBT - Persistent, Bioaccumulative and Toxic PCN – Poison Centre Notification PNEC – Predicted No Effect Concentration ppm – Parts per million PVC – Polyvinyl chloride REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 RID – European Agreement concerning the International Carriage of Dangerous Goods by Rail SDS – Safety Data Sheet STEL – Short Term Exposure Limit STOT – Specific Target Organ Toxicity SVHC – Substance of Very High Concern (CMR, vPvB, PBT) TDI – Tolerable Daily Intake TLV – Threshold Limit Value TWA – Time Weighted Average UFI – Unique Formulation Identifier UN – United Nations vPvB - Very Persistent and Very Bioaccumulative WEL – Workplace Exposure Limit WGK – Wassergefährdungsklasse – German water quality classification</p>
--	--

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

ProvaCharge Foam

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758.

Prepared by

: Nexreg Compliance Inc.

www.Nexreg.com



Full text of H- and EUH-statements:

Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 2 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 2
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
EUH071	Corrosive to the respiratory tract.
EUH208	Contains . May produce an allergic reaction.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.
H242	Heating may cause a fire.
H271	May cause fire or explosion; strong oxidiser.
H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
Org. Perox. D	Organic Peroxides, Type D
Ox. Liq. 1	Oxidising Liquids, Category 1
Ox. Liq. 2	Oxidising Liquids, Category 2
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method

SDS UK_NEXREG_NEW2021

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.