





Part number: Article number: 1

EAN:

1013288160713	
)5006480001	
60 iS/7	

Size:	285x210x55
Weight:	711 g
Country of origin:	CZ
Customs tariff number:	82054000

- Insulated blades for secure work at 1,000 volts
- Smooth hard zones for high speed turning, soft grip zones for high torque transfer
- Take it easy tool finder: colour coding according to profile and size
- Hexagonal anti-roll feature against rolling away
- Reduced shaft diameter

7-piece screwdriver set with reduced shaft diameter and integrated insulation protection so that even low-lying screw and spring elements can be accessed and actuated. Kraftform Plus handle for pleasant, ergonomic working that makes blisters and calluses a thing of the past. Hard gripping zones for high working speeds whereas soft zones ensure high torgue transfer. "Take it easy" Tool Finder: colour coding according to profile and size. The anti-roll feature prevents any bothersome rolling away at the workplace. Including singlepole phase tester and 1 rack for storage.

160 iS/7 Rack Screwdriver set Kraftform Plus Series 100, single-pole phase tester and rack. With reduced blade diameter, 7 pieces Kraftform Plus - Series 100 VDE




Individually tested



The individual testing at 10,000 volts, in accordance with IEC 60900, ensures safe working with loads up to 1,000 volts.

VDE-insulated screwdriver with reduced blade diameter

PlusMinus screwdrivers



Reduced blade diameter with integrated protective insulation, allows sunken screws and spring elements to be accessed and actuated, individually tested as per IEC 60900.



For the use in terminal blocks, control cabinets, switches, relays, sockets etc.

Our screwdrivers are tested for dielectric strength under a 10,000 volt load to make sure that their most important property, their insulation, has been exhaustively tested. Each individual Wera VDE screwdriver is subjected to this test to guarantee safe working up to 1,000 volts.

"Take it easy" Tool Finder



Impact strength test

Impact strength tested at -40°C, guaranteeing safety even under extreme conditions.

Multicomponent Kraftform handle



produces the Kraftform Wera handle out of several materials with different properties. Α resistant plastic is used for the core which ensures that the blade is held securely even under high strain. A softer material is used for the coloured soft zones, which provides high frictional resistance and allows the transfer of high forces - resulting in less required screwdriving effort. The red sections with their hard surfaces prevent any "sticking" of the hand to the handle, making rapid repositioning of the hand possible.

Prevents hand injuries



The outstanding design of the Kraftform handle that fits perfectly into the hand prevents hand injuries such as blisters and calluses.





Screwdrivers with "Take it easy" tool finder: colour coding according to profile and size stamp.

160 iS/7 Rack Screwdriver set Kraftform Plus Series 100, single-pole phase tester and rack. With reduced blade diameter, 7 pieces Kraftform Plus – Series 100 VDE



Set contents:

162 iS PH VDE Insulated sc	rewdriver with reduced bla 05006450001 05006451001	1x	diameter for Phillips screws, PH 1 x 80 mm PH 1 x 80 mm PH 2 x 100 mm
165 iS PZ/S VDE Insulated a	screwdriver with reduced l 05006466001		e diameter for PlusMinus screws (Pozidriv/slotted), # 2 x 100 mm # 2 x 100 mm
160 iS VDE Insulated screw	driver with reduced blade 05006440001 05006441001 05006442001	1x 1x	neter for slotted screws, 0.6 x 3.5 x 100 mm 0.6 x 3.5 x 100 mm 0.8 x 4 x 100 mm 1 x 5.5 x 125 mm
247 Single-pole phase test	er, 0.5 x 3 x 70 mm 05005655001 ¹⁾ 1) Product not available in the USA and		0.5 x 3 x 70 mm a.

Product not available in the USA and Canada.