

Certificate of Analysis

Produced: Jan 13, 2026

Sample: Rose Delights - Cali Mango (Edible Solid) • **Client:** Rose Los Angeles Inc • **Batch:** Pass



Batch No.: CM26006D9
Matrix: Edible Solid
Sample ID: ICC-260109-03-004
Collected on: Jan 09, 2026
Received on: Jan 09, 2026
Sample Size:
Package Size: 74.13 g
Serving Size: 3.71 g

Batch Result: Pass

| | | | |
|------------------|--------|-----------------------|------|
| Potency | Tested | Mycotoxins | Pass |
| Solvents | Pass | Pesticides | Pass |
| Metals | Pass | Foreign | Pass |
| Microbial | Pass | Water Activity | Pass |

Cannabinoid Overview

| | |
|-----------------------------|--------------------|
| Total THC: | 2.58 mg/srv |
| Total CBD: | 2.46 mg/srv |
| Total Cannabinoids: | 5.45 mg/srv |
| Sum of Cannabinoids: | 5.46 mg/srv |

POT-INST-005: POT-INST-005: Potency • Jan 12, 2026

| Analyte | Amt (mg/srv) | Amt (mg/pkg) | Amt (%) | Amt (mg/g) | LOD/LOQ (mg/g) | Pass/Fail | Analyte | Amt (mg/srv) | Amt (mg/pkg) | Amt (%) | Amt (mg/g) | LOD/LOQ (mg/g) | Pass/Fail |
|---------|--------------|--------------|----------|------------|------------------|-----------|-----------------------------|--------------|--------------|---------|------------|------------------|-----------|
| CBC | 0.119 | 2.37 | 0.00320 | 0.0320 | 0.00310/0.00928 | N/A | CBT | | | ND | ND | 0.00134/0.00469 | N/A |
| CBD | 2.46 | 49.1 | 0.0662 | 0.662 | 0.000946/0.00469 | N/A | Δ ⁸ -THC | | | ND | ND | 0.000759/0.00469 | N/A |
| CBDA | | | ND | ND | 0.00226/0.00679 | N/A | Δ ⁹ -THC | 2.58 | 51.5 | 0.0695 | 0.695 | 0.00125/0.00469 | N/A |
| CBDV | | | < 1 mg/g | < 1 mg/g | 0.000750/0.00469 | N/A | THCA | | | ND | ND | 0.00172/0.00516 | N/A |
| CBG | 0.256 | 5.11 | 0.00690 | 0.0690 | 0.00107/0.00469 | N/A | THCV | 0.0549 | 1.10 | 0.00148 | 0.0148 | 0.000579/0.00469 | N/A |
| CBGA | | | ND | ND | 0.00167/0.00501 | N/A | Total THC** | 2.58 | 51.5 | 0.0695 | 0.695 | | N/A |
| CBL | | | ND | ND | 0.000738/0.00469 | N/A | Total CBD** | 2.46 | 49.1 | 0.0662 | 0.662 | | N/A |
| CBN | | | ND | ND | 0.00107/0.00469 | N/A | Total Cannabinoids** | 5.46 | 109 | 0.147 | 1.47 | | N/A |

** Total Cannabinoids = Neutral Cannabinoids + (Acidic Cannabinoids * 0.877)

** Total THC = Delta-10-THC + Delta-8-THC + (Delta-8-THCA x 0.877) + Delta-9-THC + THC-O-acetate + (THCA x 0.877)

** Total CBD = CBD + (CBDA x 0.877)

NR= Not Reported, ND= Not Detected, *Reported by Dry Mass*; *analytical instrumentation used Cannabinoids: UHPLC-DAD, Moisture: Mass by Drying, Water Activity: Water Activity Meter, Foreign: Microscope*
 *Density tested at a temperature range between 19-24 °C, *Water Activity tested at a humidity range between 0-90% Relative Humidity. All OA samples are sampled by the client, All California State Compliant samples sampled using SAMPL-SOP-001.



RS-INST-003, RS-PREP-001: RS-INST-003, RS-PREP-001: Residual Solvents by GC-MS • Jan 12, 2026

| Analyte | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail | Analyte | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail |
|--------------------|--------------|------------|----------------|-----------|--------------------|--------------|------------|----------------|-----------|
| 1,2-Dichloroethane | 1 | ND | 0.139/0.423 | Pass | Hexane | 290 | ND | 0.0549/0.234 | Pass |
| Acetone | 5000 | 77.2 | 14.2/42.6 | Pass | Isopropyl alcohol | 5000 | ND | 1.06/3.19 | Pass |
| Acetonitrile | 410 | ND | 0.0998/0.299 | Pass | Methanol | 3000 | ND | 2.47/7.42 | Pass |
| Benzene | 1 | ND | 0.0175/0.0532 | Pass | Methylene chloride | 1 | ND | 0.106/0.606 | Pass |
| Butane | 5000 | ND | 0.808/4.03 | Pass | Pentane | 5000 | ND | 0.800/3.55 | Pass |
| Chloroform | 1 | < LOQ | 0.0299/0.0898 | Pass | Propane | 5000 | ND | 3.69/11.1 | Pass |
| Ethanol | 5000 | ND | 2.17/6.52 | Pass | Toluene | 890 | ND | 0.0732/0.719 | Pass |
| Ethyl acetate | 5000 | ND | 0.260/1.90 | Pass | Trichloroethylene | 1 | ND | 0.0150/0.121 | Pass |
| Ethylene oxide | 1 | ND | 0.127/0.482 | Pass | o-Xylene | ND | ND | 0.0838/0.713 | N/A |
| Ethyl ether | 5000 | ND | 0.984/2.95 | Pass | p- and m-Xylene | ND | ND | 0.0960/1.43 | N/A |
| Heptane | 5000 | ND | 0.571/2.38 | Pass | Total xylenes | 2170 | ND | | Pass |

HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Heavy Metals Testing by ICP-MS • Jan 09, 2026

| Analyte | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail | Analyte | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail |
|---------|--------------|------------|-----------------|-----------|---------|--------------|------------|-----------------|-----------|
| Arsenic | 1.5 | ND | 0.00300/0.00900 | Pass | Lead | 0.5 | 0.0347 | 0.00100/0.00400 | Pass |
| Cadmium | 0.5 | ND | 0.00100/0.00200 | Pass | Mercury | 3 | ND | 0.00500/0.0140 | Pass |

MICRO-008, MICRO-INST-001, MICRO-PREP-001: MICRO-008, MICRO-INST-001, MICRO-PREP-001: PCR-Microbial (noninhalable) • Jan 12, 2026

| Analyte | Limit | Amt | Pass/Fail | Analyte | Limit | Amt | Pass/Fail |
|-----------------|-------------------|-----|-----------|-------------------------------|-------------------|-----|-----------|
| Salmonella spp. | Any amt in 1 gram | ND | Pass | Shiga toxin-producing E. coli | Any amt in 1 gram | ND | Pass |

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Mycotoxin Analysis by LC-MS/MS • Jan 13, 2026

| Analyte | Limit (µg/kg) | Amt (µg/kg) | LOD/LOQ (µg/kg) | Pass/Fail | Analyte | Limit (µg/kg) | Amt (µg/kg) | LOD/LOQ (µg/kg) | Pass/Fail |
|--------------|---------------|-------------|-----------------|-----------|--------------|---------------|-------------|-----------------|-----------|
| Aflatoxin B1 | | ND | 2.60/7.88 | N/A | Aflatoxin G2 | | ND | 1.89/5.72 | N/A |
| Aflatoxin B2 | | ND | 2.04/6.18 | N/A | Aflatoxins | 20 | ND | | Pass |
| Aflatoxin G1 | | ND | 2.97/8.99 | N/A | Ochratoxin A | 20 | ND | 3.87/11.7 | Pass |

PEST-GC-INST-003, PEST-GC-PREP-001: PEST-GC-INST-003, PEST-GC-PREP-001: Pesticide Analysis by GC-MS/MS • Jan 13, 2026

| Analyte | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail | Analyte | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail |
|--------------|--------------|------------|----------------|-----------|-------------------------|--------------|------------|----------------|-----------|
| Captan | 5 | ND | 0.120/0.358 | Pass | Cypermethrin | 1 | ND | 0.0145/0.0435 | Pass |
| Chlordane | Any amt | ND | 0.0249/0.0747 | Pass | Methyl parathion | Any amt | ND | 0.00811/0.0243 | Pass |
| Chlorfenapyr | Any amt | ND | 0.0251/0.0753 | Pass | Pentachloronitrobenzene | 0.2 | ND | 0.0182/0.0545 | Pass |
| Cyfluthrin | 1 | ND | 0.0186/0.0558 | Pass | | | | | |



PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Pesticide Analysis by LC-MS/MS • Jan 13, 2026

| Analyte | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail | Analyte | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail |
|---------------------|--------------|------------|----------------|-----------|-------------------------|--------------|------------|----------------|-----------|
| Abamectin | 0.3 | ND | 0.0500/0.100 | Pass | Methiocarb | Any amt | ND | 0.0156/0.0473 | Pass |
| Abamectin Ba | | ND | 0.0330/0.0990 | N/A | Methomyl | 0.1 | ND | 0.0158/0.0479 | Pass |
| Acephate | 5 | ND | 0.0164/0.0497 | Pass | Mevinphos | Any amt | ND | 0.0139/0.0423 | Pass |
| Acetaminocyl | 4 | ND | 0.0194/0.0587 | Pass | Myclobutanil | 9 | ND | 0.0180/0.0546 | Pass |
| Acetamiprid | 5 | ND | 0.0146/0.0442 | Pass | Naled | 0.5 | ND | 0.0170/0.0514 | Pass |
| Aldicarb | Any amt | ND | 0.0216/0.0654 | Pass | Oxamyl | 0.2 | ND | 0.0153/0.0465 | Pass |
| Azoxystrobin | 40 | ND | 0.00960/0.0291 | Pass | Paclobutrazol | Any amt | ND | 0.0132/0.0400 | Pass |
| Bifenazate | 5 | ND | 0.0115/0.0349 | Pass | Permethrin | 20 | ND | 0.00831/0.0300 | Pass |
| Bifenthrin | 0.5 | ND | 0.0130/0.0395 | Pass | Permethrin cis | | ND | 0.0200/0.0300 | N/A |
| Boscalid | 10 | ND | 0.0197/0.0596 | Pass | Permethrin trans | | ND | 0.0200/0.0300 | N/A |
| Carbaryl | 0.5 | ND | 0.0160/0.0486 | Pass | Phosmet | 0.2 | ND | 0.0125/0.0377 | Pass |
| Carbofuran | Any amt | ND | 0.00902/0.0300 | Pass | Piperonylbutoxide | 8 | ND | 0.00759/0.0300 | Pass |
| Chlorantraniliprole | 40 | ND | 0.0209/0.0632 | Pass | Prallethrin | 0.4 | ND | 0.0226/0.0685 | Pass |
| Chlorpyrifos | Any amt | ND | 0.0176/0.0534 | Pass | Propiconazole | 20 | ND | 0.0195/0.0590 | Pass |
| Clofentezine | 0.5 | ND | 0.0129/0.0389 | Pass | Propoxur | Any amt | ND | 0.0155/0.0471 | Pass |
| Coumaphos | Any amt | ND | 0.0185/0.0559 | Pass | Pyrethrins | 1 | ND | 0.00431/0.0300 | Pass |
| Daminozide | Any amt | ND | 0.0261/0.0791 | Pass | Pyrethrins Cinerin I | | ND | | N/A |
| Diazinon | 0.2 | ND | 0.00645/0.0300 | Pass | Pyrethrins Cinerin II | | ND | | N/A |
| Dichlorvos | Any amt | ND | 0.0223/0.0674 | Pass | Pyrethrins Jasmolin I | | ND | | N/A |
| Dimethoate | Any amt | ND | 0.0118/0.0356 | Pass | Pyrethrins Jasmolin II | | ND | | N/A |
| Dimethomorph | 20 | ND | 0.0137/0.0416 | Pass | Pyrethrins Pyrethrin I | | ND | 0.0100/0.0450 | N/A |
| Ethoprophos | Any amt | ND | 0.0174/0.0528 | Pass | Pyrethrins Pyrethrin II | | ND | 0.0100/0.0300 | N/A |
| Etofenprox | Any amt | ND | 0.00849/0.0300 | Pass | Pyridaben | 3 | ND | 0.0115/0.0350 | Pass |
| Etoxazole | 1.5 | ND | 0.00783/0.0300 | Pass | Spinetoram | 3 | ND | 0.00639/0.0300 | Pass |
| Fenhexamid | 10 | ND | 0.0129/0.0392 | Pass | Spinetoram J | | ND | 0.00500/0.0100 | N/A |
| Fenoxycarb | Any amt | ND | 0.0144/0.0435 | Pass | Spinetoram L | | ND | 0.00500/0.0100 | N/A |
| Fenpyroximate | 2 | ND | 0.00972/0.0300 | Pass | Spinosad | 3 | ND | 0.00410/0.0300 | Pass |
| Fipronil | Any amt | ND | 0.0148/0.0447 | Pass | Spinosad A | | ND | 0.00500/0.0100 | N/A |
| Flonicamid | 2 | ND | 0.0268/0.0811 | Pass | Spinosad D | | ND | 0.00500/0.0100 | N/A |
| Fludioxonil | 30 | ND | 0.0153/0.0464 | Pass | Spiromesifen | 12 | ND | 0.0137/0.0416 | Pass |
| Hexythiazox | 2 | ND | 0.0257/0.0778 | Pass | Spirotetramat | 13 | ND | 0.0134/0.0407 | Pass |
| Imazalil | Any amt | ND | 0.0156/0.0474 | Pass | Spiroxamine | Any amt | ND | 0.0106/0.0320 | Pass |
| Imidacloprid | 3 | ND | 0.0235/0.0711 | Pass | Tebuconazole | 2 | ND | 0.0144/0.0437 | Pass |
| Kresoxim-methyl | 1 | ND | 0.0125/0.0379 | Pass | Thiacloprid | Any amt | ND | 0.0139/0.0421 | Pass |
| Malathion | 5 | ND | 0.0117/0.0354 | Pass | Thiamethoxam | 4.5 | ND | 0.0181/0.0549 | Pass |
| Metalaxyl | 15 | ND | 0.0101/0.0306 | Pass | Trifloxystrobin | 30 | ND | 0.0102/0.0310 | Pass |

Water Activity by Water Activity Meter • Jan 09, 2026

| Analyte | Limit (Aw) | Amt (Aw) | Pass/Fail |
|----------------|------------|----------|-----------|
| Water Activity | 0.85 | 0.397 | Pass |

