



Coil Cleaners & Disinfectant

Extended line of specifically formulated A/C & refrigerant system chemicals.



NEW



COIL-CURE
Liquid Disinfectant
• Kills Coronavirus
Net Contents 1 GAL (3.76 L)

COIL-CURE
Liquid Disinfectant
• Kills Coronavirus
Net Contents 1 GAL (3.76 L)

CON-COIL
Condenser Coil Cleaner
• Max strength • High foam
• Acid base • Brightening
Net Contents 1 GAL (3.76 L)

COIL-RITE
Evaporator Coil Cleaner
• Mild strength • Low foam
• Biodegradable
Net Contents 1 GAL (3.76 L)



RECTORSEAL


COIL CLEANERS

Restore peak A/C efficiency.



RectorSeal has added six new, highly effective, specifically formulated coil cleaners to the line.

Each formula powers off years of dirt and buildup to restore performance. Cleaning action infuses deep into coils to dissolve away all hidden grease and dirt. Cleaning can dramatically reduce run time and energy costs. The system will look like new! Cleaners range in strength from max strength acidic and alkaline based to milder formulas for indoor use. Cleaner properties range from max foaming to self-rinsing, liquid and aerosol.



Foam-Core™
alkaline based cleaner
delivers maximum
penetrating surfactant and
foaming action for
condenser coils



Action videos and full details
@ rectorseal.com/coilcleaner



Commercial

Ducted

Ductless

COIL CLEANERS - CONDENSER

Renewz™

Max strength, alkaline based coil cleaner

| Code | Description | Qty |
|-------|------------------|-----|
| 82644 | 1 Gallon (Blue) | 4 |
| 82649 | 1 Gallon (Brown) | 4 |



FEATURES

- High foaming
- Brightening
- Degreasing
- Biodegradable*
- Concentrated

APPLICATION • CONDENSER COILS
Surfactant foaming action lifts all contaminants and grease out of areas of the coil which are normally inaccessible, to where they can be rinsed away with low pressure water. Leaves aluminum surfaces clean and bright in less than five minutes.

RECOMMENDED FOR

- Condenser coils • Aluminum
- Cooking grease • Electronic air filters



Con-Coil™

Max strength, acid based coil cleaner

| Code | Description | Qty |
|-------|-------------|-----|
| 82651 | 1 Gallon | 4 |

FEATURES

- High foaming
- Brightening
- Degreasing
- Biodegradable*
- Concentrated

APPLICATION • CONDENSER COILS
Acid-based foaming brightener and cleaner lifts obstructing contaminants such as bugs, cottonwood, grass, lint, dirt and oxides from coils. Pushes contaminants and grease out of areas of the coil which are normally inaccessible, to where they can be rinsed away with low pressure water. Leaves aluminum surfaces clean in less than five minutes.

RECOMMENDED FOR

- Air cooled condenser coils • Aluminum • Cooking grease • Electronic air filters



Foam-Core™

Max foaming, alkaline based coil cleaner

| Code | Description | Qty |
|-------|-------------|-----|
| 11050 | 1 Gallon | 4 |

FEATURES

- High strength
- Max foaming
- Biodegradable*
- Concentrated

APPLICATION • CONDENSER COILS
Penetrating surfactant foaming action lifts and pushes contaminants and grease out of areas of the coil which are normally inaccessible, to where they can be rinsed away with low pressure water. Leaves aluminum surfaces clean in less than five minutes.

RECOMMENDED FOR

- Condenser coils
- Aluminum • Cooking grease
- Electronic air filters



* Contains the best available biodegradable surfactants and detergents.



Ducted

Ductless

COIL CLEANERS - EVAPORATOR

Coil-Rite™

Mild strength, self-rinsing coil cleaner

| Code | Description | Qty |
|-------|-------------|-----|
| 82612 | 1 Gallon | 4 |



Herbicide Components
KA

FEATURES

- Low foaming
- Non-acid
- Biodegradable*
- Concentrated

APPLICATION • EVAPORATOR COILS

Powerful surfactant removes oil, grease and dust. Cleans grease and dirt off of surfaces which are normally inaccessible.

RECOMMENDED FOR

- Evaporator coils
- Air handling equipment
- Electronic and permanent air filters
- All mechanical equipment



Coil-Cure™ Liquid

Self-rinsing liquid disinfectant

NEW

| Code | Description | Qty |
|-------|---------------------|-----|
| 11072 | Spray Bottle, Quart | 12 |
| 11074 | Refill, Gallon | 4 |

FEATURES

- EPA Reg. No. 6836-152-51219
- One step disinfectant cleaner
- Convenient quart spray bottle
- Disinfects against a broad spectrum of bacteria
- Kills coronavirus
- Effective via AOAC methodology against a wide variety of organisms
- Controls mold and mildew
- Cleans and deodorizes

Coronavirus Disease 2019 (COVID-19) is caused by SARS-CoV-2. Coil-Cure, Evaporator Coil Cleaner and Disinfectant, EPA Reg. No. 44446-23-51219, kills similar viruses and therefore can be used against SARS-CoV-2 when used in accordance with the directions for use against Canine Parvovirus on hard, non-porous surfaces. Refer to the CDC website at <https://www.cdc.gov/coronavirus/index.html> for additional information.

APPLICATION • EVAPORATOR COILS

Powerful non-abrasive disinfectant cleaner • An EPA registered disinfectant to destroy bacteria, fungi and viruses, making it a safe and effective way to clean coils and drain pans

RECOMMENDED FOR

- For use on porcelain, ceramic tile, fiberglass, formica, urinals, sinks, toilets, shower stalls, walls, floors and counter tops • Areas of use include hospitals and nursing homes, physicians' offices, schools, sports and recreational facilities, offices, airports, beauty shops, janitorial services, retail areas, convenience stores, public areas and many others • Ideal for cleanup of HVAC equipment after natural disasters

Coil-Cure has been added to the EPA list N as an EPA registered disinfectant with emerging viral pathogens AND human coronavirus claims for use against SARS-CoV-2.



EPA Reg. No. 6836-152-51219

* Contains the best available biodegradable surfactants and detergents.



EPA APPROVED DISINFECTANT AND COATING



Coil-Cure cleans and disinfects evaporator coils.

Coil-Cure AM protects against mold, mildew and microbial odor.

Coil-Cure AM helps aluminum coils perform like copper coils.

Coronavirus Disease 2019 (COVID-19) is caused by SARS-CoV-2. Coil-Cure, Evaporator Coil Cleaner and Disinfectant, EPA Reg. No. 44446-23-51219, kills similar viruses and therefore can be used against SARS-CoV-2 when used in accordance with the directions for use against Canine Parvovirus on hard, non-porous surfaces. Refer to the CDC website at <https://www.cdc.gov/coronavirus/index.html> for additional information.

Coil-Cure™ Aerosol

Self-rinsing aerosol disinfectant

APPLICATION • Non-abrasive, one-step disinfectant cleaner designed specifically for HVAC equipment in homes, nursing homes, institutions, offices, schools, motels and hotels.

RECOMMENDED FOR • Disinfecting and cleaning A/C evaporator coils • HVAC Catchpans • Floors • Walls • Table tops

Coil-Cure has been added to the EPA list N as an EPA registered disinfectant with emerging viral pathogens AND human coronavirus claims for use against SARS-CoV-2.

EPA Reg. No. 44446-23-51219

| Code | Description | Qty |
|-------|----------------|-----|
| 11070 | 18 oz. Aerosol | 12 |

FEATURES

- EPA registered
- Disinfects against Canine Parvovirus
- Disinfects against Legionella pneumophila
- Effective via AOAC methodology against a wide variety of organisms
- Controls mold and mildew
- Cleans & deodorizes - No rinsing required
- Cuts grease and grime without scrubbing



Coil-Cure™ AM Aerosol

Spray-Applied antimicrobial coil coating

APPLICATION • Hybrid polymeric aerosol antimicrobial coating designed for high performance in HVAC environments, protecting expensive equipment from mold, fungus and bacterial growth • Colorless (clear) and can be applied over GulfCoat corrosion protection coatings • Embedded with Agion®, is UV resistant (UVA and AVB) and is a one-part solution • Antimicrobial properties become active when moisture is present and conditions are ideal for bacterial growth, leads to long-lasting performance

RECOMMENDED FOR • HVAC tubing, internal components and cabinet walls • Hospitals, schools and anywhere else bacteria, mold and fungi are a concern

| Code | Description | Qty |
|-------|----------------|-----|
| 72001 | 12 oz. aerosol | 6 |

FEATURES

- Powered by Agion, an EPA registered compound
- Protects from mold and mildew caused by fungal growth
- Prevents microbial odor development on floors and ceilings
- Extends equipment life
- UV resistant
- POP packaged



WARNING: This product can expose you to Ethylbenzene, Toluene and Cumene which is known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to: www.P65Warnings.ca.gov



Ductless

COIL CLEANERS - EVAPORATOR

Desolv™

High strength mini-split cleaner, no foam

| Code | Description | Qty |
|-------|-----------------------------|-----|
| 82561 | 16 oz. Aerosol only | 12 |
| 82566 | 1 Gallon only | 4 |
| 82560 | 1 Gal. Kit w/2 funnels bags | 1 |
| 82562 | Single use funnel bags | 10 |



Nonfood Compounds
A4
Aerosol and
Gallon only

FEATURES

- High strength
- No foaming
- Self-rinsing

U.S. Patent No. 6,863,116
Under license from
Crossford International LLC

APPLICATION • MINI-SPLIT EVAPORATOR COILS. Deep cleans mini-split A/C evaporator units. Desolv Kit provides wall and floor protection. Kit is reusable. Desolv aerosol, solution and single use replacement funnel bags are also sold separately.

RECOMMENDED FOR

- Indoor mini-split evaporators and blower fan





Ducted

Ducted

COIL CLEANERS - MULTI PURPOSE

D-Factor™

Max degreasing, self-rinsing coil cleaner

| Code | Description | Qty |
|-------|-------------|-----|
| 11060 | 1 Gallon | 4 |

FEATURES

- Low foaming
- Non-acid
- Biodegradable*
- Concentrated

APPLICATION • CONDENSER/EVAPORATOR COILS Extra strong heavy duty detergent-based formula rapidly removes grime, oil, grease and dust. Cleans grease and dirt off of surfaces which are normally inaccessible.

RECOMMENDED FOR

- Condenser/evaporator coils
- Air handling equipment • Electronic and permanent air filters • All mechanical equipment



Clean-N-Safe™

Mild strength, self-rinsing coil cleaner

| Code | Description | Qty |
|-------|----------------|-----|
| 83785 | 1 Gallon | 4 |
| 83780 | 20 oz. Aerosol | 12 |

FEATURES

- Foaming
- Non-Acid
- Biodegradable*
- Concentrated (Liquid)

APPLICATION • CONDENSER/EVAPORATOR COILS Safe, environmentally friendly coil cleaner that effectively cleans and removes soils. Presents little hazard to people, animals, aquatic life and vegetation. Will not chemically attack coils, surrounding metal, other components or roofing materials.

RECOMMENDED FOR

- Condenser/evaporator coils
- Refrigeration • Heat pump coils • Microchannel coils



K.O. Dirt Blaster™

Max degreasing, multi-purpose solvent based cleaner

| Code | Description | Qty |
|-------|----------------|-----|
| 88438 | 20 oz. Aerosol | 12 |

FEATURES

- High strength
- No foaming
- Self-rinsing
- High pressure stream

WARNING: This product can expose you to chemicals including Methylene Chloride, which is known to the State of California to cause cancer. For more information, go to www.P65Warnings.ca.gov.

APPLICATION • MULTI-PURPOSE Versatile solvent quickly dissolves grease and oil on all types of surfaces and equipment.

RECOMMENDED FOR

- Small condenser coils • Oil burner surfaces
- Machine parts • Electrical switches • Relays
- Circuit breakers • Motors • Compressors



*Contains the best available biodegradable surfactants and detergents.

COIL CLEANER SELECTOR GUIDE

The right cleaner for every application.

* Contains the best available biodegradable surfactants and detergents.



| EQUIPMENT | Condenser | | | | Condenser and Evaporator |
|------------------------|---|--|--|--|--|
| | CON-COIL | RENEWZ BLUE | RENEWZ BROWN | FOAM-CORE | D-FACTOR |
| | Max strength High foam Brightening Acid base | Max strength High foam Alkaline base | Max strength High foam Alkaline base | High strength Max foam Alkaline base | High strength cleaner. Max degreasing action |
| PROPERTIES | | | | | |
| Cleaning Strength | Max | Max | Max | High | High |
| Foaming | High | High | High | Max | Low |
| Brightening | • | • | • | • | |
| Degreasing | • | • | • | | Max |
| Disinfectant | | | | | |
| Microchannel Coils | | | | | |
| Self-rinsing | | | | | • |
| Biodegradable* | • | • | • | • | • |
| EPA Registered | | | | | |
| NSF Nonfood Registered | | • | • | | |
| DILUTION RATIO | | | | | |
| Heavy Dirt | 1:3 | 1:3 | 1:3 | 1:3 | 1:4 |
| Medium Dirt | 1:6 | 1:6 | 1:6 | 1:6 | 1:6 |
| Light Dirt/Maintenance | 1:9 | 1:9 | 1:9 | 1:9 | 1:8 |
| PRODUCT CODE | | | | | |
| 1 Gallon | 82651 | 82644 | 82649 | 11050 | 11060 |
| Aerosol | | | | | |
| 1 Quart | | | | | |
| Desolv Kit | | | | | |
| Desolv Kit Bags | | | | | |



A CSW Industrials Company



Condenser and Evaporator



Evaporator



Mini-split Evaporator

General

| CLEAN-N-SAFE | | COIL-RITE | COIL-CURE | | | DESOLV | | K.O. DIRT BLASTER |
|--|--|---|--|--|---|----------------------------------|----------------------------------|---|
| LIQUID | AEROSOL | | LIQUID | AEROSOL | AM AEROSOL | LIQUID | AEROSOL | |
| Mild strength Foaming Self-rinsing | Mild strength Foaming Self-rinsing | Mild strength Low foam Biodegradable* | Mild strength Foaming Disinfectant | Mild strength Foaming Disinfectant | Hybrid polymeric Antimicrobial Coil Coating | High strength cleaner No foam | High strength cleaner No foam | Max degreasing action. Solvent based |
| Mild | Mild | Mild | Mild | Mild | Mild | High | High | High |
| Regular | Regular | Low | Regular | Regular | Regular | None | None | None |
| | | | | | | | | Max |
| | | | • | • | • | | | |
| • | • | | | | | | | |
| • | • | • | • | • | • | • | • | • |
| • | • | • | • | • | • | • | • | |
| | | • | | | | • | • | |
| Ready to use | Ready to use | 1:4 | Ready to use | Ready to use | Ready to use | Ready to use | Ready to use | Ready to use |
| 1:3 | Ready to use | 1:5 | Ready to use | Ready to use | Ready to use | 1:2 | Ready to use | Ready to use |
| 1:4 | Ready to use | 1:10 | Ready to use | Ready to use | Ready to use | 1:4 | Ready to use | Ready to use |
| 83785 | | 82612 | 11074 | | | 82565 | | |
| | 83780 | | | 11070 | | | 82561 | 88438 |
| | | | 11072 | | 72001 | | | |
| | | | | | | 82560 | | |
| | | | | | | 82562 | | |



A CSW Industrials Company

HVAC DIVISION


RectorSeal provides industry-leading digital and print support materials for its extensive chemical and mechanical solutions that include:

- Technical Product Information
- Marketing Support Materials
- Engaging Product Demonstration Videos
- Informative SDS and Product Data Sheets
- On-demand and Live Training and Webinars
- Learning Management System (LMS) support via RectorSeal Academy
- Informative Distributor and Sales Representative Tools
- Industry-related Tradeshow and Events Information


For complete details, visit www.rectorseal.com

For the latest product enhancements, news, and updated information, please follow RectorSeal's social media channels.

 facebook.com/rectorseal

 linkedin.com/company/rectorseal

 twitter.com/rectorseal

 instagram/rectorseal

 youtube.com/rectorsealcorp

All information is believed to be current at the time of printing, but our policy is one of continuous development. RectorSeal makes no warranties, express or implied, as to its accuracy. RectorSeal reserves the right to discontinue, update or change the information at any time without notice or without incurring obligations.

RectorSeal® • 2601 Spenwick Drive, Houston, TX 77055, USA • 713-263-8001 • rectorseal.com

RectorSeal®, the logos and other trademarks are property of RectorSeal, LLC, its affiliates or its licensors and are protected by copyright, trademark and other intellectual property laws, and may not be used without permission. RectorSeal reserves the right to change specifications without prior notice. ©2023 RectorSeal. All rights reserved. R50601 10/23