



**SUBMITTAL  
DATA SHEET**



A CSW Industrials Company

# Mini Lime Univolt

Mini-Split Condensate Pump Kit 100-250v  
83849 (ASP-ML-UNI)

**Project Information:**

**Job Name:**

**Location:**

**Engineer:**

**Submitted to:**

**For:**  Reference  Approval  Construction

**Submitted by:**

**Reference:**

**Submittal Information:**

**Approval:**

**Date:**

**Construction:**

**Unit #:**

**Drawing #:**

**(Sec. I) Product Specifications:**

Pump Length	3.75"
Pump Width	1.625"
Pump Height	3.125"
Capacity	2.9-3.2 GPH @ 0' Head / 1.3-1.5 GPH @ 33' Head
Max BTUs	54,600
Max Head in Feet	33
Max Temperature	104°F
Max Suction Lift	N/A
Sound Level	25.5dB(A)
Dry Contact Rating	3A NC
Voltage	100-250v
Amperes	.16
Watts	16
Remote Reservoir	N
Plenum Rated	N
Cable Length	6'

Sound level and pump performance varies with voltage frequency.

**Pump Selector & Wiring Diagrams Available at**  
<http://www.rectorseal.com/aspenspump.html>

**(Sec. II) Ordering Information:**

Product Code	83849
Model	ASPMLUNI
Carton Qty	1
Carton Weight	3.8


**(Sec. III) Carton Contents:**

Monobloc Pump Assembly	31" Lineset Cover
5"x1/4" i.d. Vinyl Discharge Tube	Cable Ties (6)
6"x1/4" i.d. Vinyl Breather Tube	Wall Plugs & Screws
20"x5/8" i.d. Inlet Tube	Ceiling Plate
Inline Fuse	Installation Manual
Drain Hose Adaptor	Anti-Siphon (1)
Lineset Cover Elbow	90° Elbow

**(Fig. I) Product Image:**



**(Fig. II) Typical Pump Locations:**



(RectorSeal's products are subject to continuous improvements; RectorSeal reserves the right to modify product design, specifications & information in this data sheet without notice and without incurring any obligations)

ASPEN® is a registered trademark of Aspen Oldco Limited Company UK


# Mini Lime Univolt

Mini-Split Condensate Pump Kit 100–250v  
83849 (ASP-ML-UNI)



## Aspen Pump BTU Calculator

Mini Lime 115v 60Hz		
Head	GPH	BTU
0	3.2	54600
5	2.9	49500
10	2.6	44350
15	2.4	42000
20	2.2	37500
25	2	34000
30	1.6	27500
33	1.5	25800



Mini Lime 230v 60Hz		
Head	GPH	BTU
0	2.9	49500
5	2.5	42600
10	2.2	37500
15	2	34000
20	1.8	30700
25	1.6	27500
30	1.4	23900
33	1.3	22400

