# 2019 · 2020



Concrete Designed & Manufactured in Australia.

C Nood Co Concrete Furniture

**W** www.noodco.com.au

E info@noodco.com

**P** +61 0433 449 097

• facebook.com/noodco


@ @nood\_co

**ABN** 31 166 430 173 **ACN** 166 430 173

**REG** 2013







# Contents

Circle Basins

Funl Basin	0
Tubb Basin	0
Stepp Basin   Circle	0
Hoop Basin	0
Prism Basin   Circle	0
Bowl Basin   Two Tone	0
Bowl Basin	0
Rectangle Basins	10
Prism Basin   Rectangle	1
Stepp Basin   Rectangle	1
Vesl Basin   Rectangle	1
Box Basin   Two Tone	1
Box Basin	1
Trough Basin	1
Square Basins	18
Vesl Basin   Square	2
Cube Basin	2
Oval Basins	2:
Pill Basin	2
Vanity Basins	2
Box Basin Vanity Set	2
Trough Basin Vanity Set	2
Colour Range	3:
Maintenance	3
Packaging and Transport	34
Nood Co Concrete Composition	34
Meet The Team	3




BASIN RANGE • 2019 | 2020 BY NOOD CO • CIRCLE BASIN RANGE • 2019 | 2020 BY NOOD CO • CIRCLE

### **Funl Basin**









#### **DIMENSIONS**

D 400mm x H 115mm\* (D 15.7" x H 4.5")

#### WEIGHT

10kg\* (22lb)

#### SEALER


Nood Co Deep Seal System

**WASTE RQD** 

### Standard 32mm (1 1/4")

WALL THICKNESS

11mm



\*Measurements and weights are approx (Waste not provided by Nood Co) Colours may vary. Warranty/Packaging/Maintenance at rear of Catalogue.










**Tubb Basin** 



#### **DIMENSIONS**

D 400mm x H 115mm\* (D 15.7" x H 4.5")

#### WEIGHT

10kg\* (22lb)

#### SEALER

Nood Co Deep Seal System

**WASTE RQD** Standard 32mm (1 1/4")

#### WALL THICKNESS

25mm

\*Measurements and weights are approx (Waste not provided by Nood Co) Colours may vary. Warranty/Packaging/Maintenance at rear of Catalogue.



#### **AVAILABLE COLOURS**



#### **AVAILABLE COLOURS**




## Stepp Basin | Two Tone









#### **DIMENSIONS**

D 400mm x H 115mm\* (D 15.7" x H 4.5")

#### WEIGHT


10kg\* (22lb)

#### SEALER

Nood Co Deep Seal System

Standard 32mm (1 1/4")

#### TWO TONE STRIP



#### **WASTE RQD**

#### WALL THICKNESS

10mm top, 20mm base

30mm from top edge

\*Measurements and weights are approx (Waste not provided by Nood Co) Colours may vary. Warranty/Packaging/Maintenance at rear of Catalogue.



CLAY


CHARCOAL

**Hoop Basin** 









#### **DIMENSIONS**

D 400mm x H 115mm\* (D 15.7" x H 4.5")

#### WEIGHT

10kg\* (22lb)

#### SEALER


Nood Co Deep Seal System

**WASTE RQD** Standard 32mm (1 1/4")

WALL THICKNESS

20mm

\*Measurements and weights are approx (Waste not provided by Nood Co) Colours may vary. Warranty/Packaging/Maintenance at rear of Catalogue.



#### **AVAILABLE COLOURS**



#### **AVAILABLE COLOURS**




## Prism Basin | Circle









#### **DIMENSIONS**

D 400m x H 115mm\* (D 15.7" x H 4.5")

#### WEIGHT

10kg\* (22lb)

#### SEALER

Nood Co Deep Seal System

CUSTARD

MINT

#### WASTE RQD

Standard 32mm (1 1/4")


#### WALL THICKNESS

Top 9mm Base 20mm Chamfer length 40mm Side wall length 70mm

MUSK

MID TONE GREY





**AVAILABLE COLOURS** 

SAND

COPAN BLUE

**IVORY** 

POWDER BLUE



PASTEL PEACH

TEAL

BLUSH PINK


SKY GREY

## **Bowl Basin** | Two Tone









#### **DIMENSIONS**

D 400mm x H 115mm\* (D 15.7" x H 4.5")

#### **WEIGHT**

10kg\* (22lb)

#### **SEALER**

Nood Co Deep Seal System

#### **WASTE RQD**

Standard 32mm (1 1/4")

#### WALL THICKNESS

20mm

#### TWO TONE STRIP

30mm from bottom edge

<sup>\*</sup>Measurements and weights are approx (Waste not provided by Nood Co) Colours may vary. Warranty/Packaging/Maintenance at rear of Catalogue.



#### **AVAILABLE COLOURS**



CLAY

CHARCOAL




BASIN RANGE • 2019 | 2020 BY NOOD CO • CIRCLE

### **Bowl Basin**







#### **DIMENSIONS**

D 400mm x H 115mm\* (D 15.7" x H 4.5")

#### WEIGHT

10kg\* (22lb)

#### **SEALER**

Nood Co Deep Seal System

WASTE RQD Standard 32mm (1 1/4")

WALL THICKNESS

20mm



\*Measurements and weights are approx (Waste not provided by Nood Co) Colours may vary. Warranty/Packaging/Maintenance at rear of Catalogue.

#### **AVAILABLE COLOURS**








## Prism Basin | Rectangle









#### **DIMENSIONS**

L 600mm x W 400mm x H 115mm\* (L 23.6" x W 15.7" x H 4.5")

#### WEIGHT

16kg\* (35lb)

#### **SEALER**

Nood Co Deep Seal System


#### **WASTE RQD**

Standard 32mm (1 1/4")

#### WALL THICKNESS

20mm

Chamfer length 40mm Side wall length 70mm



\*Measurements and weights are approx (Waste not provided by Nood Co) Colours may vary. Warranty/Packaging/Maintenance at rear of Catalogue.





### **DIMENSIONS**

L 600mm x W400mm x H 115mm\* (L 23.6" x W 15.7" x H 4.5")

#### WEIGHT

16kg\* (35lb)

#### **SEALER**

Nood Co Deep Seal System

## **Stepp Basin** | Rectangle




#### **WASTE RQD**

Standard 32mm (1 1/4")

#### WALL THICKNESS

Top edge 10mm Bottom edge 20mm Corner edge 2mm



 $\boxtimes$ 

\*Measurements and weights are approx (Waste not provided by Nood Co) Colours may vary. Warranty/Packaging/Maintenance at rear of Catalogue.

#### **AVAILABLE COLOURS**



#### **AVAILABLE COLOURS**



Box Basin | Two Tone


## **Vesl Basin** | Rectangle











#### **DIMENSIONS**

L 600mm x W 400mm x H 115mm (L 23.6" x W 15.7" x H 4.5")

#### WEIGHT

16kg\* (35lb)

#### **SEALER**


Nood Co Deep Seal System

#### WASTE RQD

Standard 32mm (1 1/4")

#### WALL THICKNESS

20mm



#### DIMENSIONS

L 595mm x W 395mm x H 115mm (L 23.622" x W 15.748" x H 4.52")

#### WEIGHT

16kg\* (35lb)

#### **SEALER**

Nood Co Deep Seal System

#### WASTE RQD


Standard 32mm (1 1/4")

#### WALL THICKNESS


20mm

#### TWO TONE STRIP

30mm from bottom edge.



\*Measurements and weights are approx (Waste not provided by Nood Co) Colours may vary. Warranty/Packaging/Maintenance at rear of Catalogue.



\*Measurements and weights are approx (Waste not provided by Nood Co) Colours may vary. Warranty/Packaging/Maintenance at rear of Catalogue.

### AVAILABLE COLOURS



#### AVAILABLE COLOURS



### **Box Basin**














#### **DIMENSIONS**

L 595mm x W 395mm x H 115mm\* (L 23.6" x W 15.7" x H 4.5")

#### WEIGHT

16kg\* (35lb)

#### SEALER


Nood Co Deep Seal System

**WASTE RQD** 

WALL THICKNESS

Standard 32mm (1 1/4")

20mm



#### **DIMENSIONS**

W 875mm x H 415mm x L 165mm\* (L 34.4" x L 16.3in x H 6.5")

#### WEIGHT


29.5kg\* (65lb)

#### **SEALER**

Nood Co Deep Seal System

WASTE RQD Standard 40mm (1 1/4")

WALL THICKNESS 20mm



\*Measurements and weights are approx (Waste not provided by Nood Co) Colours may vary. Warranty/Packaging/Maintenance at rear of Catalogue.

\*Measurements and weights are approx (Waste not provided by Nood Co) Colours may vary. Warrant /Packaging/Maintenance at rear of Catalogue.

#### **AVAILABLE COLOURS**



#### **AVAILABLE COLOURS**






**Cube Basin** 

## **Vesl Basin** | Square









#### **DIMENSIONS**

L 400mm x L 400mm x H 120mm\* (L 15.7" x L 15.7" x H 4.7")

#### WEIGHT

12kg\* (26lb)

#### SEALER

Nood Co Deep Seal System

#### **WASTE RQD**

Standard 32mm (1 1/4")

#### WALL THICKNESS

15mm


#### **CORNER - RADIUS**

35mm









#### **DIMENSIONS**

L 390mm x W 390mm x H 113mm\* (L15.3" x W L15.3" x H 4.4")

#### WEIGHT

8.6kg\* (19lb)

#### SEALER

Nood Co Deep Seal System

Standard 32mm (1 1/4")

#### WALL THICKNESS

12mm

#### **AVAILABLE COLOURS**




#### **AVAILABLE COLOURS**



<sup>\*</sup>Measurements and weights are approx (Waste not provided by Nood Co) Colours may vary.


**WASTE RQD** 

 $<sup>^*</sup>$ Measurements and weights are approx (Waste not provided by Nood Co) Colours may vary. Warranty/Packaging/Maintenance at rear of Catalogue. Warranty/Packaging/Maintenance at rear of Catalogue.




BASIN RANGE • 2019 2020 BY NOOD CO • OVAL

### Pill Basin







#### **DIMENSIONS**

L 580mm x W 380mm x H 115mm\* (L 22.8" x W L 14.9" x H 4.5")

#### WEIGHT

11kg\* (11lb)

#### **SEALER**


Nood Co Deep Seal System

#### WASTE RQD

Standard 32mm (1 1/4")

#### WALL THICKNESS


12mm



\*Measurements and weights are approx (Waste not provided by Nood Co) Colours may vary. Warranty/Packaging/Maintenance at rear of Catalogue.

#### **AVAILABLE COLOURS**







## **Box Basin Vanity Set**





L 595mm x W 395mm x H 859mm\* (L 23.4" x L 15.5" x H 33.8")

#### WEIGHT

25kg\* (55lb)

#### **SEALER**

Nood Co Deep Seal System

#### WASTE RQD | Bottle Trap RQD Standard 32mm (1 1/4")

WALL THICKNESS

### 20mm



## **Trough Basin Vanity Set**



#### **DIMENSIONS**

W 875mm x H 415mm\* x L 875mm (L 34.4" x L 16.3" x H 34.4")

#### WEIGHT

50kg\* (110lb)

#### **SEALER**

Nood Co Deep Seal System



**WASTE RQD** Standard 40mm

WALL THICKNESS 20mm

 $^*$ Measurements and weights are approx (Waste not provided by Nood Co) Colours may vary. Warranty/Packaging/Maintenance at rear of Catalogue.

#### **AVAILABLE COLOURS**

POWDER BLUE











MINT





PASTEL PEACH



BLUSH PINK

SKY GREY



MID TONE GREY









POWDER BLUE

**AVAILABLE COLOURS** 







MINT



TEAL





SKY GREY







CLAY



BASIN RANGE • 2019 | 2020 BY NOOD CO

### **Colour Range**



### Concrete. A true picture

Nood Co concrete basins are hand made with the finest concrete and have a high level of water tolerance and stain resistance. Here is a little more about what to expect from your concrete experience.

Concrete is a natural material and hence is subject to natural and human weathering. In response to this Nood Co have added special ingredients into its mix, and deep setting sealer to greatly improve how your basin performs, giving you a long-lasting experience.

For best long term results we suggest you to:

+ Use the wax provided. Generally you'll notice when the wax has worn away and then is a good time to reapply. Instructions on how to apply the wax are provided with each basin.

- + Clean with a soft, micro fibre cloth and soapy water. See maintenance for more.
- + Clean as you spill. Stains are easily avoided by simply washing and wiping your spills as you go. For more please information see the maintenance section.
- + Avoid leaving your basin plugged and filled with water for long periods of time.
- + Closely follow the install instructions provided with each Nood package.

Concrete is a beautiful addition to your space, and well worth the small effort required to keep your space looking gorgeous.

For more please contact our friendly team at info@noodco.com.au

### Maintenance

Looking after your Nood basin is super simple, but everyone says that.

So, what can I realistically expect from my Nood basin experience?

Our concrete is sealed with a very effective, deep penetrating sealing system to allow a real-world function. With that said, Nood isn't ceramic, it's beautiful concrete and so we have some helpful tips to keep your basin even more beautiful for years to come.

#### Cleaning

Nood present the most advanced concrete composition on the market, we still encourage you to clean your spills as you go. Simply wash your spills away with soapy water and a soft, micro fibre cloth. Please avoid scourers and strong cleaning chemicals.

Please immediately clean strong staining products such as coffee scrubs, acid-based products. Leaving these stains for over 6 hours, although unlikely, may mark/etch the concrete.

For more information please check out our maintenance video at noodco.com.au

### Scratching/chips

Hey, it happens from time to time.

As your basin ages, it's likely that some minor scratching may have taken place. While this aligns with the natural beauty of concrete it may not always align with the client perception. Nood have colour repair kits ready to send out. They are simple to apply and will allow you to touch up any small imperfections on your basin.

For more information about repairs please email us at info@noodco.com.au

#### Water drops in your basin

Water drops are free to dry out in your basin. We've tested it, we've adjusted our concrete to it, and we've made sure this won't be an issue for you. 95% of water drops will dry into your concrete in a seamless way. The other 5% will leave a white ring on your basin. In this rare case, simply wipe down with clean water and a microfibre cloth. Nice and easy.

# What's this waxing business? Sounds like work

Not at all. Each Nood piece is carefully sealed and pre waxed prior to delivery. The basins are then packaged and sent out with spare maintenance wax and instructions so you can self-apply as necessary. The wax assists with abrasion and stain resistance. Simply apply more as you see it wear off. It's simple.

To view the wax application video please visit us at noodco.com.au

#### How often do I wax?

Nood have tested it. The average frequency in which you'd need to reapply your wax, given you used your basin for 5 mins, twice a day, is once every 3 months.

Nood have spare wax for when you require more, and we send out instructions on how to apply the wax with each basin. They are also available on our website.

To view the wax application video please visit us at noodco.com.au

BASIN RANGE • 2019 | 2020 BY NOOD CO BASIN RANGE • 2019 | 2020 BY NOOD CO

### **Packaging and Transport**

Nood take the most care when it comes to packaging and transport. Each package is carefully wrapped in different grades of foam and boxed firmly with thick cardboard. Each package has flex points to allow for safe international and domestic travel.

Nood offer tracking with each package and a close access of communication. After all, this is your experience that we are excited to be a part of.

### **Nood Co Concrete Composition**

Real beauty is on the inside.

The Nood concrete composition is a complex one. We won't bore you with too many details, but the Nood concrete is made of 8 highly refined components. Each component assists in a specific way, be it improving the concrete strength, the water ratio, mix integrity, water tolerance, colouring, durability and more.

We feel Colonel Sanders pain.

Everything from Nood Co has been a ground up build. From product design to concrete composition, sealing to packaging, every step of the process was dreamt up, tested and approved by Nood Co.

When you buy Nood Co you are purchasing something unique. You are buying the process, the love we willingly commit, so you can experience something with soul.

Aw...



### Meet The Team



### Marc Photography

### Marc is a seasoned

portrait and product shoot photographer. An important part of our brand is aptly presenting the ideals and culture that our products suggest. Nood doesnt get anymore Marc, and Marc doesn't get anymore Nood.



### Joelle

#### Front End Manager

Joelle is Nood Co's front end manager. Her extensive skill set includes product, graphic and magazine design, coding and website building, copywriting... the list goes on. Joelle's knowledge of high end furniture is unrivalled, and she leads a team readied to assist with your

order



### Chris

#### Product Development/ **Head Manufacturer**

Chris is head of product develpment and manufacture. His understanding of chemical composition and material usage in natural material be that in chemical analysis, mechanical education, wet and dry concrete applications, extensive welding/ manufacture/ assembly study is unrivalled. Chris makes it look easy, and it's seriously not



### Claire

#### Graphic Design/ **Brand Development**

Claire is an award winning graphic artist with a monster catalogue of original art, brand development and insane logo treatments. Her brand development is slick, super on trend and always completely original. A good portion of Noods energy is Claire.



#### Matt

#### Product Designer/ **Procurement**

Matt is Noods lead product designer. He determines the mood, colour and general vibration for the Nood aesthetic. His design/moral compass is aimed toward originality and genuine connection



### Meghan

#### Styling/ Photography

Meghan is a highly regarded product stylist and photographer. She is responsible for the Nood Co product styling and shoots. Her storytelling within each shot is breath taking, so if you like what you see, you can thank Meghan.



### Connor

#### Manufacturer

Connor co-runs the manufacture floor at Nood Co HQ. An ever growing platform, Connor ensures the staff training is under constant monitor. With a trained eye for detail you can thank Connor for Nood's exponential growth and consistent quality.



#### Matt

#### Manufacturer

Matt co-runs the manufacture floor for Nood Co. In charge of the finesse of each product, Matt drives our team of makers to ensure each piece of concrete is made with precise love.



### Cory

#### 3D Modelling/Cad

Masters qualified in Architecture, Cory aids the Nood design team in shaping up their visions into workable 3D models. Cory has a strong guage for proportion, aethetic and structural engineering.



Renoy

#### Accounts

Renoy is the financial and strategic backbone of Nood Co. He directs the Nood management team with a sound understanding of cashflow and company scaling.