

nood co.™
CONCRETE FURNITURE



Overflow.

20 — 21 BASIN RANGE

*4 sink designs, 14 colours, resized for high-rise living.
Concrete just got compact.*

TABLE OF CONTENTS



OVERFLOW BASINS

PAGE NO.

Shelf 01 Basin	08
Shelf 02 Basin	10
Shelf 03 Basin	12
Shelf Oval Basin	14

ADDITIONAL INFO

PAGE NO.

Concrete, a true picture	17
Maintenance	18
Packaging and Transport	19
Nood Co Concrete Composition	19
Meet The Team	20

PICTURED: SHELF 01 BASIN IN SAND





PICTURED: SHELF 01, SHELF 02 AND SHELF 03 BASINS

resized for high-density living; concrete just got compact

A world first for concrete.

Nood welcomes concrete to the world of high rise projects, both commercial and residential with the multi-function overflow range.

With sizes ranging from 440mm, 540mm, 580mm and 600mm the overflow basins are supplied with custom brackets for wall mounting, but are also fit to be surface mounted. They offer a stylish side ledge for an optional tap hole, or can be purchased without.

With 14 colours available, simple install and unrivalled finish, we welcome a new era of concrete to your project.

A new consciousness in concrete is here.



IVORY



SAND



CUSTARD



PASTEL PEACH



BLUSH PINK



MUSK



CLAY



POWDER BLUE



COPAN BLUE



MINT



TEAL



SKY GREY



MID TONE GREY



CHARCOAL



Details

The versatile Shelf 01 is perfect for powder rooms, tight spaces, high rise builds, minimal environments. Boasting a 440mm x 250mm x 130mm dimension, overflow kit, wall-hang capacity, and handy shelf for optional tap.

DIMENSIONS

BASIN	L440mm x W250mm x H130mm (L17.3in x W9.8in x H5.1in)*
OVERFLOW	W100mm (W3.9in)*
LEDGE	15mm (0.5in) step down

WEIGHT

BASIN	8.6kg (18.95lb)
-------	-----------------

WASTE REQUIRED

Suits standard 32mm (1¼in)

WALL THICKNESS



20mm (0.78in)

SEALER

Nood Co Deep Seal System

OVERFLOW / TAP HOLE

Available with or without overflow and tap hole.



* Measurements and weights are approximate.
Waste not provided by Nood Co. Colours may vary.
Warranty / Packaging / Maintenance / Assembly Instructions
can be found at rear of catalogue.



IVORY



SAND



CUSTARD



PASTEL PEACH



BLUSH PINK



MUSK



CLAY



POWDER BLUE



COPAN BLUE



MINT



TEAL



SKY GREY



MID TONE GREY



CHARCOAL



Details

The Shelf 02 is perfect for powder rooms, tight spaces, high-rise builds and minimal environments. Boasting a 540mm x 300mm x 130mm dimension, overflow kit, wall hang capacity, and handy shelf for optional tap.

DIMENSIONS

BASIN	L540mm x W300mm x H130mm (L21.2in x W11.8in x H5.1in)*
OVERFLOW	W100mm (W3.9in)*
LEDGE	15mm (0.5in) step down

WEIGHT

BASIN	16.55kg (36.4lb)*
-------	-------------------

WASTE REQUIRED

Suits standard 32mm (1¼in)

WALL THICKNESS



20mm (0.78in)

SEALER

Nood Co Deep Seal System

OVERFLOW / TAP HOLE

Available with or without overflow and tap hole.



* Measurements and weights are approximate. Waste not provided by Nood Co. Colours may vary. Warranty / Packaging / Maintenance / Assembly Instructions can be found at rear of catalogue.



IVORY



SAND



CUSTARD



PASTEL PEACH



BLUSH PINK



MUSK



CLAY



POWDER BLUE



COPAN BLUE



MINT



TEAL



SKY GREY



MID TONE GREY



CHARCOAL



Details

The Shelf 03 is perfect for powder rooms, high rise builds and minimal environments. Boasting a 600mm x 400mm x 130mm dimension, overflow kit, wall hang capacity, and handy shelf for optional tap.

DIMENSIONS

BASIN L600mm x W400mm x H130mm

(L23.6in x W15.7in x H5.1in)*

OVERFLOW W100mm (W3.9in)*

LEDGE 15mm (0.5in) step down

WEIGHT

BASIN 11.35kg (25lb)*

WASTE REQUIRED

Suits standard 32mm (1¼in)

THICKNESS


BASIN WALL 20mm (0.78in)

SEALER

Nood Co Deep Seal System

OVERFLOW / TAP HOLE

Available with or without overflow and tap hole.



* Measurements and weights are approximate.
Waste not provided by Nood Co. Colours may vary.
Warranty / Packaging / Maintenance / Assembly Instructions
can be found at rear of catalogue.



IVORY



SAND



CUSTARD



PASTEL PEACH



BLUSH PINK



MUSK



CLAY



POWDER BLUE



COPAN BLUE



MINT



TEAL



SKY GREY



MID TONE GREY



CHARCOAL

Shelf Oval Basin



Details

The Shelf Oval Basin is perfect for powder rooms, high rise builds and minimal environments. Boasting a 580mm x 380mm x 130mm dimension, overflow kit, wall hang capacity, and handy shelf for optional tap.

DIMENSIONS

BASIN	L580mm x W380mm x H100mm (L15.7in x W14.9in x H3.9in)*
OVERFLOW	W100mm (W3.9in)*
LEDGE	15mm (0.5in) step down

WEIGHT

BASIN	11.75kg (26lb)*
-------	-----------------

WASTE REQUIRED

Suits standard 32mm (1¼in)

WALL THICKNESS



10mm (0.39in)

SEALER

Nood Co Deep Seal System

OVERFLOW / TAP HOLE

Available with or without overflow and tap hole.



* Measurements and weights are approximate.
Waste not provided by Nood Co. Colours may vary.
Warranty / Packaging / Maintenance / Assembly Instructions
can be found at rear of catalogue.

4 sinks 14 colours



rs



*available with +
without overflow*

Colour Range



Concrete, a true picture

Nood Co concrete basins are handmade with the finest concrete and have a high level of water tolerance and stain resistance. Here is a little more about what to expect from your concrete experience.

Concrete is a natural material and hence is subject to natural and human weathering. In response to this Nood Co have added special ingredients into its mix, and deep setting sealer to greatly improve how your basin performs, giving you a long-lasting experience.

For best long term results we suggest you:

- Use the wax provided. Generally you'll notice when the wax has worn away and then is a good time to reapply. Instructions on how to apply the wax are provided with each basin.
- Clean with a soft, microfibre cloth and soapy water. See maintenance for more.
- Clean as you spill. Stains are easily avoided by simply washing and wiping your spills as you go. For more please information see the maintenance section.
- Avoid leaving your basin plugged and filled with water for long periods of time.
- Closely follow the install instructions provided with each Nood package.



Concrete is a beautiful addition to your space, and well worth the small effort required to keep your space looking gorgeous.

For more please contact our friendly team at info@noodco.com.au.

Looking after your Nood basin is super simple, but everyone says that.

SO, WHAT CAN I REALISTICALLY EXPECT FROM MY NOOD BASIN EXPERIENCE?

Our concrete is sealed with a very effective, deep penetrating sealing system to allow a real-world function. With that said, Nood isn't ceramic. It's beautiful concrete and so we have some helpful tips to keep your basin even more beautiful for years to come.

CLEANING

Nood present the most advanced concrete composition on the market, we still encourage you to clean your spills as you go. Simply wash your spills away with soapy water and a soft, microfibre cloth. Please avoid scourers and strong cleaning chemicals.

Please immediately clean strong staining products such as coffee scrubs, acid-based products. Leaving these stains for over 6 hours although unlikely, may mark or etch the concrete.

For more information please check out our maintenance video at noodco.com.au.

SCRATCHING / CHIPS

Hey, it happens from time to time.

As your basin ages, it's likely that some minor scratching may have taken place. While this aligns with the natural beauty of concrete it may not always align with the client perception. Nood have colour repair kits ready to send out. They are simple to apply and will allow you to touch up any small imperfections on your basin.

For more information about repairs please email us at info@noodco.com.au.

WATER DROPS IN YOUR BASIN

Water drops are free to dry out in your basin. We've tested it, we've adjusted our concrete to it, and we've made sure this won't be an issue for you. 95% of water drops will dry into your concrete seamlessly. The other 5% will leave a white ring on your basin. In this rare case, simply wipe down with clean water and a microfibre cloth. Nice and easy.

WHAT'S THIS WAXING BUSINESS? SOUNDS LIKE WORK.

Not at all. Each Nood piece is carefully sealed and pre-waxed prior to delivery.

The basins are then packaged and sent out with spare maintenance wax and instructions so you can self-apply as necessary. The wax assists with abrasion and stain resistance. Simply apply more as you see it wear off. It's simple.

To view the wax application video please visit us at noodco.com.au.

HOW OFTEN DO I WAX?

Nood have tested it. The average frequency in which you'd need to reapply your wax, given you use your basin for 5 minutes and twice a day, is once every 3 months.

Nood have spare wax for when you require more, and we send out instructions on how to apply the wax with each basin. They are also available on our website.

To view the wax application video please visit us at noodco.com.au.

Packaging and Transport

Nood take the most care when it comes to packaging and transport. Each package is carefully wrapped in different grades of foam and boxed firmly with thick cardboard. Each package has flex points to allow for safe international and domestic travel.

Nood offer tracking with each package and a close access of communication. After all, this is your experience that we are excited to be a part of.

Nood Co Concrete Composition

Real beauty is on the inside.

The Nood concrete composition is a complex one. We won't bore you with too many details, but the Nood concrete is made of 8 highly refined components. Each component assists in a specific way, be it improving the concrete strength, the water ratio, mix integrity, water tolerance, colouring, durability and more.

We feel Colonel Sanders pain.

Everything from Nood Co has been a ground up build. From product design to concrete composition, sealing to packaging, every step of the process was dreamt up, tested and approved by Nood Co.

When you buy Nood Co you are purchasing something unique. You are buying the process, the love we willingly commit, so you can experience something with soul.

Aw...



Meet The Team



Matt

PRODUCT DESIGNER & PROCUREMENT

Matt is Nood's lead product designer, responsible for determining the mood, colour and general vibration for the Nood aesthetic. His design / moral compass is aimed toward originality and genuine connection with the consumer.



Chris

PRODUCT DEVELOPMENT & HEAD OF MANUFACTURE

Chris is head of product development and manufacture. With an unrivalled understanding of chemical composition and material usage in chemical analysis, mechanical, concrete application, welding, manufacture and assembly, Chris makes it look easy, and it's seriously not.



Joelle

FRONT END MANAGER


Joelle is Nood Co's front end manager. Her extensive skill set includes product, graphic and web design, coding and copywriting...the list goes on. Joelle's knowledge of high-end furniture is unrivalled, and she leads a team readied to assist with your order.



Matt

MANUFACTURER

Matt co-runs the manufacture floor for Nood Co. Responsible for looking after the finesse of each handmade product, Matt drives our team of makers to ensure each piece of concrete is made with exact, precise love.



Connor

MANUFACTURER

Connor co-runs the manufacture floor at Nood Co HQ. An ever growing platform, Connor ensures the staff training is under constant monitor. With a trained eye for refinement and detail, you can thank Connor for Nood's exponential growth and consistent quality.



Meghan

STYLING & PHOTOGRAPHY

Meghan is a highly regarded product stylist and photographer. She is responsible for the Nood Co product styling and shoots. Her storytelling within each shot is breath taking, so if you like what you see, you can thank Meghan.



Claire

GRAPHIC DESIGN & BRAND DEVELOPMENT

Claire is an award winning graphic artist with a monster catalogue of original art, brand development and insane logo treatments. Her brand development is slick, super on trend and always completely original. A good portion of Nood's energy is Claire.



Renoy

ACCOUNTS

Renoy is the financial and strategic backbone of Nood Co. He directs the Nood management team with a sound understanding of cashflow and company scaling.



Cory

3D MODELLING & CADS

With a Masters qualified in Architecture, Cory aids the Nood design team in shaping up their visions into workable 3D models. Cory has a strong gauge for proportion, aesthetic and structural engineering.



Marc

PHOTOGRAPHY

Marc is a seasoned portrait and product shoot photographer. An important part of our brand is aptly presenting the ideals and culture that our products suggest. Nood doesn't get anymore Marc, and Marc doesn't get anymore Nood.

NOOD CO
CONCRETE FURNITURE

E info@noodco.com

P + 61 401 487 654

FB / noodco

IG @nood_co

ABN 31 166 430 173

ACN 166 430 173

REG 2013

NOODCO.FR
NOODCO.COM.AU

*Concrete designed and
manufactured in Australia.*