# Eaton FNQ-R-15

## Catalog Number: FNQ-R-15

Eaton Bussmann series FNQ-R fuse, Current-limiting time-delay fuse, 15 A, CC, Non-indicating, Ferrule end x ferrule end, 12 sec at 200%, 200 kAIC at 600 V|20 kAIC at 300 Vdc, Melamine tube, 600 V, 300 Vdc

#### General specifications



Catalog Number

Eaton Bussmann series FNQ-R fuse

FNQ-R-15

UPC

EAN

051712497114

5027590170451

Product Length/Depth

Product Height

0.41 in

1.5 in

**Product Width** 

**Product Weight** 

0.41 in

0.15 lb

Warranty

Compliances

Not Applicable

CE Marked

RoHS Compliant





### **Product specifications**

Fuse indicator

Non-indicating

Special features

Rejection style

Interrupt rating

200 kAIC at 600 Vac 20 kAIC at 300 Vdc

Type

Current-limiting time-delay fuse

Connection

Ferrule end x ferrule end

Response time

12 sec at 200%

Class

Class CC

Material

Melamine tube

Voltage rating

600 Vac, 300 Vdc

Application

Line protection, small control transformers, industrial control, branch circuits

Amperage Rating

15 A

Packaging type

Standard

#### Resources

Catalogs

Bussmann series complete full line catalog no. 1007

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - FNQ-R-15

Technical data sheets

Bussmann series FNQ supplemental fuse data sheet No. 1013

Technical service bulletins

Datasheet - FNQ-30



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2023 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia