Eaton TCF45RN

Bussmann

TCF45RN

Catalog Number: TCF45RN

Eaton Bussmann series TCF fuse, 45 A, 60 Hz, 50 Hz, Dual, CF, Black, Non-indicating, Blade end, Time delay|Class CF, 10 sec at 500%, 100 kAIC at 300 Vdc|300 kAIC at 600 V, Glass filled PES, 35 mm DIN rail|Chassis, 600 V, 300 Vdc

General specifications



Eaton Bussmann series TCF fuse

UPC

051712220996

Product Height

1.9 in

Product Weight

0.17 lb

Compliances

CE Marked RoHS Compliant Catalog Number

TCF45RN

Product Length/Depth

2.13 in

Product Width

1 in

Warranty

Not Applicable

Certifications

UL Listed
CSA Certified



Electrical rating

Amperage Rating

45 A

Frequency rating - max

60 Hz

Frequency rating - min

50 Hz

Interrupt rating

300 kAIC at 600 Vac 100 kAIC at 300 Vdc

Response time

10 sec at 500%

Voltage rating

600 Vac, 300 Vdc

Physical details

Color

Black

Fuse type

Class CF

Time delay

Material

Glass filled PES

Number of elements

Dual

Packaging type

Standard

General information

Class

Class CF

Connection

Blade end

Fuse indicator

Non-indicating

Mounting method

Chassis

35 mm DIN rail

Special features

Finger safe

Used with

TCFH60N, CCP2-3-60CF

Resources

Multimedia

The Power of Space

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - TCF45RN

Technical data sheets

TCF45RN~CUBEFUSE, TCF 45A NON-IND



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2023 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia