

Forty years experience, leader in the production of traditional woodworking machines.

The production is managed internally, allowing to run every type of work, from the machines in series to the customized ones. The supervising of each step guarantees the good functioning of machines and all details are well cared.

CIMA72

QUALITY WITHOUT COMPROMISES



TALLY 2000 S.F.I.

MACCHINE LAVORAZIONE LEGNO - WOODWORKING MACHINERY

THE MOST STURDY ON THE
MARKET, COMFORTABLE AND
POWERFUL, THANKS TO THE
ROBUST HEAD AND THE GREAT
SCREEN GUIDES THAT ARE
MADE IN CAST IRON AND STEEL.
THE RETURN OF THE BELT
ALLOWS A VERY HIGH
ROTATION OF THE TOOL.



PLANE OF LARGE DIMENSIONS

The large plane allows a comfortable support of the piece to be worked; it's equipped with adjustable telescopic stop.

TWO-SPEED MOTOR

The two-speed motor (spindle 2250/4500 rpm) makes every type of possible working, from the one with smallest tool to the most heavy one with large dimension tools.



PEDAL POCKET LOCKING

The pneumatic clamping of the pedal makes the loading and unloading of the pieces convenient and quick, ensuring an optimal fixing during the processing.



WESTCOTT UNIVERSAL BIT HOLDER SPINDLE 0 - 20 mm

TWO MOVEMENT LEVERS

The two movement levers guarantee the absence of vibrations (typical of the single lever machines, instead) as well as a complete control of the movements during the processing.

SPINDLE SUPPORT

The large spindle support with sealed bearings for high speed, allows workings on large diameters.



TILTING TABLE

The revolving fence (goniometer) on the table - 45 ° / + 45 ° allows to perform any kind of work in full comfort and safety.



LIFTING THE HOB

The lifting of the hob through the handwheel is light and precise, thanks to the self-leveling bearings on which the gears are fixed.



TECHNICAL DATA

CMA72 ON DEMAND

BIT MORTISING MACHINE			2 speed motor
PLANE DIMENSION	mm	600 X 300	Tilting table - 45° / + 45°
SPINDLE SPEED	g/1'	4500	Pneumatic wood presser with pedal control
WESCOTT SPINDLE	mm	0 - 20	Movement wheels
MOTOR POWER	KW.	2,2 (HP 3)	Double pneumatic bridge wood presser with control Fast
TRANSVERSAL RUN	mm	250	Pneumatic wood presser
LONGITUDINAL RUN	mm	170	Motor protection (in dotation, on CE version machines)
VERTICAL RUN	mm	1700	Revolving table inclination + 45°/ - 45°
OVERALL DIMENSIONS	mm	1100 X 750 X 1000	Lever and rack device
NET WEIGHT	Kg	230	Prepared for bits with square bore (obligation of lever and rack device)
The manufacturer reserves the right to make			
any technical or constructional modifications.			



C.M.A. 2000 S.r.l.

Via Cesare Pavese, 22 - 47853 Cerasolo Ausa Coriano (RN)

Tel. e Fax: +39 0541 759315 info@cma2000srl.com commerciale@cma2000srl.com assistenza@cma2000srl.com

www.cma2000srl.com

P.IVA 03124370408







MADE IN ITALY

