

nood co.[™]
CONCRETE FURNITURE



Herbert.

Herbert Basin (One Tone)




Details


Based on a 1950's design, Nood take a step back, to take a step forward. The Herbert basin is the perfect designer piece for your bathroom space.

MATERIAL	UHP Concrete
FINISH	Matte / Low Sheen
WEIGHT	14.1kg (30.9lbs)
DIMENSIONS	W410 x D355mm x H335mm (L16.2in x W13.1in x H13.1in)
BOWL CAPACITY	15.3L (3.96gal)
TAP HOLE	Only available as pictured
OVERFLOW AVAILABLE	N/A
WASTE RQD	32mm Standard (1 1/4in) not provided
WARRANTY	24 months
WASTE HOLE SIZE	46mm (1.8in)
WALL THICKNESS	18mm
OPTIONS	Surface Mount / Wall Hung
WALL HANG RQD	Mount before tiling - to timber frame or masonry wall.

PLAN VIEW



SECTION VIEW



All dimensions are estimate. We suggest waiting until receiving Nood basins before cutting holes in cabinetry items. Colours of concrete may vary slightly.



IVORY



SAND



CUSTARD



PASTEL PEACH



BLUSH PINK



MUSK



CLAY



POWDER BLUE



COPAN BLUE



MINT



TEAL



SKY GREY




MID TONE GREY




CHARCOAL

SUGGESTED TAP / FAUCET POSITION & LENGTH


WALL HUNG BASIN



SURFACE MOUNTED BASIN



INSTALL HEIGHT



wall bracket

A new standard in design consideration, the Nood Co wall bracket range offers a unique wall bracket design per basin. A big part of design is offering the client and trade a simple process of install, whilst never compromising on quality. This high-strength aluminium, powdercoated frame offers perfect support for its Nood basin. We have done the hard work so you can enjoy concrete in ways like never before.

A new consciousness in concrete is here.

Herbert Basin (Two Tone)




Details


Based on a 1950's design, Nood take a step back, to take a step forward. The Herbert basin is the perfect designer piece for your bathroom space.

MATERIAL	UHP Concrete
FINISH	Matte / Low Sheen
WEIGHT	14.1kg (30.9lbs)
DIMENSIONS	W410 x D355mm x H335mm (L16.2in x W13.1in x H13.1in)
BOWL CAPACITY	15.3L (3.96gal)
TAP HOLE	Only available as pictured
OVERFLOW AVAILABLE	N/A
WASTE RQD	32mm Standard (1 1/4in) not provided
WARRANTY	24 months
WASTE HOLE SIZE	46mm (1.8in)
WALL THICKNESS	18mm
OPTIONS	Surface Mount / Wall Hung
WALL HANG RQD	Mount before tiling - to timber frame or masonry wall.

PLAN VIEW



SECTION VIEW



All dimensions are estimate. We suggest waiting until receiving Nood basins before cutting holes in cabinetry items. Colours of concrete may vary slightly.



IVORY



SAND



CUSTARD



PASTEL PEACH



BLUSH PINK



MUSK



CLAY



POWDER BLUE



COPAN BLUE



MINT



TEAL



SKY GREY




MID TONE GREY




CHARCOAL

SUGGESTED TAP / FAUCET POSITION & LENGTH


WALL HUNG BASIN



SURFACE MOUNTED BASIN



INSTALL HEIGHT




wall bracket

A new standard in design consideration, the Nood Co wall bracket range offers a unique wall bracket design per basin. A big part of design is offering the client and trade a simple process of install, whilst never compromising on quality. This high-strength aluminium, powdercoated frame offers perfect support for its Nood basin. We have done the hard work so you can enjoy concrete in ways like never before.


A new consciousness in concrete is here.

Vanity layouts


600 VANITY




1500 VANITY




900 VANITY




1800 VANITY



1200 VANITY



2100 VANITY





Looking after your Nood basin is super simple, but everyone says that.

SO, WHAT CAN I REALISTICALLY EXPECT FROM MY NOOD BASIN EXPERIENCE?

Our concrete is sealed with a very effective, deep penetrating sealing system to allow a real-world function. With that said, Nood isn't ceramic. It's beautiful concrete and so we have some helpful tips to keep your basin even more beautiful for years to come.

CLEANING

Nood present the most advanced concrete composition on the market, we still encourage you to clean your spills as you go. Simply wash your spills away with soapy water and a soft, microfibre cloth. Please avoid scourers and strong cleaning chemicals.

Please immediately clean strong staining products such as coffee scrubs, acid-based products. Leaving these stains for over 6 hours although unlikely, may mark or etch the concrete.

For more information please check out our maintenance video at noodco.com.au.

SCRATCHING / CHIPS

Hey, it happens from time to time.

As your basin ages, it's likely that some minor scratching may have taken place. While this aligns with the natural beauty of concrete it may not always align with the client perception. Nood have colour repair kits ready to send out. They are simple to apply and will allow you to touch up any small imperfections on your basin.

For more information about repairs please email us at info@noodco.com.au.

WATER DROPS IN YOUR BASIN

Water drops are free to dry out in your basin. We've tested it, we've adjusted our concrete to it, and we've made sure this won't be an issue for you. 95% of water drops will dry into your concrete seamlessly. The other 5% will leave a white ring on your basin. In this rare case, simply wipe down with clean water and a microfibre cloth. Nice and easy.

WHAT'S THIS WAXING BUSINESS? SOUNDS LIKE WORK.

Not at all. Each Nood piece is carefully sealed and pre-waxed prior to delivery.

The basins are then packaged and sent out with spare maintenance wax and instructions so you can self-apply as necessary. The wax assists with abrasion and stain resistance. Simply apply more as you see it wear off. It's simple.

To view the wax application video please visit us at noodco.com.au.

HOW OFTEN DO I WAX?

Nood have tested it. The average frequency in which you'd need to reapply your wax, given you use your basin for 5 minutes and twice a day, is once every 3 months.

Nood have spare wax for when you require more, and we send out instructions on how to apply the wax with each basin. They are also available on our website.

To view the wax application video please visit us at noodco.com.au.

Packaging and Transport

Nood take the most care when it comes to packaging and transport. Each package is carefully wrapped in different grades of foam and boxed firmly with thick cardboard. Each package has flex points to allow for safe international and domestic travel.

Nood offer tracking with each package and a close access of communication. After all, this is your experience that we are excited to be a part of.

Nood Co Concrete Composition

Real beauty is on the inside.

The Nood concrete composition is a complex one. We won't bore you with too many details, but the Nood concrete is made of 8 highly refined components. Each component assists in a specific way, be it improving the concrete strength, the water ratio, mix integrity, water tolerance, colouring, durability and more.

We feel Colonel Sanders pain.

Everything from Nood Co has been a ground up build. From product design to concrete composition, sealing to packaging, every step of the process was dreamt up, tested and approved by Nood Co.

When you buy Nood Co you are purchasing something unique. You are buying the process, the love we willingly commit, so you can experience something with soul.

Aw...



NOOD CO
CONCRETE FURNITURE

E info@noodco.com.au

P + 61 401 487 654

FB /noodco

IG @nood_co

ABN 31 166 430 173

ACN 166 430 173

REG 2013

NOODCO.COM.AU

*Concrete designed and
manufactured in Australia.*