

According to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Section 1: Identification

·Product identifier

·Trade name: S-200

•Other means of identification: No other identifiers

·Recommended use and restriction on use

·Recommended use: Antiscalant.

•Restrictions on use: No relevant information available.

·Details of the supplier of the Safety Data Sheet

·Manufacturer/Supplier:

AXEON Water Technologies

40980 County Center Drive. Temecula, CA 92591

Phone: 1(800) 320-4074 Website: AXEONwater.com

Hours of Operation: Mon-Fri 7:30am-4:30pm

·Emergency telephone number:

CHEMTREC ALERT

+1 (800) 424-9300 (North America) +1 (703) 527-3887 (International)

Section 2: Hazard(s) Identification

·Classification of the substance or mixture

Eye Dam. 1 H318 Causes serious eye damage.

·Label elements

·GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

·Hazard pictograms:



GHS05

·Signal word: Danger

·Hazard statements:

H318 Causes serious eye damage.

·Precautionary statements:

P280 Wear eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

•Other hazards: There are no other hazards not otherwise classified that have been identified.

40980 County Center Drive, Temecula, CA 92591, USA

P 800-320-4074 | T 760-723-5417 | F 800-609-0829 | **AXEONwater.com**

The Watermark of Distinction



According to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Section 3: Composition/Information on Ingredients

·Chemical characterization: Mixtures

·Components:

Trade Secret acid

Met. Corr.1, H290; Eye Dam. 1, H318

Acute Tox. 4, H302

< 10%

·Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16. Additional non-hazardous chemical components are not required to be listed.

Section 4: First Aid Measures

·Description of first aid measures

•After inhalation: Supply fresh air; consult doctor in case of complaints.

·After skin contact:

Immediately rinse with water.

If skin irritation is experienced, consult a doctor.

·After eye contact:

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

·After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

·Most important symptoms and effects, both acute and delayed:

Strong irritant with the danger of severe eye injury.

Slight irritant effect on skin and mucous membranes.

Gastric or intestinal disorders

·Indication of any immediate medical attention and special treatment needed:

No relevant information available.

Section 5: Fire Fighting Measures

·Extinguishing media

·Suitable extinguishing agents:

The product is not flammable.

Use firefighting measures that suit the environment.

- •For safety reasons unsuitable extinguishing agents: No relevant information available.
- ·Special hazards arising from the substance or mixture.

During heating or in case of fire poisonous gases are produced.

·Advice for firefighters

·Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

•Additional information: Cool endangered product with water spray.

40980 County Center Drive, Temecula, CA 92591, USA
P 800-320-4074 | T 760-723-5417 | F 800-609-0829 | **AXEONwater.com**

The Watermark of Distinction



According to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Section 6: Accidental Release Measures

·Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Use of personal protective equipment as required.

For large spills, wear protective clothing.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

·Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

·Methods and material for containment and cleaning up.

Towel or mop up material and collect in a suitable container.

For larger spills, add sawdust, chalk or other inert binding material, then sweep up and discard.

Send for recovery or disposal in suitable receptacles.

·Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Section 7: Handling and Storage

·Handling

·Precautions for safe handling:

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

Avoid contact with the eyes and skin.

Avoid breathing mist, vapors, or spray.

·Conditions for safe storage, including any incompatibilities

·Requirements to be met by storerooms and receptacles:

Store in cool, dry conditions in well-sealed receptacles. Use only receptacles specifically permitted for this substance/product.

Unsuitable material for receptacle: aluminium or other metals

·Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with alkalis (caustic solutions).

Store away from metals.

•Specific end use(s) No relevant information available.

Section 8: Exposure Controls/Personal Protection

·Control parameters

•Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Cont'd. on page 4)

40980 County Center Drive, Temecula, CA 92591, USA
P 800-320-4074 | T 760-723-5417 | F 800-609-0829 | **AXEONwater.com**

The Watermark of Distinction



According to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

(Cont'd. of page 3)

·Exposure Controls

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

- •Engineering controls: Provide adequate ventilation.
- •Breathing equipment: Use suitable respiratory protective device in case of insufficient ventilation. Use suitable respiratory protective device when aerosol or mist is formed.
- ·Protection of hands:



Protective gloves

·Material of gloves

Nitrile rubber, NBR

Natural rubber, NR

Neoprene gloves

Butyl rubber, BR

Fluorocarbon rubber (Viton)

·Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- ·Body protection: Protective work clothing
- ·Limitation and supervision of exposure into the environment

No relevant information available.

•Risk management measures: No relevant information available.

Section 9: Physical and Chemical Properties

·Information on basic physical and chemical properties			
·Appearance:			
Form:	Fluid		
Color:	Clear, colorless to light yellow		
·Odor:	Characteristic		
·Odor threshold:	Not determined.		
·pH-value:	≤ 2		
·Melting point/Melting range:	Not determined.		
·Boiling point/Boiling range:	Not determined.		
·Flash point:	The product is not flammable.		

(Cont'd. on page 5)

40980 County Center Drive, Temecula, CA 92591, USA
P 800-320-4074 | T 760-723-5417 | F 800-609-0829 | **AXEONwater.com**

The Watermark of Distinction



According to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

	(Cont'd. of page 4)
·Flammability (solid, gaseous):	Not applicable.
·Auto-ignition temperature:	Not determined.
·Decomposition temperature:	Not determined.
·Danger of explosion:	Product does not present an explosion hazard.
·Explosion limits Lower:	Not determined.
Upper:	Not determined.
·Oxidizing properties:	Not determined.
·Vapor pressure:	Not determined.
·Density:	
Relative density:	1.06±0.03
Vapor density:	Not determined.
Evaporation rate:	Not determined.
·Solubility in /Miscibility with Water:	Soluble.
·Partition coefficient (n-octanol/water):	Not determined.
·Viscosity	
Dynamic:	Not determined.
Kinematic:	Not determined.
·Other information:	No relevant information available.

Section 10: Stability and Reactivity

- •Reactivity: No relevant information available.
- •Chemical stability: Stable under normal temperatures and pressures.
- •Thermal decomposition /conditions to be avoided:

No decomposition if used and stored according to specifications.

·Possibility of hazardous reactions

Reacts with alkali (Lyes).

Toxic fumes maybe released if heated above the decomposition point.

·Conditions to avoid:

Excessive heat.

- ·Incompatible materials: Alkalis and metals.
- ·Hazardous decomposition products

Under fire conditions only:

Phosphorus oxides (e.g., P2O5)

Nitrogen oxides

Carbon monoxide and carbon dioxide

Section 11: Toxicological Information

- ·Information on toxicological effects
- •Acute toxicity: Based on available data, the classification criteria are not met.
- ·LD/LC50 values that are relevant for classification: None.
- ·LD/LC50 values that are relevant for classification: None.

(Cont'd. on page 6)

40980 County Center Drive, Temecula, CA 92591, USA
P 800-320-4074 | T 760-723-5417 | F 800-609-0829 | **AXEONwater.com**

The Watermark of Distinction



According to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

(Cont'd. of page 5)

·Primary irritant effect:

•On the skin: Based on available data, the classification criteria are not met.

•On the eye: Strong irritant with the danger of severe eye injury.

•Sensitization: Based on available data, the classification criteria are not met.

·Probable route(s) of exposure:

·IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

·NTP (National Toxicology Program):

None of the ingredients are listed.

·OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

Inaestion.

Inhalation.

Eve contact.

Skin contact.

•Germ cell mutagenicity: Based on available data, the classification criteria are not met.

·Carcinogenicity: Based on available data, the classification criteria are not met.

•Reproductive toxicity: Based on available data, the classification criteria are not met.

•STOT-single exposure: Based on available data, the classification criteria are not met.

•STOT-repeated exposure: Based on available data, the classification criteria are not met.

·Aspiration hazard: Based on available data, the classification criteria are not met.

Section 12: Ecological Information

- ·Toxicity
- •Aquatic toxicity: No relevant information available.
- •Persistence and degradability: No relevant information available.
- ·Bioaccumulative potential: No relevant information available.
- ·Mobility in soil: No relevant information available.
- ·Additional ecological information
- ·General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Due to available data on eliminability/decomposition and bioaccumulation potential, a prolonged damage of the environment is unlikely.

Other adverse effects No relevant information available.

Section 13: Disposal Considerations

·Waste treatment methods

·Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

·Uncleaned packaging

•Recommendation: Disposal must be made according to official regulations.

40980 County Center Drive, Temecula, CA 92591, USA

P 800-320-4074 | T 760-723-5417 | F 800-609-0829 | **AXEONwater.com**

The Watermark of Distinction



According to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Section 14: Transportation Information		
·UN-Number		
·DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
·UN proper shipping name		
·DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
·Transport hazard class(es)		
·DOT, ADR/RID/ADN, IMDG, IATA		
·Class	Not regulated.	
·Packing group.		
·DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
·Environmental hazards		
·Marine pollutant:	No	
·Special precautions for user	Not applicable.	
Transport in bulk according to Annex II of		
MARPOL73/78 and the IBC Code	Not applicable.	

Section 15: Regulatory Information

- ·Safety, health and environmental regulations/legislation specific for the substance or mixture
- ·United States (USA)
- ·SARA
- ·Section 302 (extremely hazardous substances):

None of the ingredients are listed.

·Section 355 (extremely hazardous substances):

None of the ingredients are listed.

·Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

·TSCA (Toxic Substances Control Act)

All ingredients are listed or exempt.

- ·Proposition 65 (California)
- ·Chemicals known to cause cancer:

None of the ingredients are listed.

·Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

·Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

·Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

(Cont'd. on page 8)

40980 County Center Drive, Temecula, CA 92591, USA

P 800-320-4074 | T 760-723-5417 | F 800-609-0829 | **AXEONwater.com**

The Watermark of Distinction



According to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

(Cont'd. of page 7)

·EPA (Environmental Protection Agency):

None of the ingredients are listed.

·IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

·Canadian Domestic Substances List (DSL):

All ingredients are listed or exempt.

Section 16: Other Information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

·Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

Met. Corr.1: Corrosive to metals – Category 1 Acute Tox. 4: Acute toxicity – Category 4

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

·Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services

(ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D.,

ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

CHEMTREC, Falls Church, VA, USA, Toll Free North America 1-800-424-9300, Intl. +1 703-527-3887,

www.chemtrec.com

The Watermark of Distinction

8