

KILOTECH

KPS SERIES

New key features:

- Higher resolution compared with the earlier models
- Phone jack connectors – easy to connect indicator to base
- A to D converter is in the base, so you can easily manage repairs – simply send the replacement base or indicator directly to the customer

KPS MS AND KPS 2 V2

K851244 - KPS 68 MS SCALE	68 kg x 0.05 kg / 150 lb x 0.1 lb	GTIN 888960512449
K851245 - KPS 180 MS SCALE	180 kg x 0.1 kg / 400 lb x 0.1 lb	GTIN 888960512456
K851246 - KPS 30-2 PARCEL SCALE	30 kg x 0.01 kg / 66 lb x 0.02 lb / 1056 oz x 0.5 oz	GTIN 888960512463
K851247 - KPS 60-2 PARCEL SCALE	60 kg x 0.02 kg / 132 lb x 0.05 lb / 2112 oz x 1 oz	GTIN 888960512470
K851248 - KPS 150-2 PARCEL SCALE	150 kg x 0.05 kg / 330 lb x 0.1 lb / 5280 oz x 2 oz	GTIN 888960512487

www.kilotech.com

Are your heavy items weighing you down? Your lighter items feel neglected?

Our next generation scales are built with a higher resolution (graduation) so you can handle heavier and lighter items without sacrificing precision. All in one scale.

Are you throwing away a whole scale because one part needs to be replaced?

Our new KPS MS and KPS 2 now come with detachable indicators. Manage your repairs efficiently. Easily swap out the cable, the indicator, or the base. No need to ship back an entire scale. Plug and play. It really is that easy. Saves you time and money and helps the environment too!


Don't worry, we did not change everything.

- UNIT key for quick toggling.
- TARE key, so you can easily weigh just the contents, minus the packaging.
- HOLD key to give you that extra time to record the weight... even after you removed the item from the scale. You know, like all those non boxed, oversized, non flat parcels we all love so much.
- Don't forget to ZERO your scale with one quick press, when your scale decides that it needs a reset. We all need a reset once in a while!



SPECIFICATIONS

Product Number	K851244	K851245	K851246	K851247	K851248
Product Name	KPS 68 MS V2	KPS 180 MS	KPS 30-2	KPS 60-2	KPS 150-2
Capacity	68 KG / 150 LB	180 KG / 400 LB	30 KG / 66 LB / 1056 OZ	60 KG / 132 LB / 2112 OZ	150 KG / 330 LB / 5280 OZ
Graduation	0.05 KG / 0.1 LB	0.1 KG / 0.1 LB	0.01 KG / 0.02 LB	0.02 KG / 0.05 LB	0.05 KG / 0.1 LB
Weighing Modes	kg / lb / oz (oz is available on KPS 2)				
Display	1" LCD with Backlight				
Back Light	yes				
Auto Power Off	yes				
Power	100 V - 240 V DC 15V AC adapter 4-AA batteries				
Battery	4-AA batteries				
Product Dimensions each / carton cm	37 x 36 x 15.5 cm / 70 x 38.5 x 39 cm		53.5 x 40 x 11 cm / 55 x 51 x 44 cm		
Product Dimensions each / carton inches	14.57 x 14.17 x 6.10 in / 27.56 x 15.16 x 15.35 in		21.06 x 15.75 x 4.33 in / 21.65 x 20.08 x 17.32 in		
Weight each kg / lb.	5 kg / 11.02 lb.		5.2 kg / 11.46 lb.		
Weight carton kg / lb.	22.5 kg / 49.60 lb.		23.5 kg / 51.8 lb.		
Dimensional Weight each kg / lb.	4.5 kg / 10 lb.		5 kg / 11 lb.		
Dimensional Weight carton kg / lb.	21 kg / 47 lb.		25 kg / 55 lb.		
Platter Size	315 x 305 x 55 mm / 12.4 x 12 x 2.17 inches				
Operating Temperature/ Humidity	5°C to 35° C / 41°F to 95°F 15% - 85% RH				
Key Functions	4 keys ON/OFF TARE UNIT HOLD				
Application Mode	Weighing, Hold, Tare				



Kilotech Inc.

2111 32nd avenue, Lachine, QC H8T 3J1

Phone Canada: 1-800-694-4445 | Montreal: 1-514-420-6020 | USA: 1-877-328-5988

www.kilotech.com

MAR0426021