

# The National Immunisation Schedule

From – 1 MARCH 2023

Stages	Disease to protect against	Vaccine
Pregnancy	Tetanus + diphtheria + whooping cough (pertussis)	Boostrix®
	Influenza	Brand varies
6 weeks	Rotavirus (first dose must be given before 15 weeks)	Rotarix® (oral)
	Diphtheria + tetanus + whooping cough (pertussis) + polio + hepatitis B + Haemophilus influenzae type b (Hib)	Infanrix® hexa
	Pneumococcal disease	Prevenar 13®
3 months	Rotavirus (second dose must be given before 25 weeks)	Rotarix® (oral)
	Diphtheria + tetanus + whooping cough + polio + hepatitis B + Haemophilus influenzae type b (Hib)	Infanrix® hexa
	Meningococcal B (can be given at 8 weeks)	Bexsero®
5 months	Diphtheria + tetanus + whooping cough + polio + hepatitis B + Haemophilus influenzae type b (Hib)	Infanrix® hexa
	Pneumococcal disease	Prevenar 13®
	Meningococcal B (can be given at 4 months)	Bexsero®
12 months	Measles + mumps + rubella	Priorix®
	Pneumococcal disease	Prevenar 13®
	Meningococcal B	Bexsero®
15 months	Haemophilus influenzae type b (Hib)	Hiberix®
	Measles + mumps + rubella	Priorix®
	Chickenpox (varicella)	Varivax®
4 years	Diphtheria + tetanus + whooping cough + polio	Infanrix® IPV
9-13 years	Tetanus + diphtheria + whooping cough	Boostrix®
	Human papillomavirus (HPV)	Gardasil®9 (2 doses, 6 months apart)
45 years	Tetanus + diphtheria + whooping cough	Boostrix®
65 years	Tetanus + diphtheria + whooping cough	Boostrix®
	Influenza	Brand varies
	Shingles	Shingrix®

NIP8860 | Immunisation Schedule Card | 12.03.24

# Vaccines for the National Immunisation Schedule

A reference card for vaccinators and other health professionals

From – 1 MARCH 2023

Pregnancy		Tdap injection (Boosterrix®)		Influenza 1 injection (given annually) Brand varies
6 weeks				+ RV1 oral vaccine (Rotarix®) DTaP-IPV-Hep B/Hib injection (Infanrix® hexa) PCV13 injection (Prevenar 13®)
3 months				+ RV1 oral vaccine (Rotarix®) DTaP-IPV-Hep B/Hib injection (Infanrix® hexa) + MenB injection (Bexsero®) Can be given at 8 weeks
5 months				+ DTaP-IPV-Hep B/Hib injection (Infanrix® hexa) PCV13 injection (Prevenar 13®) + MenB injection (Bexsero®) Can be given at 8 weeks
12 months				+ MMR injection (Priorix®) PCV13 injection (Prevenar 13®) + MenB injection (Bexsero®) Can be given at 8 weeks
15 months				+ Hib injection (Hiberix®) MMR injection (Priorix®) Varicella injection (Varivax®)
4 years		DTaP-IPV injection (Infanrix® IPV)		
9-13 years		Tdap injection (Boosterrix®)		+ HPV injection (Gardasil® 9) (2 doses, 6 months apart)
45 years				65 years + Influenza 1 injection (given annually) Brand varies + Tdap injection (Boosterrix®) Shingles injection (Shingrix®)