



Certificate of Analysis

Client Information

Organic Olivia, LLC
75 South Broadway 4FL
White Plains, NY 10601
USA
914-368-7406

Sample Information

Sample ID: 935108
Date Received: 8/31/2026
Description: Collagen & Beef
Lot#: 26B2510
Serving Size: 6 Capsule(s)

Results

Analysis	Method	[†] MDL / LOQ	Specification	Results	UOM	Test Date	Lab ID
<u>Complete Micro Profile</u>	USP 2021, USP 2022, AOAC 991.14					8/31/2026	24
Total Plate Count	USP 2021 (pub. 2013)	100	Record Only	None Detected	cfu's/g	9/3/2026	24*
Coliforms	AOAC 991.14	10	Record Only	None Detected	cfu's/g	9/3/2026	24*
E. coli	USP 2022 (pub. 2013)	Absent	Record Only	Absent	cfu's/10g	9/3/2026	24*
Staphylococcus aureus	USP 2022 (pub. 2013)	Absent	Record Only	Absent	cfu's/10g	9/3/2026	24*
Salmonella	USP 2022 (pub. 2013)	Absent	Record Only	Absent	cfu's/10g	9/3/2026	24*
Yeast	USP 2021 (pub. 2013)	100	Record Only	None Detected	cfu's/g	9/3/2026	24*
Mold	USP 2021 (pub. 2013)	100	Record Only	None Detected	cfu's/g	9/3/2026	24*
<u>Heavy Metals</u>	ARL ICPMS 8.016					9/4/2026	1
Arsenic (As)	ARL ICPMS 8.016	0.001	Record Only	0.021	ppm	9/4/2026	1*
Cadmium (Cd)	ARL ICPMS 8.016	0.001	Record Only	0.029	ppm	9/4/2026	1*
Mercury (Hg)	ARL ICPMS 8.016	0.001	Record Only	0.009	ppm	9/4/2026	1*
Lead (Pb)	ARL ICPMS 8.016	0.001	Record Only	0.018	ppm	9/4/2026	1*





Results							
Analysis	Method	†MDL / LOQ	Specification	Results	UOM	Test Date	Lab ID
<u>Organoleptics</u>	ARL 2.003					9/2/2026	1
Appearance	ARL 2.003		Record Only	Capsules		9/2/2026	1
Color	ARL 2.003		Record Only	Yellowish white		9/2/2026	1
Odor	ARL 2.003		Record Only	Neutral		9/2/2026	1

†Method Detection Limit (MDL):

In microbiologic testing, this is the minimum level of growth that can be detected with confidence. If a result is reported as "None Detected", it means any visible growth was below this limit.

†Limit of Quantitation (LOQ):

In analytical chemistry testing, this is the minimum level of the desired analyte that can be quantified with confidence. If a result is reported as less than LOQ, it means any detected amount was too small to report an exact number.

*Under accreditation number 77504, ARL is an ISO/IEC 17025:2017 Accredited Laboratory. Uncertainty data for ISO/IEC 17025:2017 methods are available upon request. Certificate and scope are also available upon request.

