

Item:
Quantity:
Project:

## Royal Series

Models: ☐ RFT	-5025
---------------	-------



RFT-5025 with optional casters

# Gas Type: Natural LP Elevation (if above 2000 ft.):

## **Options and Accessories**

- ☐ Stainless steel tank cover
- ☐ Stainless steel side splash guard
- ☐ Stainless steel joiner strip
- □ 8" welded front plate shelf
- ☐ 48" quick disconnect and restraining cable
- □ 5" swivel casters (set of four 2 locking)

## Standard Features


- All stainless steel front and sides
- (1) 50 lb capacity stainless steel tank assembly
- 14" x 14" frying area
- (1) 25 lb capacity stainless steel tank assembly
- 6 3/4" x 14" frying area
- Cast iron burners rated at 38,000 BTU/hr each
- Millivolt control system with 100% safety shut off
- Thermostatic control with 200°-400° F range
- Two fry baskets with plastic coated handles for ease of handling
- 1¼" full port drain valve per tank
- 6" high adjustable heavy duty legs
- Five year limited (prorated) warranty on S/S tank









# 50 lb. / 25 lb. Deep Fat Fryer







Model Number	(1) Cooking Area	(1) Cooking Area	Number of Burners	Total BTU	Ship Weight
RFT-5025	14" x 14"	6 3/4" x 14"	50 lb. (3), 25 lb. (2)	190,000	260 lbs.
RFT-2550	6 3/4" x 14"	14" x 14"	25 lb. (2), 50 lb. (3)	190,000	260 lbs.

### Notes:

■ Burner rated at 38,000 BTU/hr each

## **Gas Connection:**

Two 3/4" NPT.

No external pressure regulator required.

## **Gas Pressure:**

4" W.C.	Natural Gas
11" W.C.	Propane

## **Clearances:**

	Combustible	Non-Combustible
Rear	6"	0"
Sides	6"	0"

Specify type of gas and altitude, if over 2,000 feet, when ordering.

Due to continuing product development to ensure best possible performance, these specifications are subject to change without prior notification.