753 PET BOTTLES

up to 28.40 m² ACOUSTIC SURFACE

Globe

MIX AWARDS Finalist 2025

EN Globe acoustic luminaire is a spherical office lamp, named after its globe-like shape, made from ecoPET acoustic material. It is designed to provide both functional lighting and acoustic benefits in office or workspace environments.

Its distinctive and modern form not only adds character to any interior but also ensures diffused lighting and reduced glare. The Globe luminaire is available in five sizes – S, M, L, XL, and XXL – allowing for flexibility and adaptability to various spatial needs.

DE Die akustische Leuchte Globe ist eine kugelförmige Büroleuchte, deren Name sich von ihrer erdähnlichen Form ableitet. Sie besteht aus akustischem ecoPET-Material und wurde entwickelt, um sowohl funktionales Licht als auch akustische Vorteile in Büro- oder Arbeitsumgebungen zu bieten.

Ihre markante und moderne Form verleiht jedem Raum Charakter, sorgt gleichzeitig für eine gleichmäßige Lichtverteilung und reduziert Blendung. Die Globe-Leuchte ist in fünf Größen erhältlich – S, M, L, XL und XXL – und bietet so flexible Einsatzmöglichkeiten für unterschiedliche Raumkonzepte.

Example

Globe	standard power	3000 K	black reflecor	ARCHI felt color 1201 Cloud
↑	↑	↑	↑	↑
2169 – 01 – 2 – 9 – 3 – 02 – 01 – 2 – archi1201				
↓	↓	↓	↓	
size S	ON / OFF	luminaire white 9010	pendant	

Quickinfo

Globe		S ■ 01	M ■ 03	L ■ 04	XL ■ 07	XXL ■ 09
luminaire size		400×360	550×525	700×680	950×910	1150×1120
light source size		Ø140	Ø140	Ø140	Ø200	Ø200
system power	ST	15 W	15 W	15 W	24 W	24 W
	HI	20 W	20 W	20 W	36 W	36 W
luminous flux		1155 lm 1508 lm	1155 lm 1508 lm	1155 lm 1508 lm	4200 lm 5800 lm	4200 lm 5800 lm
luminous efficiency		77 lm/W	77 lm/W	77 lm/W	175 lm/W	175 lm/W

Technical information

IP20 | >90 CRI | <19 UGR | SDCM 2 | ~230V

light distribution – down	95°	
electrical control	ON / OFF	▲ 9
	DALI	▲ 8
color temperature	3000 K	○ 3
	4000 K	○ 4
luminaire color	black 9005	⬟ 01
	white 9010	⬟ 02
reflector color	black 9005 (size S / M / L / XL / XXL)	✱ 01
	white 9010 (size S / M / L / XL / XXL)	✱ 02
fabric color	ARCHI felt ecoPET color palette archixxx – choose color from page 296	◆ archixxx

Create my unique code!

2169 – ■ – 2 – ▲ – ○ – ⬟ – ✱ – 2 – ◆



40° light distribution DOWN



65° light distribution DOWN



ARCHI felt ecoPET 12 mm

EN The high-quality PET sound panels are robust and durable, with a slightly textured surface that can be washed. They have excellent sound-absorbing properties, are flame-resistant and recyclable.

DE HochwertigePET-Akustikplatten sind massiv, strapazierfähig, mit einer leichttextilen Oberfläche, die gewaschen werden kann. Sie haben hervorragende Schalldämmeigenschaften, sind schwer entflammbar und können recycelt werden.



Special colors



ARCHI felt ecoPET properties

Measurements: 2800 mm × 1200 mm × 12 mm (gross size)
Flammability Class: B-s1,d0
Acoustic values

Mounting method	Directly on the wall	50 mm cavity	50 mm cavity + 50 mm rockwool	100 mm cavity	100 mm cavity + 100 mm rockwool
NRC (100–5000 Hz)	0.40	0.75	0.95	0.80	1.00
aw (100–5000 Hz)	0.25	0.60	1.00	0.80	0.95
Acoustic Class	D	C	A	B	A

Take a closer look at sustainably manufactured ARCHIfelt ecoPET:

- is fire resistant to prevent the spread of fire
- is made from recycled plastic bottles and is fully recyclable again
- has a favorable sustainability profile (compared to glass and aluminum)
- does not contain VOCs or formaldehyde binders
- does not degrade, crumble or rot
- is durable and easy to clean
- provides excellent sound absorption properties

Guidelines for cleaning and maintenance of materials used in flexxica luminaires.

To maintain the beautiful color and appearance of flexxica lighting fittings, we recommend gentle vacuuming with a soft tip, preferably weekly.
EcoPET material
The ecoPET is made of 60% recycled PET bottles. It is straightforward to maintain, and stains can be removed easily and hassle-free.
Cleaning: Never rub hard to remove a stain. Always use a clean white cotton cloth with a bit of detergent.