

Certificate of Analysis

Produced: Feb 06, 2026

Sample: Rose Delights - Rose Farm Persimmon (Edible Solid) • Client: Rose Los Angeles Inc • Batch: Pass



Batch No.: RFPS26029D9  
Matrix: Edible Solid  
Sample ID: ICC-260204-04-002  
Collected on: Feb 04, 2026  
Received on: Feb 04, 2026  
Sample Size:  
Package Size: 71.38 g  
Serving Size: 3.57 g

Batch Result: Pass

|           |        |                |      |
|-----------|--------|----------------|------|
| Potency   | Tested | Mycotoxins     | Pass |
| Solvents  | Pass   | Pesticides     | Pass |
| Metals    | Pass   | Foreign        | Pass |
| Microbial | Pass   | Water Activity | Pass |

Cannabinoid Overview

|                      |              |
|----------------------|--------------|
| Total THC:           | 2.26 mg/srv  |
| Total CBD:           | 0.000 mg/srv |
| Total Cannabinoids:  | 2.34 mg/srv  |
| Sum of Cannabinoids: | 2.34 mg/srv  |

POT-INST-005: POT-INST-005: Potency • Feb 05, 2026

| Analyte | Amt (mg/srv) | Amt (mg/pkg) | Amt (%)  | Amt (mg/g) | LOD/LOQ (mg/g)   | Pass/Fail | Analyte              | Amt (mg/srv) | Amt (mg/pkg) | Amt (%) | Amt (mg/g) | LOD/LOQ (mg/g)   | Pass/Fail |
|---------|--------------|--------------|----------|------------|------------------|-----------|----------------------|--------------|--------------|---------|------------|------------------|-----------|
| CBC     |              |              | < 1 mg/g | < LOQ      | 0.00307/0.00922  | N/A       | CBT                  |              |              | ND      | ND         | 0.00133/0.00466  | N/A       |
| CBD     |              |              | ND       | ND         | 0.000940/0.00466 | N/A       | Δ <sup>8</sup> -THC  |              |              | ND      | ND         | 0.000753/0.00466 | N/A       |
| CBDA    |              |              | ND       | ND         | 0.00225/0.00674  | N/A       | Δ <sup>9</sup> -THC  | 2.26         | 45.3         | 0.0634  | 0.634      | 0.00124/0.00466  | N/A       |
| CBDV    |              |              | ND       | ND         | 0.000745/0.00466 | N/A       | THCA                 |              |              | ND      | ND         | 0.00171/0.00513  | N/A       |
| CBG     | 0.0628       | 1.26         | 0.00176  | 0.0176     | 0.00106/0.00466  | N/A       | THCV                 |              |              | ND      | ND         | 0.000575/0.00466 | N/A       |
| CBGA    |              |              | ND       | ND         | 0.00166/0.00497  | N/A       | Total THC**          | 2.26         | 45.3         | 0.0634  | 0.634      |                  | N/A       |
| CBL     |              |              | ND       | ND         | 0.000733/0.00466 | N/A       | Total CBD**          |              |              | ND      | ND         |                  | N/A       |
| CBN     | 0.0169       | 0.337        | 0.000472 | 0.00472    | 0.00106/0.00466  | N/A       | Total Cannabinoids** | 2.34         | 46.8         | 0.0656  | 0.656      |                  | N/A       |

\*\* Total Cannabinoids = Neutral Cannabinoids + (Acidic Cannabinoids \* 0.877)  
\*\* Total THC = Delta-10-THC + Delta-8-THC + (Delta-8-THCA x 0.877) + Delta-9-THC + THC-O-acetate + (THCA x 0.877)  
\*\* Total CBD = CBD + (CBDA x 0.877)  
NR= Not Reported, ND= Not Detected, \*Reported by Dry Mass\*; \*analytical instrumentation used Cannabinoids: UHPLC-DAD, Moisture: Mass by Drying, Water Activity: Water Activity Meter, Foreign: Microscope\*  
\*Density tested at a temperature range between 19-24 °C, \*Water Activity tested at a humidity range between 0-90% Relative Humidity. All OA samples are sampled by the client, All California State Compliant samples sampled using SAMPL-SOP-001.

RS-INST-003, RS-PREP-001: RS-INST-003, RS-PREP-001: Residual Solvents by GC-MS • Feb 05, 2026

| Analyte            | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail | Analyte            | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail |
|--------------------|--------------|------------|----------------|-----------|--------------------|--------------|------------|----------------|-----------|
| 1,2-Dichloroethane | 1            | ND         | 0.135/0.412    | Pass      | Hexane             | 290          | ND         | 0.0535/0.228   | Pass      |
| Acetone            | 5000         | ND         | 13.8/41.5      | Pass      | Isopropyl alcohol  | 5000         | ND         | 1.04/3.11      | Pass      |
| Acetonitrile       | 410          | ND         | 0.0972/0.291   | Pass      | Methanol           | 3000         | ND         | 2.41/7.23      | Pass      |
| Benzene            | 1            | ND         | 0.0170/0.0518  | Pass      | Methylene chloride | 1            | ND         | 0.103/0.591    | Pass      |
| Butane             | 5000         | ND         | 0.787/3.93     | Pass      | Pentane            | 5000         | ND         | 0.779/3.46     | Pass      |
| Chloroform         | 1            | ND         | 0.0292/0.0875  | Pass      | Propane            | 5000         | ND         | 3.59/10.8      | Pass      |
| Ethanol            | 5000         | ND         | 2.12/6.35      | Pass      | Toluene            | 890          | ND         | 0.0713/0.700   | Pass      |
| Ethyl acetate      | 5000         | ND         | 0.254/1.85     | Pass      | Trichloroethylene  | 1            | ND         | 0.0146/0.117   | Pass      |
| Ethylene oxide     | 1            | ND         | 0.124/0.469    | Pass      | o-Xylene           |              | ND         | 0.0816/0.694   | N/A       |
| Ethyl ether        | 5000         | ND         | 0.959/2.87     | Pass      | p- and m-Xylene    |              | ND         | 0.0935/1.39    | N/A       |
| Heptane            | 5000         | ND         | 0.557/2.32     | Pass      | Total xylenes      | 2170         | ND         | 0.0817/0.695   | Pass      |

HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Heavy Metals Testing by ICP-MS • Feb 05, 2026

| Analyte | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g)  | Pass/Fail | Analyte | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g)  | Pass/Fail |
|---------|--------------|------------|-----------------|-----------|---------|--------------|------------|-----------------|-----------|
| Arsenic | 1.5          | ND         | 0.00300/0.00900 | Pass      | Lead    | 0.5          | 0.0161     | 0.00100/0.00400 | Pass      |
| Cadmium | 0.5          | ND         | 0.00100/0.00200 | Pass      | Mercury | 3            | ND         | 0.00500/0.0140  | Pass      |

MICRO-008, MICRO-INST-001, MICRO-PREP-001: MICRO-008, MICRO-INST-001, MICRO-PREP-001: PCR-Microbial (noninhalable) • Feb 05, 2026

| Analyte         | Limit             | Amt | Pass/Fail | Analyte                       | Limit             | Amt | Pass/Fail |
|-----------------|-------------------|-----|-----------|-------------------------------|-------------------|-----|-----------|
| Salmonella spp. | Any amt in 1 gram | ND  | Pass      | Shiga toxin-producing E. coli | Any amt in 1 gram | ND  | Pass      |

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Mycotoxin Analysis by LC-MS/MS • Feb 06, 2026

| Analyte      | Limit (µg/kg) | Amt (µg/kg) | LOD/LOQ (µg/kg) | Pass/Fail | Analyte      | Limit (µg/kg) | Amt (µg/kg) | LOD/LOQ (µg/kg) | Pass/Fail |
|--------------|---------------|-------------|-----------------|-----------|--------------|---------------|-------------|-----------------|-----------|
| Aflatoxin B1 |               | ND          | 2.60/7.88       | N/A       | Aflatoxin G2 |               | ND          | 1.89/5.72       | N/A       |
| Aflatoxin B2 |               | ND          | 2.04/6.18       | N/A       | Aflatoxins   | 20            | ND          |                 | Pass      |
| Aflatoxin G1 |               | ND          | 2.97/8.99       | N/A       | Ochratoxin A | 20            | ND          | 3.87/11.7       | Pass      |

PEST-GC-INST-003, PEST-GC-PREP-001: PEST-GC-INST-003, PEST-GC-PREP-001: Pesticide Analysis by GC-MS/MS • Feb 06, 2026

| Analyte      | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail | Analyte                 | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail |
|--------------|--------------|------------|----------------|-----------|-------------------------|--------------|------------|----------------|-----------|
| Captan       | 5            | ND         | 0.120/0.358    | Pass      | Cypermethrin            | 1            | ND         | 0.0145/0.0435  | Pass      |
| Chlordane    | Any amt      | ND         | 0.0249/0.0747  | Pass      | Methyl parathion        | Any amt      | ND         | 0.00811/0.0243 | Pass      |
| Chlorfenapyr | Any amt      | ND         | 0.0251/0.0753  | Pass      | Pentachloronitrobenzene | 0.2          | ND         | 0.0182/0.0545  | Pass      |
| Cyfluthrin   | 1            | ND         | 0.0186/0.0558  | Pass      |                         |              |            |                |           |



*Signature*

*Signature*

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Pesticide Analysis by LC-MS/MS • Feb 06, 2026

| Analyte             | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail | Analyte                 | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail |
|---------------------|--------------|------------|----------------|-----------|-------------------------|--------------|------------|----------------|-----------|
| Abamectin           | 0.3          | ND         | 0.0500/0.100   | Pass      | Methiocarb              | Any amt      | ND         | 0.0156/0.0473  | Pass      |
| Abamectin Ba        |              | ND         | 0.0330/0.0990  | N/A       | Methomyl                | 0.1          | ND         | 0.0158/0.0479  | Pass      |
| Acephate            | 5            | ND         | 0.0164/0.0497  | Pass      | Mevinphos               | Any amt      | ND         | 0.0139/0.0423  | Pass      |
| Acetquinocyl        | 4            | ND         | 0.0194/0.0587  | Pass      | Myclobutanil            | 9            | ND         | 0.0180/0.0546  | Pass      |
| Acetamiprid         | 5            | ND         | 0.0146/0.0442  | Pass      | Naled                   | 0.5          | ND         | 0.0170/0.0514  | Pass      |
| Aldicarb            | Any amt      | ND         | 0.0216/0.0654  | Pass      | Oxamyl                  | 0.2          | ND         | 0.0153/0.0465  | Pass      |
| Azoxystrobin        | 40           | ND         | 0.00960/0.0291 | Pass      | Paclobutrazol           | Any amt      | ND         | 0.0132/0.0400  | Pass      |
| Bifenazate          | 5            | ND         | 0.0115/0.0349  | Pass      | Permethrin              | 20           | ND         | 0.00831/0.0300 | Pass      |
| Bifenthrin          | 0.5          | ND         | 0.0130/0.0395  | Pass      | Permethrin cis          |              | ND         | 0.0200/0.0300  | N/A       |
| Boscalid            | 10           | ND         | 0.0197/0.0596  | Pass      | Permethrin trans        |              | ND         | 0.0200/0.0300  | N/A       |
| Carbaryl            | 0.5          | ND         | 0.0160/0.0486  | Pass      | Phosmet                 | 0.2          | ND         | 0.0125/0.0377  | Pass      |
| Carbofuran          | Any amt      | ND         | 0.00902/0.0300 | Pass      | Piperonylbutoxide       | 8            | ND         | 0.00759/0.0300 | Pass      |
| Chlorantraniliprole | 40           | ND         | 0.0209/0.0632  | Pass      | Prallethrin             | 0.4          | ND         | 0.0226/0.0685  | Pass      |
| Chlorpyrifos        | Any amt      | ND         | 0.0176/0.0534  | Pass      | Propiconazole           | 20           | ND         | 0.0195/0.0590  | Pass      |
| Clofentezine        | 0.5          | ND         | 0.0129/0.0389  | Pass      | Propoxur                | Any amt      | ND         | 0.0155/0.0471  | Pass      |
| Coumaphos           | Any amt      | ND         | 0.0185/0.0559  | Pass      | Pyrethrins              | 1            | ND         | 0.00431/0.0300 | Pass      |
| Daminozide          | Any amt      | ND         | 0.0261/0.0791  | Pass      | Pyrethrins Cinerin I    |              | ND         |                | N/A       |
| Diazinon            | 0.2          | ND         | 0.00645/0.0300 | Pass      | Pyrethrins Cinerin II   |              | ND         |                | N/A       |
| Dichlorvos          | Any amt      | ND         | 0.0223/0.0674  | Pass      | Pyrethrins Jasmolin I   |              | ND         |                | N/A       |
| Dimethoate          | Any amt      | ND         | 0.0118/0.0356  | Pass      | Pyrethrins Jasmolin II  |              | ND         |                | N/A       |
| Dimethomorph        | 20           | ND         | 0.0137/0.0416  | Pass      | Pyrethrins Pyrethrin I  |              | ND         | 0.0100/0.0450  | N/A       |
| Ethoprophos         | Any amt      | ND         | 0.0174/0.0528  | Pass      | Pyrethrins Pyrethrin II |              | ND         | 0.0100/0.0300  | N/A       |
| Etofenprox          | Any amt      | ND         | 0.00849/0.0300 | Pass      | Pyridaben               | 3            | ND         | 0.0115/0.0350  | Pass      |
| Etoxazole           | 1.5          | ND         | 0.00783/0.0300 | Pass      | Spinetoram              | 3            | ND         | 0.00639/0.0300 | Pass      |
| Fenhexamid          | 10           | ND         | 0.0129/0.0392  | Pass      | Spinetoram J            |              | ND         | 0.00500/0.0100 | N/A       |
| Fenoxycarb          | Any amt      | ND         | 0.0144/0.0435  | Pass      | Spinetoram L            |              | ND         | 0.00500/0.0100 | N/A       |
| Fenpyroximate       | 2            | ND         | 0.00972/0.0300 | Pass      | Spinosad                | 3            | ND         | 0.00410/0.0300 | Pass      |
| Fipronil            | Any amt      | ND         | 0.0148/0.0447  | Pass      | Spinosad A              |              | ND         | 0.00500/0.0100 | N/A       |
| Flonicamid          | 2            | ND         | 0.0268/0.0811  | Pass      | Spinosad D              |              | ND         | 0.00500/0.0100 | N/A       |
| Fludioxonil         | 30           | ND         | 0.0153/0.0464  | Pass      | Spiromesifen            | 12           | ND         | 0.0137/0.0416  | Pass      |
| Hexythiazox         | 2            | ND         | 0.0257/0.0778  | Pass      | Spirotetramat           | 13           | ND         | 0.0134/0.0407  | Pass      |
| Imazalil            | Any amt      | ND         | 0.0156/0.0474  | Pass      | Spiroxamine             | Any amt      | ND         | 0.0106/0.0320  | Pass      |
| Imidacloprid        | 3            | ND         | 0.0235/0.0711  | Pass      | Tebuconazole            | 2            | ND         | 0.0144/0.0437  | Pass      |
| Kresoxim-methyl     | 1            | ND         | 0.0125/0.0379  | Pass      | Thiacloprid             | Any amt      | ND         | 0.0139/0.0421  | Pass      |
| Malathion           | 5            | ND         | 0.0117/0.0354  | Pass      | Thiamethoxam            | 4.5          | ND         | 0.0181/0.0549  | Pass      |
| Metalaxyl           | 15           | ND         | 0.0101/0.0306  | Pass      | Trifloxystrobin         | 30           | ND         | 0.0102/0.0310  | Pass      |

Water Activity by Water Activity Meter • Feb 05, 2026

| Analyte        | Limit (Aw) | Amt (Aw) | Pass/Fail |
|----------------|------------|----------|-----------|
| Water Activity | 0.85       | 0.331    | Pass      |



*Signature of David Marelius*

*Signature of Erik Paulson*