

# Certificate of Analysis

Produced: Apr 03, 2026

**Sample:** Rose Delights - Almost Wasted (Edible Solid) • **Client:** Rose Los Angeles Inc • **Batch:** Pass



**Batch No.:** AW26097D9  
**Matrix:** Edible Solid  
**Sample ID:** ICC-260401-02-001  
**Collected on:** Apr 01, 2026  
**Received on:** Apr 01, 2026  
**Sample Size:**  
**Package Size:** 69.64 g  
**Serving Size:** 3.48 g

**Batch Result:** Pass

<b>Potency</b>	Tested	<b>Pesticides</b>	Pass
<b>Solvents</b>	Pass	<b>Foreign</b>	Pass
<b>Metals</b>	Pass	<b>Water Activity</b>	Pass
<b>Mycotoxins</b>	Pass		

### Cannabinoid Overview

<b>Total THC:</b>	<b>2.64 mg/srv</b>
<b>Total CBD:</b>	<b>1.88 mg/srv</b>
<b>Total Cannabinoids:</b>	<b>4.52 mg/srv</b>
<b>Sum of Cannabinoids:</b>	<b>4.52 mg/srv</b>

### POT-INST-005: POT-INST-005: Potency • Apr 02, 2026 10:37:00 PDT

Analyte	Amt (mg/srv)	Amt (mg/pkg)	Amt (%)	Uncertainty	Amt (mg/g)	LOD/LOQ (mg/g)	Pass/Fail	Analyte	Amt (mg/srv)	Amt (mg/pkg)	Amt (%)	Uncertainty	Amt (mg/g)	LOD/LOQ (mg/g)	Pass/Fail
CBC			ND	N/A	ND	0.0275/0.0824	N/A	CBT			ND	N/A	ND	0.0119/0.0416	N/A
CBD	1.88	37.7	0.0541	± 0.000535 %	0.541	0.00840/0.0416	N/A	Δ <sup>8</sup> -THC			ND	N/A	ND	0.00673/0.0416	N/A
CBDA			ND	N/A	ND	0.0201/0.0602	N/A	Δ <sup>9</sup> -THC	2.64	52.9	0.0759	± 0.000792 %	0.759	0.0111/0.0416	N/A
CBDV			ND	N/A	ND	0.00666/0.0416	N/A	THCA			ND	N/A	ND	0.0153/0.0458	N/A
CBG		< 1 mg/g	N/A	< LOQ	0.00948/0.0416	N/A	THCV			ND	N/A	N/A	ND	0.00514/0.0416	N/A
CBGA			ND	N/A	ND	0.0148/0.0444	N/A	<b>Total THC**</b>	2.64	52.9	0.0759	± 0.000792 %	0.759		N/A
CBL			ND	N/A	ND	0.00655/0.0416	N/A	<b>Total CBD**</b>	1.88	37.7	0.0541	± 0.000535 %	0.541		N/A
CBN			ND	N/A	ND	0.00948/0.0416	N/A	<b>Total Cannabinoids**</b>	4.52	90.5	0.130		1.30		N/A

\*\* Total Cannabinoids = Neutral Cannabinoids + (Acidic Cannabinoids \* 0.877)

\*\* Total THC = Delta-10-THC + Delta-8-THC + (Delta-8-THCA x 0.877) + Delta-9-THC + THC-O-acetate + (THCA x 0.877)

\*\* Total CBD = CBD + (CBDA x 0.877)

NR= Not Reported, ND= Not Detected, \*Reported by Dry Mass\*; \*analytical instrumentation used Cannabinoids: UHPLC-DAD, Moisture: Mass by Drying, Water Activity: Water Activity Meter, Foreign: Microscope\*  
 \*Density tested at a temperature range between 19-24 °C, \*Water Activity tested at a humidity range between 0-90% Relative Humidity. All OA samples are sampled by the client, All California State Compliant samples sampled using SAMPL-SOP-001.



**RS-INST-003, RS-PREP-001: RS-INST-003, RS-PREP-001: Residual Solvents by GC-MS • Apr 02, 2026 16:14:00 PDT**

Analyte	Limit (µg/g)	Amt (µg/g)	Uncertainty	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	Uncertainty	LOD/LOQ (µg/g)	Pass/Fail
1,2-Dichloroethane	1	ND	N/A	0.138/0.421	Pass	Hexane	290	ND	N/A	0.0546/0.232	Pass
Acetone	5001.09	71.1	± 1.09 µg/g	14.1/42.4	Pass	Isopropyl alcohol	5000	ND	N/A	1.06/3.18	Pass
Acetonitrile	410	ND	N/A	0.0993/0.297	Pass	Methanol	3000	ND	N/A	2.46/7.38	Pass
Benzene	1	ND	N/A	0.0174/0.0529	Pass	Methylene chloride	1	ND	N/A	0.105/0.603	Pass
Butane	5000	ND	N/A	0.803/4.01	Pass	Pentane	5000	ND	N/A	0.796/3.53	Pass
Chloroform	1	ND	N/A	0.0298/0.0893	Pass	Propane	5000	ND	N/A	3.67/11.0	Pass
Ethanol	5000	ND	N/A	2.16/6.49	Pass	Toluene	890.0211	1.33	± 0.0211 µg/g	0.0728/0.715	Pass
Ethyl acetate	5000	ND	N/A	0.259/1.89	Pass	Trichloroethylene	1	ND	N/A	0.0149/0.120	Pass
Ethylene oxide	1	ND	N/A	0.127/0.479	Pass	o-Xylene	2.74	± 0.0452 µg/g	N/A	0.0833/0.709	N/A
Ethyl ether	5000	ND	N/A	0.979/2.94	Pass	p- and m-Xylene	ND	ND	N/A	0.0955/1.42	N/A
Heptane	5000	ND	N/A	0.568/2.37	Pass	Total xylenes	2170	2.74	N/A	0.0834/0.710	Pass

**HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Heavy Metals Testing by ICP-MS • Apr 01, 2026 18:13:00 PDT**


Analyte	Limit (µg/g)	Amt (µg/g)	Uncertainty	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	Uncertainty	LOD/LOQ (µg/g)	Pass/Fail
Arsenic	1.500335	0.0153	± 0.000335 µg/g	0.00300/0.00900	Pass	Lead	0.500146	0.0190	± 0.000146 µg/g	0.00100/0.00400	Pass
Cadmium	0.5	< LOQ	N/A	0.00100/0.00200	Pass	Mercury	3	ND	N/A	0.00500/0.0140	Pass

**PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Mycotoxin Analysis by LC-MS/MS • Apr 03, 2026 15:13:00 PDT**

Analyte	Limit (µg/kg)	Amt (µg/kg)	Uncertainty	LOD/LOQ (µg/kg)	Pass/Fail	Analyte	Limit (µg/kg)	Amt (µg/kg)	Uncertainty	LOD/LOQ (µg/kg)	Pass/Fail
Aflatoxin B1		ND	N/A	2.60/7.88	N/A	Aflatoxin G2		ND	N/A	1.89/5.72	N/A
Aflatoxin B2		ND	N/A	2.04/6.18	N/A	Aflatoxins	20	ND	N/A		Pass
Aflatoxin G1		ND	N/A	2.97/8.99	N/A	Ochratoxin A	20	ND	N/A	3.87/11.7	Pass

**PEST-GC-INST-003, PEST-GC-PREP-001: PEST-GC-INST-003, PEST-GC-PREP-001: Pesticide Analysis by GC-MS/MS • Apr 03, 2026 13:16:00 PDT**

Analyte	Limit (µg/g)	Amt (µg/g)	Uncertainty	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	Uncertainty	LOD/LOQ (µg/g)	Pass/Fail
Captan	5	ND	N/A	0.120/0.358	Pass	Cypermethrin	1	ND	N/A	0.0145/0.0435	Pass
Chlordane	Any amt	ND	N/A	0.0249/0.0747	Pass	Methyl parathion	Any amt	ND	N/A	0.00811/0.0243	Pass
Chlorfenapyr	Any amt	ND	N/A	0.0251/0.0753	Pass	Pentachloronitrobenzene	0.2	ND	N/A	0.0182/0.0545	Pass
Cyfluthrin	1	ND	N/A	0.0186/0.0558	Pass						



*DM*

*Erik Paulson*

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Pesticide Analysis by LC-MS/MS • Apr 03, 2026 15:12:00 PDT

Analyte	Limit (µg/g)	Amt (µg/g)	Uncertainty	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	Uncertainty	LOD/LOQ (µg/g)	Pass/Fail
Abamectin	0.3	ND		0.0500/0.100	Pass	Methiocarb	Any amt	ND	N/A	0.0156/0.0473	Pass
Abamectin Ba		ND	N/A	0.0330/0.0990	N/A	Methomyl	0.1	ND	N/A	0.0158/0.0479	Pass
Acephate	5	ND	N/A	0.0164/0.0497	Pass	Mevinphos	Any amt	ND	N/A	0.0139/0.0423	Pass
Acequinocyl	4	ND	N/A	0.0194/0.0587	Pass	Myclobutanil	9	ND	N/A	0.0180/0.0546	Pass
Acetamiprid	5	ND	N/A	0.0146/0.0442	Pass	Naled	0.5	ND	N/A	0.0170/0.0514	Pass
Aldicarb	Any amt	ND	N/A	0.0216/0.0654	Pass	Oxamyl	0.2	ND	N/A	0.0153/0.0465	Pass
Azoxystrobin	40	ND	N/A	0.00960/0.0291	Pass	Paclobutrazol	Any amt	ND	N/A	0.0132/0.0400	Pass
Bifenazate	5	ND	N/A	0.0115/0.0349	Pass	Permethrin	20	ND		0.00831/0.0300	Pass
Bifenthrin	0.5	ND	N/A	0.0130/0.0395	Pass	Permethrin cis		ND	N/A	0.0200/0.0300	N/A
Boscalid	10	ND	N/A	0.0197/0.0596	Pass	Permethrin trans		ND	N/A	0.0200/0.0300	N/A
Carbaryl	0.5	ND	N/A	0.0160/0.0486	Pass	Phosmet	0.2	ND	N/A	0.0125/0.0377	Pass
Carbofuran	Any amt	ND	N/A	0.00902/0.0300	Pass	Piperonylbutoxide	8	ND	N/A	0.00759/0.0300	Pass
Chlorantraniliprole	40	ND	N/A	0.0209/0.0632	Pass	Prallethrin	0.4	ND	N/A	0.0226/0.0685	Pass
Chlorpyrifos	Any amt	ND	N/A	0.0176/0.0534	Pass	Propiconazole	20	ND	N/A	0.0195/0.0590	Pass
Clofentezine	0.5	ND	N/A	0.0129/0.0389	Pass	Propoxur	Any amt	ND	N/A	0.0155/0.0471	Pass
Coumaphos	Any amt	ND	N/A	0.0185/0.0559	Pass	Pyrethrins	1	ND		0.00431/0.0300	Pass
Daminozide	Any amt	ND	N/A	0.0261/0.0791	Pass	Pyrethrins Cinerin I		ND	N/A		N/A
Diazinon	0.2	ND	N/A	0.00645/0.0300	Pass	Pyrethrins Cinerin II		ND	N/A		N/A
Dichlorvos	Any amt	ND	N/A	0.0223/0.0674	Pass	Pyrethrins Jasmolin I		ND	N/A		N/A
Dimethoate	Any amt	ND	N/A	0.0118/0.0356	Pass	Pyrethrins Jasmolin II		ND	N/A		N/A
Dimethomorph	20	ND	N/A	0.0137/0.0416	Pass	Pyrethrins Pyrethrin I		ND	N/A	0.0100/0.0450	N/A
Ethoprophos	Any amt	ND	N/A	0.0174/0.0528	Pass	Pyrethrins Pyrethrin II		ND	N/A	0.0100/0.0300	N/A
Etofenprox	Any amt	ND	N/A	0.00849/0.0300	Pass	Pyridaben	3	ND	N/A	0.0115/0.0350	Pass
Etoxazole	1.5	ND	N/A	0.00783/0.0300	Pass	Spinetoram	3	ND		0.00639/0.0300	Pass
Fenhexamid	10	ND	N/A	0.0129/0.0392	Pass	Spinetoram J		ND	N/A	0.00500/0.0100	N/A
Fenoxycarb	Any amt	ND	N/A	0.0144/0.0435	Pass	Spinetoram L		ND	N/A	0.00500/0.0100	N/A
Fenpyroximate	2	ND	N/A	0.00972/0.0300	Pass	Spinosad	3	ND		0.00410/0.0300	Pass
Fipronil	Any amt	ND	N/A	0.0148/0.0447	Pass	Spinosad A		ND	N/A	0.00500/0.0100	N/A
Flonicamid	2	ND	N/A	0.0268/0.0811	Pass	Spinosad D		ND	N/A	0.00500/0.0100	N/A
Fludioxonil	30	ND	N/A	0.0153/0.0464	Pass	Spiromesifen	12	ND	N/A	0.0137/0.0416	Pass
Hexythiazox	2	ND	N/A	0.0257/0.0778	Pass	Spirotetramat	13	ND	N/A	0.0134/0.0407	Pass
Imazalil	Any amt	ND	N/A	0.0156/0.0474	Pass	Spiroxamine	Any amt	ND	N/A	0.0106/0.0320	Pass
Imidacloprid	3	ND	N/A	0.0235/0.0711	Pass	Tebuconazole	2	ND	N/A	0.0144/0.0437	Pass
Kresoxim-methyl	1	ND	N/A	0.0125/0.0379	Pass	Thiacloprid	Any amt	ND	N/A	0.0139/0.0421	Pass
Malathion	5	ND	N/A	0.0117/0.0354	Pass	Thiamethoxam	4.5	ND	N/A	0.0181/0.0549	Pass
Metalaxyl	15	ND	N/A	0.0101/0.0306	Pass	Trifloxystrobin	30	ND	N/A	0.0102/0.0310	Pass

Water Activity by Water Activity Meter • Apr 02, 2026 07:05:00 PDT

Analyte	Limit (Aw)	Amt (Aw)	Pass/Fail
Water Activity	0.85	0.504	Pass



*DU*

*Erik Paul*