


Benzocaine 20% - Lidocaine 8% - Tetracaine 8% Cream (Versatile™ Anhydrous Cream)


 Total Formula Quantity

100 grams

 Ingredients

Quantity


Benzocaine USP	20 grams	
Lidocaine USP	8 grams	
Tetracaine USP	8 grams	
Glycerin USP	5 grams	3.97 milliliters
Versatile™ Anhydrous Cream	59 grams	

 Ingredient Disclaimer


The density of Glycerin is 1.26 g/mL

 **Method/Instructions**

1. Calculate amount of ingredients needed.
2. Accurately weigh and measure each ingredient.
3. Add all ingredients to mixing jar and mix for 5 minutes at a medium mixing speed using the FagronLab EMP or Pro.
4. If needed, process through a 3 roll ointment mill and remix on EMP for 1 minute at a low mixing speed.
5. Allow the cream to rest for 10 minutes, then package in dispensing container.

 **Formulation Notes**

- For optimal results this formulation should be compounded using mechanical mixing devices that ensure thorough mixing and produce high shearing forces (electronic mortar & pestle combined with processing through an ointment mill).
- If final compounded product is thin after mixing, allow product to rest for 15 minutes to thicken then remix at low speed for 1 minute to ensure consistency.

 **Equipment**

FagronLab EMP

 **Supplies/Dispensers**

Topi-Click

Topi-Pump

 **PPE Notes**

Refer to USP <795> current guidelines for specific minimum garbing requirements. Gloves must be worn for all compounding activities. Additional garb may be necessary depending on the type of compounding performed and per the facility's SOP.

 **Storage**

Controlled Room Temperature 20 to 25 °C

Protect from light

Store in a tightly closed container

 BUD


Dating per USP <795>

- Non-preserved aqueous = 14 days
- Preserved aqueous = 35 days
- Nonaqueous oral liquids = 90 days
- Other nonaqueous dosage forms = 180 days


 AUX

This medication was specially compounded in our pharmacy for you at the direction of your prescriber.

For Topical Use Only

 References

The ESTIMATED BEYOND-USE DATE is a physical stability estimate based on information from published references, medical and scientific literature, observed organoleptic stability, formulator practical experience and current USP guidelines. Please refer to USP Chapter <795> for additional information regarding appropriate Beyond-Use determination.

 **QC check section**

Describe the appearance of the finished compound (color, odor, etc):

Compounded Active Pharmaceutical Ingredients match the original prescription document: Yes / No

Describe the closure container used for finished compound (Topiclick, etc.):

Quality control measures taken and results (pH measurements ,etc):

Visual inspection of compound within expectations: Yes / No

Container closure checked for and free of any leakage and/or cracks: Yes / No

Compounded preparation released for dispensing by (name):

 **Disclaimer**

This example compounding formulation ("Example Formula") is being provided by Fagron Academy upon the request of Customer and is being provided for informational purposes only. Fagron Academy, its owners, officers, agents, affiliates and employees make no representation or warranty whatsoever with respect to this Example Formula. Customer is responsible for and, by its receipt of the Example Formula, agrees it will take any and all steps necessary to independently verify any formulation, concentrations, and raw amounts of components provided in this Example Formula, including any formulation that is the same or similar to the Example Formula, that is used in Customer's business to ensure the accuracy of all product components and component concentrations, as well as the compatibility and stability of all formulation components. In consideration of being provided the Example Formula, Customer understands and agrees that Fagron Academy, its owners, officers, agents, affiliates and employees shall not be responsible for any claims, actions, liabilities, losses, expenses, damages, judgment or costs arising directly or indirectly or related in any way to any actual or alleged injury to any person (including death) or any damage to any tangible property resulting or claimed to result wholly or in part from any formulation that is the same or similar to any Example Formula.

Date last modified
01/22/2026