

# Certificate of Analysis

Produced: Apr 03, 2026

**Sample:** Rose Delights - Almost Wasted (Edible Solid) • **Client:** Rose Los Angeles Inc • **Batch:** Pass



**Batch No.:** AW26097D9  
**Matrix:** Edible Solid  
**Sample ID:** ICC-260401-02-001  
**Collected on:** Apr 01, 2026  
**Received on:** Apr 01, 2026  
**Sample Size:**  
**Package Size:** 69.64 g  
**Serving Size:** 3.48 g

**Batch Result:** Pass

<b>Potency</b>	Tested	<b>Pesticides</b>	Pass
<b>Solvents</b>	Pass	<b>Foreign</b>	Pass
<b>Metals</b>	Pass	<b>Water Activity</b>	Pass
<b>Mycotoxins</b>	Pass		

### Cannabinoid Overview

<b>Total THC:</b>	<b>2.64 mg/srv</b>
<b>Total CBD:</b>	<b>1.88 mg/srv</b>
<b>Total Cannabinoids:</b>	<b>4.52 mg/srv</b>
<b>Sum of Cannabinoids:</b>	<b>4.52 mg/srv</b>

### POT-INST-005: POT-INST-005: Potency • Apr 02, 2026 10:37:00 PDT

Analyte	Amt (mg/srv)	Amt (mg/pkg)	Amt (%)	Uncertainty	Amt (mg/g)	LOD/LOQ (mg/g)	Pass/Fail	Analyte	Amt (mg/srv)	Amt (mg/pkg)	Amt (%)	Uncertainty	Amt (mg/g)	LOD/LOQ (mg/g)	Pass/Fail
CBC			ND	N/A	ND	0.0275/0.0824	N/A	CBT			ND	N/A	ND	0.0119/0.0416	N/A
CBD	1.88	37.7	0.0541	± 0.000535 %	0.541	0.00840/0.0416	N/A	Δ <sup>8</sup> -THC			ND	N/A	ND	0.00673/0.0416	N/A
CBDA			ND	N/A	ND	0.0201/0.0602	N/A	Δ <sup>9</sup> -THC	2.64	52.9	0.0759	± 0.000792 %	0.759	0.0111/0.0416	N/A
CBDV			ND	N/A	ND	0.00666/0.0416	N/A	THCA			ND	N/A	ND	0.0153/0.0458	N/A
CBG		< 1 mg/g	N/A	< LOQ	0.00948/0.0416	N/A	N/A	THCV			ND	N/A	ND	0.00514/0.0416	N/A
CBGA			ND	N/A	ND	0.0148/0.0444	N/A	<b>Total THC**</b>	2.64	52.9	0.0759	± 0.000792 %	0.759		N/A
CBL			ND	N/A	ND	0.00655/0.0416	N/A	<b>Total CBD**</b>	1.88	37.7	0.0541	± 0.000535 %	0.541		N/A
CBN			ND	N/A	ND	0.00948/0.0416	N/A	<b>Total Cannabinoids**</b>	4.52	90.5	0.130		1.30		N/A

\*\* Total Cannabinoids = Neutral Cannabinoids + (Acidic Cannabinoids \* 0.877)

\*\* Total THC = Delta-10-THC + Delta-8-THC + (Delta-8-THCA x 0.877) + Delta-9-THC + THC-O-acetate + (THCA x 0.877)

\*\* Total CBD = CBD + (CBDA x 0.877)

NR= Not Reported, ND= Not Detected, \*Reported by Dry Mass\*; \*analytical instrumentation used Cannabinoids: UHPLC-DAD, Moisture: Mass by Drying, Water Activity: Water Activity Meter, Foreign: Microscope\*  
 \*Density tested at a temperature range between 19-24 °C, \*Water Activity tested at a humidity range between 0-90% Relative Humidity. All OA samples are sampled by the client, All California State Compliant samples sampled using SAMPL-SOP-001.



**RS-INST-003, RS-PREP-001: RS-INST-003, RS-PREP-001: Residual Solvents by GC-MS • Apr 02, 2026 16:14:00 PDT**

Analyte	Limit (µg/g)	Amt (µg/g)	Uncertainty	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	Uncertainty	LOD/LOQ (µg/g)	Pass/Fail
1,2-Dichloroethane	1	ND	N/A	0.138/0.421	Pass	Hexane	290	ND	N/A	0.0546/0.232	Pass
Acetone	5001.09	71.1	± 1.09 µg/g	14.1/42.4	Pass	Isopropyl alcohol	5000	ND	N/A	1.06/3.18	Pass
Acetonitrile	410	ND	N/A	0.0993/0.297	Pass	Methanol	3000	ND	N/A	2.46/7.38	Pass
Benzene	1	ND	N/A	0.0174/0.0529	Pass	Methylene chloride	1	ND	N/A	0.105/0.603	Pass
Butane	5000	ND	N/A	0.803/4.01	Pass	Pentane	5000	ND	N/A	0.796/3.53	Pass
Chloroform	1	ND	N/A	0.0298/0.0893	Pass	Propane	5000	ND	N/A	3.67/11.0	Pass
Ethanol	5000	ND	N/A	2.16/6.49	Pass	Toluene	890.0211	1.33	± 0.0211 µg/g	0.0728/0.715	Pass
Ethyl acetate	5000	ND	N/A	0.259/1.89	Pass	Trichloroethylene	1	ND	N/A	0.0149/0.120	Pass
Ethylene oxide	1	ND	N/A	0.127/0.479	Pass	o-Xylene	2.74	± 0.0452 µg/g	N/A	0.0833/0.709	N/A
Ethyl ether	5000	ND	N/A	0.979/2.94	Pass	p- and m-Xylene	ND	ND	N/A	0.0955/1.42	N/A
Heptane	5000	ND	N/A	0.568/2.37	Pass	Total xylenes	2170	2.74	N/A	0.0834/0.710	Pass

**HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Heavy Metals Testing by ICP-MS • Apr 01, 2026 18:13:00 PDT**


Analyte	Limit (µg/g)	Amt (µg/g)	Uncertainty	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	Uncertainty	LOD/LOQ (µg/g)	Pass/Fail
Arsenic	1.500335	0.0153	± 0.000335 µg/g	0.00300/0.00900	Pass	Lead	0.500146	0.0190	± 0.000146 µg/g	0.00100/0.00400	Pass
Cadmium	0.5	< LOQ	N/A	0.00100/0.00200	Pass	Mercury	3	ND	N/A	0.00500/0.0140	Pass

**PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Mycotoxin Analysis by LC-MS/MS • Apr 03, 2026 15:13:00 PDT**

Analyte	Limit (µg/kg)	Amt (µg/kg)	Uncertainty	LOD/LOQ (µg/kg)	Pass/Fail	Analyte	Limit (µg/kg)	Amt (µg/kg)	Uncertainty	LOD/LOQ (µg/kg)	Pass/Fail
Aflatoxin B1		ND	N/A	2.60/7.88	N/A	Aflatoxin G2		ND	N/A	1.89/5.72	N/A
Aflatoxin B2		ND	N/A	2.04/6.18	N/A	Aflatoxins	20	ND	N/A		Pass
Aflatoxin G1		ND	N/A	2.97/8.99	N/A	Ochratoxin A	20	ND	N/A	3.87/11.7	Pass

**PEST-GC-INST-003, PEST-GC-PREP-001: PEST-GC-INST-003, PEST-GC-PREP-001: Pesticide Analysis by GC-MS/MS • Apr 03, 2026 13:16:00 PDT**

Analyte	Limit (µg/g)	Amt (µg/g)	Uncertainty	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	Uncertainty	LOD/LOQ (µg/g)	Pass/Fail
Captan	5	ND	N/A	0.120/0.358	Pass	Cypermethrin	1	ND	N/A	0.0145/0.0435	Pass
Chlordane	Any amt	ND	N/A	0.0249/0.0747	Pass	Methyl parathion	Any amt	ND	N/A	0.00811/0.0243	Pass
Chlorfenapyr	Any amt	ND	N/A	0.0251/0.0753	Pass	Pentachloronitrobenzene	0.2	ND	N/A	0.0182/0.0545	Pass
Cyfluthrin	1	ND	N/A	0.0186/0.0558	Pass						



*DM*

*Erik Paulson*

**PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Pesticide Analysis by LC-MS/MS • Apr 03, 2026 15:12:00 PDT**

Analyte	Limit (µg/g)	Amt (µg/g)	Uncertainty	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	Uncertainty	LOD/LOQ (µg/g)	Pass/Fail
Abamectin	0.3	ND		0.0500/0.100	Pass	Methiocarb	Any amt	ND	N/A	0.0156/0.0473	Pass
Abamectin Ba		ND	N/A	0.0330/0.0990	N/A	Methomyl	0.1	ND	N/A	0.0158/0.0479	Pass
Acephate	5	ND	N/A	0.0164/0.0497	Pass	Mevinphos	Any amt	ND	N/A	0.0139/0.0423	Pass
Acequinocyl	4	ND	N/A	0.0194/0.0587	Pass	Myclobutanil	9	ND	N/A	0.0180/0.0546	Pass
Acetamiprid	5	ND	N/A	0.0146/0.0442	Pass	Naled	0.5	ND	N/A	0.0170/0.0514	Pass
Aldicarb	Any amt	ND	N/A	0.0216/0.0654	Pass	Oxamyl	0.2	ND	N/A	0.0153/0.0465	Pass
Azoxystrobin	40	ND	N/A	0.00960/0.0291	Pass	Paclobutrazol	Any amt	ND	N/A	0.0132/0.0400	Pass
Bifenazate	5	ND	N/A	0.0115/0.0349	Pass	Permethrin	20	ND		0.00831/0.0300	Pass
Bifenthrin	0.5	ND	N/A	0.0130/0.0395	Pass	Permethrin cis		ND	N/A	0.0200/0.0300	N/A
Boscalid	10	ND	N/A	0.0197/0.0596	Pass	Permethrin trans		ND	N/A	0.0200/0.0300	N/A
Carbaryl	0.5	ND	N/A	0.0160/0.0486	Pass	Phosmet	0.2	ND	N/A	0.0125/0.0377	Pass
Carbofuran	Any amt	ND	N/A	0.00902/0.0300	Pass	Piperonylbutoxide	8	ND	N/A	0.00759/0.0300	Pass
Chlorantraniliprole	40	ND	N/A	0.0209/0.0632	Pass	Prallethrin	0.4	ND	N/A	0.0226/0.0685	Pass
Chlorpyrifos	Any amt	ND	N/A	0.0176/0.0534	Pass	Propiconazole	20	ND	N/A	0.0195/0.0590	Pass
Clofentezine	0.5	ND	N/A	0.0129/0.0389	Pass	Propoxur	Any amt	ND	N/A	0.0155/0.0471	Pass
Coumaphos	Any amt	ND	N/A	0.0185/0.0559	Pass	Pyrethrins	1	ND		0.00431/0.0300	Pass
Daminozide	Any amt	ND	N/A	0.0261/0.0791	Pass	Pyrethrins Cinerin I		ND	N/A		N/A
Diazinon	0.2	ND	N/A	0.00645/0.0300	Pass	Pyrethrins Cinerin II		ND	N/A		N/A
Dichlorvos	Any amt	ND	N/A	0.0223/0.0674	Pass	Pyrethrins Jasmolin I		ND	N/A		N/A
Dimethoate	Any amt	ND	N/A	0.0118/0.0356	Pass	Pyrethrins Jasmolin II		ND	N/A		N/A
Dimethomorph	20	ND	N/A	0.0137/0.0416	Pass	Pyrethrins Pyrethrin I		ND	N/A	0.0100/0.0450	N/A
Ethoprophos	Any amt	ND	N/A	0.0174/0.0528	Pass	Pyrethrins Pyrethrin II		ND	N/A	0.0100/0.0300	N/A
Etofenprox	Any amt	ND	N/A	0.00849/0.0300	Pass	Pyridaben	3	ND	N/A	0.0115/0.0350	Pass
Etoxazole	1.5	ND	N/A	0.00783/0.0300	Pass	Spinetoram	3	ND		0.00639/0.0300	Pass
Fenhexamid	10	ND	N/A	0.0129/0.0392	Pass	Spinetoram J		ND	N/A	0.00500/0.0100	N/A
Fenoxycarb	Any amt	ND	N/A	0.0144/0.0435	Pass	Spinetoram L		ND	N/A	0.00500/0.0100	N/A
Fenpyroximate	2	ND	N/A	0.00972/0.0300	Pass	Spinosad	3	ND		0.00410/0.0300	Pass
Fipronil	Any amt	ND	N/A	0.0148/0.0447	Pass	Spinosad A		ND	N/A	0.00500/0.0100	N/A
Flonicamid	2	ND	N/A	0.0268/0.0811	Pass	Spinosad D		ND	N/A	0.00500/0.0100	N/A
Fludioxonil	30	ND	N/A	0.0153/0.0464	Pass	Spiromesifen	12	ND	N/A	0.0137/0.0416	Pass
Hexythiazox	2	ND	N/A	0.0257/0.0778	Pass	Spirotetramat	13	ND	N/A	0.0134/0.0407	Pass
Imazalil	Any amt	ND	N/A	0.0156/0.0474	Pass	Spiroxamine	Any amt	ND	N/A	0.0106/0.0320	Pass
Imidacloprid	3	ND	N/A	0.0235/0.0711	Pass	Tebuconazole	2	ND	N/A	0.0144/0.0437	Pass
Kresoxim-methyl	1	ND	N/A	0.0125/0.0379	Pass	Thiacloprid	Any amt	ND	N/A	0.0139/0.0421	Pass
Malathion	5	ND	N/A	0.0117/0.0354	Pass	Thiamethoxam	4.5	ND	N/A	0.0181/0.0549	Pass
Metalaxyl	15	ND	N/A	0.0101/0.0306	Pass	Trifloxystrobin	30	ND	N/A	0.0102/0.0310	Pass

**Water Activity by Water Activity Meter • Apr 02, 2026 07:05:00 PDT**

Analyte	Limit (Aw)	Amt (Aw)	Pass/Fail
Water Activity	0.85	0.504	Pass



*DU*

*Erik Paul*

# Certificate of Analysis

Produced: Feb 06, 2026

**Sample:** Rose Delights - Rose Farm Persimmon (Edible Solid) • **Client:** Rose Los Angeles Inc • **Batch:** Pass



**Batch No.:** RFPS26029D9  
**Matrix:** Edible Solid  
**Sample ID:** ICC-260204-04-002  
**Collected on:** Feb 04, 2026  
**Received on:** Feb 04, 2026  
**Sample Size:**  
**Package Size:** 71.38 g  
**Serving Size:** 3.57 g

**Batch Result:** Pass

<b>Potency</b>	Tested	<b>Mycotoxins</b>	Pass
<b>Solvents</b>	Pass	<b>Pesticides</b>	Pass
<b>Metals</b>	Pass	<b>Foreign</b>	Pass
<b>Microbial</b>	Pass	<b>Water Activity</b>	Pass

### Cannabinoid Overview

<b>Total THC:</b>	<b>2.26 mg/srv</b>
<b>Total CBD:</b>	<b>0.000 mg/srv</b>
<b>Total Cannabinoids:</b>	<b>2.34 mg/srv</b>
<b>Sum of Cannabinoids:</b>	<b>2.34 mg/srv</b>

### POT-INST-005: POT-INST-005: Potency • Feb 05, 2026

Analyte	Amt (mg/srv)	Amt (mg/pkg)	Amt (%)	Amt (mg/g)	LOD/LOQ (mg/g)	Pass/Fail	Analyte	Amt (mg/srv)	Amt (mg/pkg)	Amt (%)	Amt (mg/g)	LOD/LOQ (mg/g)	Pass/Fail
CBC			< 1 mg/g	< LOQ	0.00307/0.00922	N/A	CBT			ND	ND	0.00133/0.00466	N/A
CBD			ND	ND	0.000940/0.00466	N/A	Δ <sup>8</sup> -THC			ND	ND	0.000753/0.00466	N/A
CBDA			ND	ND	0.00225/0.00674	N/A	Δ <sup>9</sup> -THC	2.26	45.3	0.0634	0.634	0.00124/0.00466	N/A
CBDV			ND	ND	0.000745/0.00466	N/A	THCA			ND	ND	0.00171/0.00513	N/A
CBG	0.0628	1.26	0.00176	0.0176	0.00106/0.00466	N/A	THCV			ND	ND	0.000575/0.00466	N/A
CBGA			ND	ND	0.00166/0.00497	N/A	<b>Total THC**</b>	2.26	45.3	0.0634	0.634		
CBL			ND	ND	0.000733/0.00466	N/A	<b>Total CBD**</b>			ND	ND		N/A
CBN	0.0169	0.337	0.000472	0.00472	0.00106/0.00466	N/A	<b>Total Cannabinoids**</b>	2.34	46.8	0.0656	0.656		N/A

\*\* Total Cannabinoids = Neutral Cannabinoids + (Acidic Cannabinoids \* 0.877)

\*\* Total THC = Delta-10-THC + Delta-8-THC + (Delta-8-THCA x 0.877) + Delta-9-THC + THC-O-acetate + (THCA x 0.877)

\*\* Total CBD = CBD + (CBDA x 0.877)

NR= Not Reported, ND= Not Detected, \*Reported by Dry Mass\*; \*analytical instrumentation used Cannabinoids: UHPLC-DAD, Moisture: Mass by Drying, Water Activity: Water Activity Meter, Foreign: Microscope\*  
 \*Density tested at a temperature range between 19-24 °C, \*Water Activity tested at a humidity range between 0-90% Relative Humidity. All OA samples are sampled by the client, All California State Compliant samples sampled using SAMPL-SOP-001.



**RS-INST-003, RS-PREP-001: RS-INST-003, RS-PREP-001: Residual Solvents by GC-MS • Feb 05, 2026**

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
1,2-Dichloroethane	1	ND	0.135/0.412	Pass	Hexane	290	ND	0.0535/0.228	Pass
Acetone	5000	ND	13.8/41.5	Pass	Isopropyl alcohol	5000	ND	1.04/3.11	Pass
Acetonitrile	410	ND	0.0972/0.291	Pass	Methanol	3000	ND	2.41/7.23	Pass
Benzene	1	ND	0.0170/0.0518	Pass	Methylene chloride	1	ND	0.103/0.591	Pass
Butane	5000	ND	0.787/3.93	Pass	Pentane	5000	ND	0.779/3.46	Pass
Chloroform	1	ND	0.0292/0.0875	Pass	Propane	5000	ND	3.59/10.8	Pass
Ethanol	5000	ND	2.12/6.35	Pass	Toluene	890	ND	0.0713/0.700	Pass
Ethyl acetate	5000	ND	0.254/1.85	Pass	Trichloroethylene	1	ND	0.0146/0.117	Pass
Ethylene oxide	1	ND	0.124/0.469	Pass	o-Xylene	ND	ND	0.0816/0.694	N/A
Ethyl ether	5000	ND	0.959/2.87	Pass	p- and m-Xylene	ND	ND	0.0935/1.39	N/A
Heptane	5000	ND	0.557/2.32	Pass	Total xylenes	2170	ND	0.0817/0.695	Pass

**HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Heavy Metals Testing by ICP-MS • Feb 05, 2026**

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Arsenic	1.5	ND	0.00300/0.00900	Pass	Lead	0.5	0.0161	0.00100/0.00400	Pass
Cadmium	0.5	ND	0.00100/0.00200	Pass	Mercury	3	ND	0.00500/0.0140	Pass

**MICRO-008, MICRO-INST-001, MICRO-PREP-001: MICRO-008, MICRO-INST-001, MICRO-PREP-001: PCR-Microbial (noninhalable) • Feb 05, 2026**

Analyte	Limit	Amt	Pass/Fail	Analyte	Limit	Amt	Pass/Fail
Salmonella spp.	Any amt in 1 gram	ND	Pass	Shiga toxin-producing E. coli	Any amt in 1 gram	ND	Pass

**PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Mycotoxin Analysis by LC-MS/MS • Feb 06, 2026**

Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail	Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail
Aflatoxin B1		ND	2.60/7.88	N/A	Aflatoxin G2		ND	1.89/5.72	N/A
Aflatoxin B2		ND	2.04/6.18	N/A	Aflatoxins	20	ND		Pass
Aflatoxin G1		ND	2.97/8.99	N/A	Ochratoxin A	20	ND	3.87/11.7	Pass

**PEST-GC-INST-003, PEST-GC-PREP-001: PEST-GC-INST-003, PEST-GC-PREP-001: Pesticide Analysis by GC-MS/MS • Feb 06, 2026**

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Captan	5	ND	0.120/0.358	Pass	Cypermethrin	1	ND	0.0145/0.0435	Pass
Chlordane	Any amt	ND	0.0249/0.0747	Pass	Methyl parathion	Any amt	ND	0.00811/0.0243	Pass
Chlorfenapyr	Any amt	ND	0.0251/0.0753	Pass	Pentachloronitrobenzene	0.2	ND	0.0182/0.0545	Pass
Cyfluthrin	1	ND	0.0186/0.0558	Pass					



*DM*

*Erik Paulson*

**PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Pesticide Analysis by LC-MS/MS • Feb 06, 2026**

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Abamectin	0.3	ND	0.0500/0.100	Pass	Methiocarb	Any amt	ND	0.0156/0.0473	Pass
Abamectin Ba		ND	0.0330/0.0990	N/A	Methomyl	0.1	ND	0.0158/0.0479	Pass
Acephate	5	ND	0.0164/0.0497	Pass	Mevinphos	Any amt	ND	0.0139/0.0423	Pass
Acetaminocyl	4	ND	0.0194/0.0587	Pass	Myclobutanil	9	ND	0.0180/0.0546	Pass
Acetamiprid	5	ND	0.0146/0.0442	Pass	Naled	0.5	ND	0.0170/0.0514	Pass
Aldicarb	Any amt	ND	0.0216/0.0654	Pass	Oxamyl	0.2	ND	0.0153/0.0465	Pass
Azoxystrobin	40	ND	0.00960/0.0291	Pass	Paclobutrazol	Any amt	ND	0.0132/0.0400	Pass
Bifenazate	5	ND	0.0115/0.0349	Pass	Permethrin	20	ND	0.00831/0.0300	Pass
Bifenthrin	0.5	ND	0.0130/0.0395	Pass	Permethrin cis		ND	0.0200/0.0300	N/A
Boscalid	10	ND	0.0197/0.0596	Pass	Permethrin trans		ND	0.0200/0.0300	N/A
Carbaryl	0.5	ND	0.0160/0.0486	Pass	Phosmet	0.2	ND	0.0125/0.0377	Pass
Carbofuran	Any amt	ND	0.00902/0.0300	Pass	Piperonylbutoxide	8	ND	0.00759/0.0300	Pass
Chlorantraniliprole	40	ND	0.0209/0.0632	Pass	Prallethrin	0.4	ND	0.0226/0.0685	Pass
Chlorpyrifos	Any amt	ND	0.0176/0.0534	Pass	Propiconazole	20	ND	0.0195/0.0590	Pass
Clofentezine	0.5	ND	0.0129/0.0389	Pass	Propoxur	Any amt	ND	0.0155/0.0471	Pass
Coumaphos	Any amt	ND	0.0185/0.0559	Pass	Pyrethrins	1	ND	0.00431/0.0300	Pass
Daminozide	Any amt	ND	0.0261/0.0791	Pass	Pyrethrins Cinerin I		ND		N/A
Diazinon	0.2	ND	0.00645/0.0300	Pass	Pyrethrins Cinerin II		ND		N/A
Dichlorvos	Any amt	ND	0.0223/0.0674	Pass	Pyrethrins Jasmolin I		ND		N/A
Dimethoate	Any amt	ND	0.0118/0.0356	Pass	Pyrethrins Jasmolin II		ND		N/A
Dimethomorph	20	ND	0.0137/0.0416	Pass	Pyrethrins Pyrethrin I		ND	0.0100/0.0450	N/A
Ethoprophos	Any amt	ND	0.0174/0.0528	Pass	Pyrethrins Pyrethrin II		ND	0.0100/0.0300	N/A
Etofenprox	Any amt	ND	0.00849/0.0300	Pass	Pyridaben	3	ND	0.0115/0.0350	Pass
Etoxazole	1.5	ND	0.00783/0.0300	Pass	Spinetoram	3	ND	0.00639/0.0300	Pass
Fenhexamid	10	ND	0.0129/0.0392	Pass	Spinetoram J		ND	0.00500/0.0100	N/A
Fenoxycarb	Any amt	ND	0.0144/0.0435	Pass	Spinetoram L		ND	0.00500/0.0100	N/A
Fenpyroximate	2	ND	0.00972/0.0300	Pass	Spinosad	3	ND	0.00410/0.0300	Pass
Fipronil	Any amt	ND	0.0148/0.0447	Pass	Spinosad A		ND	0.00500/0.0100	N/A
Flonicamid	2	ND	0.0268/0.0811	Pass	Spinosad D		ND	0.00500/0.0100	N/A
Fludioxonil	30	ND	0.0153/0.0464	Pass	Spiromesifen	12	ND	0.0137/0.0416	Pass
Hexythiazox	2	ND	0.0257/0.0778	Pass	Spirotetramat	13	ND	0.0134/0.0407	Pass
Imazalil	Any amt	ND	0.0156/0.0474	Pass	Spiroxamine	Any amt	ND	0.0106/0.0320	Pass
Imidacloprid	3	ND	0.0235/0.0711	Pass	Tebuconazole	2	ND	0.0144/0.0437	Pass
Kresoxim-methyl	1	ND	0.0125/0.0379	Pass	Thiacloprid	Any amt	ND	0.0139/0.0421	Pass
Malathion	5	ND	0.0117/0.0354	Pass	Thiamethoxam	4.5	ND	0.0181/0.0549	Pass
Metalaxyl	15	ND	0.0101/0.0306	Pass	Trifloxystrobin	30	ND	0.0102/0.0310	Pass

**Water Activity by Water Activity Meter • Feb 05, 2026**

Analyte	Limit (Aw)	Amt (Aw)	Pass/Fail
Water Activity	0.85	0.331	Pass



*DU*

*Erik Paul*

# Certificate of Analysis

Produced: Mar 13, 2026

**Sample:** Rose Delights - Pomegranate (Edible Solid) • **Client:** Rose Los Angeles Inc • **Batch:** Pass



**Batch No.:** PMG26079D9  
**Matrix:** Edible Solid  
**Sample ID:** ICC-260311-02-003  
**Collected on:** Mar 11, 2026  
**Received on:** Mar 11, 2026  
**Sample Size:**  
**Package Size:** 75.49 g  
**Serving Size:** 3.77 g

**Batch Result:** Pass

<b>Potency</b>	Tested	<b>Pesticides</b>	Pass
<b>Solvents</b>	Pass	<b>Foreign</b>	Pass
<b>Metals</b>	Pass	<b>Water Activity</b>	Pass
<b>Mycotoxins</b>	Pass		

### Cannabinoid Overview

<b>Total THC:</b>	<b>5.47 mg/srv</b>
<b>Total CBD:</b>	<b>&lt; LOQ</b>
<b>Total Cannabinoids:</b>	<b>5.84 mg/srv</b>
<b>Sum of Cannabinoids:</b>	<b>5.86 mg/srv</b>

### POT-INST-005: POT-INST-005: Potency • Mar 12, 2026 12:34:00 PDT

Analyte	Amt (mg/srv)	Amt (mg/pkg)	Amt (%)	Amt (mg/g)	LOD/LOQ (mg/g)	Pass/Fail	Analyte	Amt (mg/srv)	Amt (mg/pkg)	Amt (%)	Amt (mg/g)	LOD/LOQ (mg/g)	Pass/Fail
CBC	0.112	2.24	0.00297	0.0297	0.00299/0.00897	N/A	CBT			ND	ND	0.00130/0.00453	N/A
CBD			< 1 mg/g	< LOQ	0.000914/0.00453	N/A	Δ <sup>8</sup> -THC			ND	ND	0.000733/0.00453	N/A
CBDA			ND	ND	0.00219/0.00656	N/A	Δ <sup>9</sup> -THC	5.47	109	0.145	1.45	0.00121/0.00453	N/A
CBDV			ND	ND	0.000725/0.00453	N/A	THCA			ND	ND	0.00166/0.00499	N/A
CBG	0.232	4.64	0.00615	0.0615	0.00103/0.00453	N/A	THCV	0.0328	0.658	0.000871	0.00871	0.000560/0.00453	N/A
CBGA			ND	ND	0.00161/0.00484	N/A	<b>Total THC**</b>	5.47	109	0.145	1.45		
CBL			ND	ND	0.000713/0.00453	N/A	<b>Total CBD**</b>			< 1 mg/g	< LOQ		N/A
CBN	0.0173	0.346	0.000458	0.00458	0.00103/0.00453	N/A	<b>Total Cannabinoids**</b>	5.86	117	0.155	1.55		N/A

\*\* Total Cannabinoids = Neutral Cannabinoids + (Acidic Cannabinoids \* 0.877)

\*\* Total THC = Delta-10-THC + Delta-8-THC + (Delta-8-THCA x 0.877) + Delta-9-THC + THC-O-acetate + (THCA x 0.877)

\*\* Total CBD = CBD + (CBDA x 0.877)

NR= Not Reported, ND= Not Detected, \*Reported by Dry Mass\*; \*analytical instrumentation used Cannabinoids: UHPLC-DAD, Moisture: Mass by Drying, Water Activity: Water Activity Meter, Foreign: Microscope\*  
 \*Density tested at a temperature range between 19-24 °C, \*Water Activity tested at a humidity range between 0-90% Relative Humidity. All OA samples are sampled by the client, All California State Compliant samples sampled using SAMPL-SOP-001.



**RS-INST-003, RS-PREP-001: RS-INST-003, RS-PREP-001: Residual Solvents by GC-MS • Mar 12, 2026 18:05:00 PDT**

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
1,2-Dichloroethane	1	ND	0.137/0.418	Pass	Hexane	290	ND	0.0542/0.231	Pass
Acetone	5000	ND	14.0/42.1	Pass	Isopropyl alcohol	5000	ND	1.05/3.15	Pass
Acetonitrile	410	ND	0.0986/0.295	Pass	Methanol	3000	ND	2.44/7.33	Pass
Benzene	1	ND	0.0173/0.0525	Pass	Methylene chloride	1	ND	0.104/0.599	Pass
Butane	5000	ND	0.798/3.98	Pass	Pentane	5000	ND	0.790/3.51	Pass
Chloroform	1	ND	0.0296/0.0887	Pass	Propane	5000	ND	3.64/10.9	Pass
Ethanol	5000	< LOQ	2.15/6.44	Pass	Toluene	890	ND	0.0723/0.710	Pass
Ethyl acetate	5000	ND	0.257/1.88	Pass	Trichloroethylene	1	ND	0.0148/0.119	Pass
Ethylene oxide	1	ND	0.126/0.476	Pass	o-Xylene	ND	ND	0.0827/0.704	N/A
Ethyl ether	5000	ND	0.972/2.91	Pass	p- and m-Xylene	ND	ND	0.0948/1.41	N/A
Heptane	5000	ND	0.564/2.35	Pass	Total xylenes	2170	ND	0.0828/0.705	Pass

**HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Heavy Metals Testing by ICP-MS • Mar 11, 2026 15:06:00 PDT**


Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Arsenic	1.5	ND	0.00300/0.00900	Pass	Lead	0.5	0.0260	0.00100/0.00400	Pass
Cadmium	0.5	ND	0.00100/0.00200	Pass	Mercury	3	ND	0.00500/0.0140	Pass

**PESTMICO-LC-INST-004, PESTMICO-LC-PREP-001: PESTMICO-LC-INST-004, PESTMICO-LC-PREP-001: Mycotoxin Analysis by LC-MS/MS • Mar 13, 2026 13:46:00 PDT**

Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail	Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail
Aflatoxin B1		ND	2.60/7.88	N/A	Aflatoxin G2		ND	1.89/5.72	N/A
Aflatoxin B2		ND	2.04/6.18	N/A	Aflatoxins	20	ND		Pass
Aflatoxin G1		ND	2.97/8.99	N/A	Ochratoxin A	20	ND	3.87/11.7	Pass

**PEST-GC-INST-003, PEST-GC-PREP-001: PEST-GC-INST-003, PEST-GC-PREP-001: Pesticide Analysis by GC-MS/MS • Mar 13, 2026 14:19:00 PDT**

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Captan	5	ND	0.120/0.358	Pass	Cypermethrin	1	ND	0.0145/0.0435	Pass
Chlordane	Any amt	ND	0.0249/0.0747	Pass	Methyl parathion	Any amt	ND	0.00811/0.0243	Pass
Chlorfenapyr	Any amt	ND	0.0251/0.0753	Pass	Pentachloronitrobenzene	0.2	ND	0.0182/0.0545	Pass
Cyfluthrin	1	ND	0.0186/0.0558	Pass					



*DM*

*Erik Paulson*

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Pesticide Analysis by LC-MS/MS • Mar 13, 2026 13:46:00 PDT

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Abamectin	0.3	ND	0.0500/0.100	Pass	Methiocarb	Any amt	ND	0.0156/0.0473	Pass
Abamectin Ba		ND	0.0330/0.0990	N/A	Methomyl	0.1	ND	0.0158/0.0479	Pass
Acephate	5	ND	0.0164/0.0497	Pass	Mevinphos	Any amt	ND	0.0139/0.0423	Pass
Acetaminocyl	4	ND	0.0194/0.0587	Pass	Myclobutanil	9	ND	0.0180/0.0546	Pass
Acetamiprid	5	ND	0.0146/0.0442	Pass	Naled	0.5	ND	0.0170/0.0514	Pass
Aldicarb	Any amt	ND	0.0216/0.0654	Pass	Oxamyl	0.2	ND	0.0153/0.0465	Pass
Azoxystrobin	40	ND	0.00960/0.0291	Pass	Paclobutrazol	Any amt	ND	0.0132/0.0400	Pass
Bifenazate	5	ND	0.0115/0.0349	Pass	Permethrin	20	ND	0.00831/0.0300	Pass
Bifenthrin	0.5	ND	0.0130/0.0395	Pass	Permethrin cis		ND	0.0200/0.0300	N/A
Boscalid	10	ND	0.0197/0.0596	Pass	Permethrin trans		ND	0.0200/0.0300	N/A
Carbaryl	0.5	ND	0.0160/0.0486	Pass	Phosmet	0.2	ND	0.0125/0.0377	Pass
Carbofuran	Any amt	ND	0.00902/0.0300	Pass	Piperonylbutoxide	8	ND	0.00759/0.0300	Pass
Chlorantraniliprole	40	ND	0.0209/0.0632	Pass	Prallethrin	0.4	ND	0.0226/0.0685	Pass
Chlorpyrifos	Any amt	ND	0.0176/0.0534	Pass	Propiconazole	20	ND	0.0195/0.0590	Pass
Clofentezine	0.5	ND	0.0129/0.0389	Pass	Propoxur	Any amt	ND	0.0155/0.0471	Pass
Coumaphos	Any amt	ND	0.0185/0.0559	Pass	Pyrethrins	1	ND	0.00431/0.0300	Pass
Daminozide	Any amt	ND	0.0261/0.0791	Pass	Pyrethrins Cinerin I		ND		N/A
Diazinon	0.2	ND	0.00645/0.0300	Pass	Pyrethrins Cinerin II		ND		N/A
Dichlorvos	Any amt	ND	0.0223/0.0674	Pass	Pyrethrins Jasmolin I		ND		N/A
Dimethoate	Any amt	ND	0.0118/0.0356	Pass	Pyrethrins Jasmolin II		ND		N/A
Dimethomorph	20	ND	0.0137/0.0416	Pass	Pyrethrins Pyrethrin I		ND	0.0100/0.0450	N/A
Ethoprophos	Any amt	ND	0.0174/0.0528	Pass	Pyrethrins Pyrethrin II		ND	0.0100/0.0300	N/A
Etofenprox	Any amt	ND	0.00849/0.0300	Pass	Pyridaben	3	ND	0.0115/0.0350	Pass
Etoxazole	1.5	ND	0.00783/0.0300	Pass	Spinetoram	3	ND	0.00639/0.0300	Pass
Fenhexamid	10	ND	0.0129/0.0392	Pass	Spinetoram J		ND	0.00500/0.0100	N/A
Fenoxycarb	Any amt	ND	0.0144/0.0435	Pass	Spinetoram L		ND	0.00500/0.0100	N/A
Fenpyroximate	2	ND	0.00972/0.0300	Pass	Spinosad	3	ND	0.00410/0.0300	Pass
Fipronil	Any amt	ND	0.0148/0.0447	Pass	Spinosad A		ND	0.00500/0.0100	N/A
Flonicamid	2	ND	0.0268/0.0811	Pass	Spinosad D		ND	0.00500/0.0100	N/A
Fludioxonil	30	ND	0.0153/0.0464	Pass	Spiromesifen	12	ND	0.0137/0.0416	Pass
Hexythiazox	2	ND	0.0257/0.0778	Pass	Spirotetramat	13	ND	0.0134/0.0407	Pass
Imazalil	Any amt	ND	0.0156/0.0474	Pass	Spiroxamine	Any amt	ND	0.0106/0.0320	Pass
Imidacloprid	3	ND	0.0235/0.0711	Pass	Tebuconazole	2	ND	0.0144/0.0437	Pass
Kresoxim-methyl	1	ND	0.0125/0.0379	Pass	Thiacloprid	Any amt	ND	0.0139/0.0421	Pass
Malathion	5	ND	0.0117/0.0354	Pass	Thiamethoxam	4.5	ND	0.0181/0.0549	Pass
Metalaxyl	15	ND	0.0101/0.0306	Pass	Trifloxystrobin	30	ND	0.0102/0.0310	Pass

Water Activity by Water Activity Meter • Mar 11, 2026 11:14:00 PDT

Analyte	Limit (Aw)	Amt (Aw)	Pass/Fail
Water Activity	0.85	0.491	Pass



*DU*

*Erik Paul*