

8100 SA VDE 1 Zyklop ratchet set, insulated, reversing lever, 1/4" drive, metric, 22 pieces



<b>EAN:</b>	4013288236975	<b>Size:</b>	200x135x65 mm
<b>Part number:</b>	05004967001	<b>Weight:</b>	1045 g
<b>Article number:</b>	8100 SA VDE 1	<b>Country of origin:</b>	CZ
		<b>Customs tariff number:</b>	82041100

- 22-piece 1/4" ratchet set; VDE-insulated
- One Zyklop ratchet, 10 sockets, 5 bit sockets with holding function for TORX® screws, 4 bit sockets with holding function for hexagonal socket screws, one extension (150 mm)
- Individually tested tools as per IEC 60900
- Increased safety thanks to 2-component insulation with a yellow insulation core under an outer red insulation layer
- Compact textile box with twist-to-unlock system: the tools are securely stored, yet easy to remove
- Textile box made of robust material, protects surfaces from damage, can be docked onto the Wera 2go system

22-piece 1/4" ratchet set; VDE-insulated. For the most common VDE screw connections in electrical building installations. One Zyklop VDE ratchet with reversing lever for easy clockwise/counterclockwise change, fine-toothed (80 teeth, low return angle of only 4.5°); 10 Zyklop VDE sockets, 5 Zyklop VDE bit sockets with holding function for TORX® screws, 4 Zyklop VDE bit sockets with holding function for hexagonal socket screws, one Zyklop VDE extension (150 mm long); all tools individually tested as per IEC 60900 at 10,000 V for safe working at the approved voltage of 1,000 V. One robust textile box, compact design for space-saving tool storage; the firm and light material lowers the weight of the set - ideal for mobile use. Equipped with twist-to-unlock system for easy removal of the tools.



**Web link**  
<https://www.wera.de/en/05004967001>

Wera - 8100 SA VDE 1  
05004967001 - 4013288236975


Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)



### Individually tested



For the most common VDE couplings in electrical building installations




Safe working at voltages up to 1,000 V is guaranteed as Zyklop tools for electricians are individually tested at 10,000 V as per IEC 60900.

### For electrical building technology



The 1/4" Zyklop VDE ratchet is especially suitable for all couplings in electrical building installations.

### For small spaces



With its extremely slim design, fine toothing with 80 teeth and a low return angle of only 4.5°, the Zyklop VDE ratchet allows easy working even in very confined spaces.

### Switch lever




Switch lever for convenient change of direction.

### Ball lock



The ball lock ensures sockets and accessories fit securely, providing increased safety during operation. A short press on the release button allows the tool to be changed quickly.

### Increased safety



The Zyklop VDE tools offer increased safety thanks to their 2-component insulation with a yellow insulation core under an outer red insulation layer. The yellow insulation core becomes visible if the outer red VDE insulation layer is damaged.

### Bit sockets with holding function for TORX® screws



The HF tools developed by Wera are ideal because they feature an optimised geometry of the original TORX® profile. The wedging forces resulting from the surface pressure between the drive tip and the screw profile mean that TORX® screws made according to Camcar Innovations, Michigan, USA specifications are securely held on the tool!

### Web link

<https://www.wera.de/en/05004967001>


Wera - 8100 SA VDE 1  
05004967001 - 4013288236975


Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

8100 SA VDE 1 Zyklop ratchet set, insulated, reversing lever, 1/4" drive, metric, 22 pieces



Set contents:

8007 A VDE Zyklop ratchet, insulated, with reversing lever, with 1/4" drive, 1/4" x 144 mm



	05004866001	1x 1/4" x 144 mm
---	-------------	------------------





8790 A VDE Zyklop Socket, insulated, with 1/4" drive, 4.5 x 41 mm

	05005929001	1x 4.5 x 41 mm
	05005931001	1x 5 x 41 mm
	05005932001	1x 5.5 x 41 mm
	05005933001	1x 6 x 41 mm
	05005934001	1x 7 x 41 mm
	05005935001	1x 8 x 41 mm
	05005936001	1x 10 x 41 mm
	05005937001	1x 11 x 41 mm
	05005938001	1x 12 x 41 mm
	05005939001	1x 13 x 41 mm
	05005940001	1x 14 x 41 mm


8767 A VDE HF TORX® Zyklop Bit socket, insulated, with 1/4" drive, with holding function, TX 10 x 46 mm


	05005920001	1x TX 10 x 46 mm
	05005921001	1x TX 15 x 46 mm
	05005922001	1x TX 20 x 46 mm
	05005923001	1x TX 25 x 46 mm
	05005925001	1x TX 30 x 46 mm

8740 A VDE HF Zyklop Bit socket, insulated, with 1/4" drive, with holding function for hexagonal socket screws, 3 x 46 mm

	05005900001	1x 3 x 46 mm
	05005901001	1x 4 x 46 mm
	05005902001	1x 5 x 46 mm
	05005903001	1x 6 x 46 mm


8794 LA Zyklop VDE extension, insulated, long, 1/4", 1/4" x 150 mm

	05003301001	1x 1/4" x 150 mm
---	-------------	------------------



Hook and Loop Fastener Strip 120, 120 x 50 mm

1x 120 x 50 mm



Web link

<https://www.wera.de/en/05004967001>

Wera - 8100 SA VDE 1  
05004967001 - 4013288236975

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: info@wera.de