



SERVING THE FOOD INDUSTRY SINCE 1951

Pan Gelato Dipping Cabinet with Flat Sneeze Guard and Pans

ITEM: 47742
MODEL: FR-CN-0005

47743
FR-CN-0009

47744
FR-CN-0014



47742
26" / 4 Pans



47743
50" / 9 Pans



47744
71" / 13 Pans

Serve your customers their favorite frozen treats in style and freshness with this gelato cabinet.

Enhance your gelato service with its sleek design, superior temperature control, and capacity. it's a must-have for businesses that value quality, and presentation

FEATURES:

• Capacity

Featuring Fourteen pans in total, including nine 5-liter pans, you have the flexibility to showcase a variety of gelato flavors and toppings to delight your customers.

• Design Features

it's designed to fit seamlessly into your space and attract your customers with a wide array of frozen desserts such as ice-creams and gelato.

• Refrigeration System

The cabinet offers precise temperature control with a range of -26°C to 0°C (-15°F to 32°F) through a digital temperature controller, ensuring your gelato stays at the perfect serving temperature.

• Convenience

Comes with four casters for mobility, and designed with sliding doors and locks for easy access

Telephone: 1-800-465-0234


Fax: (905) 607-0234

Email: sales@omcan.com

Website: www.omcan.com





Authorized Dealer



TECHNICAL SPECIFICATION

Features	26" wide with 4 Pans	50" wide with 9 Pans	71" wide with 13 Pans
Item	47742	47743	47744
Model	FR-CN-0005	FR-CN-0009	FR-CN-0014
Capacity	4.25 cu.ft. (120 L)	10.2 cu.ft. (290 L)	15.9 cu.ft. (450 L)
Maximum Load	265 lb. (120 kg)	639.3 lb. (290 kg.)	992.1 lb. (450 kg.)
Number of Doors	2	2	2
Number of Pans	4	9	13
Pan Capacity	x4 - 5L x1 - 180g	x9 - 5L	x13 - 5L x1 - 180g
Pan Size	5L - 14.2"x 4.7" x 6.5" (360 x 120x 165mm) 180g - 6.3" x 5.2" x 3.9" (161 x 132 x 100mm)	5L: - 14.2"x 4.7" x 6.5" (360 x 120 x 165mm)	5L - 14.2"x 4.7" x 6.5" (360 x 120x 165mm) 180g - 6.3" x 5.2" x 3.9" (161 x 132 x 100mm)
Interior Material	White Pre-coated Steel Sheet	White Pre-coated Steel Sheet	White Pre-coated Steel Sheet
Exterior Material	Durable White Powder Coated Steel	Durable White Powder Coated Steel	Durable White Powder Coated Steel
Number of Casters	Yes (4)	Yes (4)	Yes (6)
Power	210W	260W	295W
Compressor Power	1/4+ hp	2/5+ hp	2/3+ hp
Amps	2A	3A	4A
Electrical	110V / 60Hz / 1Ph	110V / 60Hz / 1Ph	110V / 60Hz / 1Ph
Temperature Controller	Digital	Digital	Digital
Temperature Range	-26°C to 0°C (-15°F to 32°F)	-26°C to 0°C (-15°F to 32°F)	-26°C to 0°C (-15°F to 32°F)
Refrigerant	R290	R290	R290
Injection	56.7g	79.9g	104.9g
Type Of Climate	N/ST	N/ST	N/ST
Insulation Material	C5H10	C5H10	C5H10
Defrosting	Manual	Manual	Manual
Cooling System	Compressor	Compressor	Compressor
Net Weight	154.3 lb. (70 kg.)	198.4 lb. (90 kg.)	257.9 lb. (117 kg.)
Net Dimensions (WDH)	26.2" x 28.1" x 52.2" (665 x 715 x 1325 mm)	49.6" x 28.1" x 52.2" (1260 x 715 x 1325mm)	70.9" x 28.1" x 52.2" (1800 x 715 x 1325mm)
Gross Weight	169.8 lb. (77 kg.)	231.5 lb. (105 kg.)	313 lb. (142 kg.)
Cabinet Gross Dimensions (WDH)	29.1" x 29.9" x 37.4" (740 x 760 x 950mm)	52.6" x 29.9" x 37.4" (1335 x 760 x 950 mm)	73.8" x 29.9" x 37.4" (1875 x 760 x 950 mm)
Glass Gross Dimensions (WDH)	26.2" x 23" x 0.5" (665 x 584 x 13 mm)	51" x 23" x 0.5" (1295 x 584 x 13 mm)	72.8" x 23" x 0.5" (1850 x 584 x 13 mm)
Plug Type	NEMA 5-15P	NEMA 5-15P	NEMA 5-15P

TECHNICAL DRAWING



TECHNICAL DRAWING

