

# LUXUS® THERMAL DISPENSERS AND SERVERS LG SERIES

Shown D480 LGD-15 6.0L / 1.5G LUXUS® Thermal Dispenser  
and D484 8.0L / 2G LGS-20 LUXUS® Thermal Server



## FEATURES

### LGD & LGS SIGHT GAUGE LUXUS® THERMAL DISPENSERS & SERVERS



#### CUTTING THE COST, NOT THE FLAVOR

The LG Thermal Sight Gauge Dispensers and Servers are designed to keep your coffee hot, fresh, and portable. With the legendary thermal retention properties you expect from FETCO, our sight gauge series features volume at a glance so you always know how much is in the dispenser and more importantly, when it is time to brew a fresh batch.




#### NEW FAUCET HANDLE

New, larger Sure-Grip faucet handle.



#### SIGHT GAUGE

Easy to remove or replace protective sight gauge cover. Simply squeeze sight gauge tube cover at the top and lift. View coffee volume from any angle.



#### PRECISION & ASSEMBLY

Cap snaps in place for a secure fit to keep coffee hot. No-slip grippers make it easy to lift out the cover.



#### REMOVABLE DRIP TRAY

Press the latch down in the back and slide tray out.

# LUXUS® THERMAL DISPENSERS

## DISPENSERS

### LGD SIGHT GAUGE LUXUS® THERMAL DISPENSERS

**D448**

4.0 Liter / 1.0 Gallon  
LUXUS® Thermal  
Dispenser  
LGD-10



**D480**

6.0 Liter / 1.5 Gallon  
LUXUS® Sight Gauge  
Dispenser  
LGD-15



**D481**

8.0 Liter / 2.0 Gallon  
LUXUS® Sight Gauge  
Dispenser  
LGD-20



With integrated stand and removable drip tray

### LGS SIGHT GAUGE LUXUS® THERMAL SERVERS

**D482**

4.0 Liter / 1.0 Gallon  
LUXUS® Sight Gauge  
Server  
LGS-15



**D483**

6.0 Liter / 1.5 Gallon  
LUXUS® Sight Gauge  
Server  
LGS-15



**D484**

8.0 Liter / 2.0 Gallon  
LUXUS® Thermal  
Server  
LGS-20



Serving Stations with removable drip tray are **SOLD SEPARATELY**.

## ACCESSORIES

### LGD & LGS SIGHT GAUGE LUXUS® THERMAL DISPENSERS & SERVERS

#### SERVING STATION FOR THERMAL SERVERS

<p><b>A147</b></p> <p>Single Serving Station for L4S-10 &amp; LGS-10 S4S-10-1</p> 	<p><b>A148</b></p> <p>Twin Serving Station for L4S-10 &amp; LGS-10 S4S-10-2</p> 	<p><b>A149</b></p> <p>Triple Serving Station for L4S-10 &amp; LGS-10 S4S-10-3</p> 
<p><b>A150</b></p> <p>Single Serving Station for L4S-15/20 &amp; LGS-15/20 S4S-15/20-1</p> 	<p><b>A151</b></p> <p>Twin Serving Station for L4S-15/20 &amp; LGS-15/20 S4S-15/20-2</p> 	<p><b>A152</b></p> <p>Triple Serving Station for L4S-15/20 &amp; LGS-15/20 S4S-15/20-3</p> 

#### DISPENSER FAUCET REPLACEMENT HANDLE

<p><b>1071.00030.00</b></p> <p>Blue Faucet Replacement Handle</p> 	<p><b>1071.00031.00</b></p> <p>Red Faucet Replacement Handle</p> 	<p><b>1071.00032.00</b></p> <p>Green Faucet Replacement Handle</p> 	<p><b>1071.00040.00</b></p> <p>Orange Faucet Replacement Handle</p> 
--	---	--	--

Color choice must be specified at time of purchase for no charge.

#### WATER FILTRATION SYSTEM

Filtration System	Item Number	Item Description	Rated Capacity	Working Pressure	Weight
Everpure®	A039	In-Line System	113,563 liters	10-125 psi [0.7-8.6 bar], non-shock	6.0 lbs / 2.7 kg
Everpure®	A075	Replacement Cartridge	113,563 liters	10-125 psi [0.7-8.6 bar], non-shock	6.0 lbs / 2.7 kg
BWT Bestmax	A138	In-Line System	3,002 liters	29-116 psi [2-8 bar], non-shock	11.0 lbs / 5.0 kg
BWT Bestmax	A139	Replacement Cartridge	3,002 liters	29-116 psi [2-8 bar], non-shock	11.0 lbs / 5.0 kg
BWT Bestmax	A140	In-Line System	4,562 liters	29-116 psi [2-8 bar], non-shock	11.0 lbs / 5.0 kg
BWT Bestmax	A141	Replacement Cartridge	4,562 liters	29-116 psi [2-8 bar], non-shock	11.0 lbs / 5.0 kg

**EVERPURE®**

In-Line Water Filtration System



**SET INCLUDES:** 1ea. commercial quality corrosion resistant filter head 1ea. taste and odor filter cartridge (FETCO® #A075) / 1ea. 3/8" x 4' connection hose / 1 set — mounting bracket and hardware.

- Recommended for large-sized operations
- Taste and odor filter for extremely turbid (cloudy) water
- Granular-activated carbon reduces sediment and chlorine
- Quick-disconnect style head/cartridge design cartridge for effortless replacement
- Durable, corrosion-resistant head includes built-in shutoff valve

**BWT BESTMAX**

In-Line Water Filtration System



**SET INCLUDES:** 1ea. filter cartridge / 1ea. universal filter head / 1ea. wall mounting bracket Braided hose supplies 3/8" and 3/4" compression, in 24" or 48" lengths

- Recommended for small- to medium-sized operations
- Carbonate hardness removal prevents scale deposits and retains minerals
- Granular-activated carbon reduces sediment and chlorine
- Quick-disconnect style head/cartridge design cartridge for effortless replacement
- Durable, corrosion-resistant head includes built-in shutoff valve
- Four bypass settings allows for different water qualities and product preferences

## DIMENSIONS

### LGD-10 1.0 GALLON SIGHT GAUGE LUXUS® THERMAL DISPENSER

DIMENSIONS				
[in] / [cm]	Height (A)	Width (B)	Depth (C)	Faucet Clearance (D)
<b>Product Dimensions</b>	21.7 55.1	8.0 20.3	11.8 29.8	7.7 19.6
<b>Shipping Dimensions</b>	21.0 54.0	17.0 43.0	13.0 33.0	N/A

WEIGHT		
[lbs] / [kg]	Empty	Filled
<b>Product Weight</b>	8.3 3.3	17.4 7.9
<b>Shipping Weight</b>	12.0 5.5	N/A

### LGD-15 1.5 GALLON SIGHT GAUGE LUXUS® THERMAL DISPENSER

DIMENSIONS				
[in] / [cm]	Height (E)	Width (F)	Depth (G)	Faucet Clearance (H)
<b>Product Dimensions</b>	24.9 63.3	9.0 22.9	13.2 33.3	7.8 19.8
<b>Shipping Dimensions</b>	21.0 54.0	17.0 43.0	13.0 33.0	N/A

WEIGHT		
[lbs] / [kg]	Empty	Filled
<b>Product Weight</b>	8.5 3.9	25.0 8.0
<b>Shipping Weight</b>	14.0 6.4	N/A

### LGD-20 2.0 GALLON SIGHT GAUGE LUXUS® THERMAL DISPENSER

DIMENSIONS				
[in] / [cm]	Height (I)	Width (F)	Depth (G)	Faucet Clearance (H)
<b>Product Dimensions</b>	27.3 69.3	9.0 22.9	13.2 33.3	7.8 19.8
<b>Shipping Dimensions</b>	21.0 54.0	17.0 43.0	13.0 33.0	N/A

WEIGHT		
[lbs] / [kg]	Empty	Filled
<b>Product Weight</b>	11.2 5.1	28.8 13.1
<b>Shipping Weight</b>	16.0 7.3	N/A



## DIMENSIONS

### LGS-10 1.0 GALLON SIGHT GAUGE LUXUS® THERMAL SERVER<sup>1</sup>

DIMENSIONS					WEIGHT		
[in] / [cm]	Height (A)	Width (B)	Depth (C)	Faucet Clearance (D)	[lbs] / [kg]	Empty	Filled
<b>Product Dimensions</b>	13.5 34.2	8.0 20.3	11.8 30.0	0.8 2.0	<b>Product Weight</b>	5.5 2.5	12.4 5.6
<b>Shipping Dimensions</b>	15.0 38.0	16.0 41.0	13.0 31.0	N/A	<b>Shipping Weight</b>	9.0 4.1	N/A

### LGS-15 1.5 GALLON SIGHT GAUGE LUXUS® THERMAL SERVER<sup>1</sup>

DIMENSIONS					WEIGHT		
[in] / [cm]	Height (E)	Width (F)	Depth (G)	Faucet Clearance (D)	[lbs] / [kg]	Empty	Filled
<b>Product Dimensions</b>	14.5 36.8	9.0 22.9	12.8 32.6	0.8 2.0	<b>Product Weight</b>	7.2 3.3	17.6 8.0
<b>Shipping Dimensions</b>	16.0 41.0	17.0 43.0	13.0 33.0	N/A	<b>Shipping Weight</b>	10.0 4.5	N/A

### LGS-20 2.0 GALLON SIGHT GAUGE LUXUS® THERMAL SERVER<sup>1</sup>

DIMENSIONS					WEIGHT		
[in] / [cm]	Height (I)	Width (F)	Depth (G)	Faucet Clearance (D)	[lbs] / [kg]	Empty	Filled
<b>Product Dimensions</b>	16.5 36.8	9.0 22.9	12.8 32.6	0.8 2.0	<b>Product Weight</b>	8.3 3.3	25.0 8.0
<b>Shipping Dimensions</b>	21.0 53.5	17.0 43.0	13.0 33.0	N/A	<b>Shipping Weight</b>	12.0 5.5	N/A



<sup>1</sup> Must be used with with "A" series Serving Stations.



FAX  
+1.847.719.3001