

# DW8600




Product family	Dishwashers
Width	24"
Commercial height	82 cm
Installation	Fully-integrated built-in
Kitchen panel	Not supplied
Nº baskets	2
Engine	Inverter
EAN code	8017709355234

## Programs



Number of programs	8	Super	Yes
Washing temperatures	45, 50, 55, 65 °F	Regular	Yes
Light soiling	Yes	Intensive 150°F	Yes
Delicates	Yes	Intensive 160°F	
Extreme Wash	Yes	Rinse	Yes
Auto	Yes		

## Options



Hi-Temp	Yes	Delay start	Up to 24 hours
Extra Fast	Yes	Extra-dry option	Yes
Sanitize	Yes	FlexiZone half-load option	Yes
Silent	Yes	Hyclean sanitizing option	Yes

## Baskets

Basket color	Gray	Upper basket height adjustment	On two levels (5cm)
Basket components finish	Gray	Lower basket	With 2 foldable racks
Handle	In plastic on upper and lower basket	Colour Inner Components	Gray
Upper basket	With 2 foldable racks	Cutlery basket	Yes

## Technical Features



<b>Width</b>	23 9/16 "	<b>Washing system</b>	Standard
<b>Depth</b>	23 13/16 "	<b>Turbidity sensor</b>	Yes
<b>Display type</b>	LED display (3 digits)	<b>Aquatest</b>	
<b>Height</b>	33 7/8 "	<b>Drying system</b>	Natural condensation drying
<b>Controls</b>	Electronic	<b>Tub material</b>	Stainless steel
<b>Display</b>	Delay start, Program progress indicator	<b>Filter</b>	Stainless steel
<b>Program symbols</b>	Writings in English	<b>Concealed heating element</b>	Yes
<b>On/off indicator</b>	Yes	<b>Can be installed in-column</b>	Yes
<b>Rinse aid indicator</b>	Light	<b>Adjustable feet</b>	2", from 32 1/4" to 34 1/4"
<b>End-of-cycle indicator</b>	On display, with acoustic signal	<b>Back feet adjustable from front</b>	Yes
		<b>Adjustable plinth</b>	By height

## Electrical Connection

<b>Connected power</b>	1400 W	<b>Frequency (Hz)</b>	60 Hz
<b>Current</b>	12 A	<b>Connection type</b>	Single-phase
<b>Voltage</b>	120 V	<b>Power supply cable length</b>	116 "


## Compatible Accessories

**KIT6CX**

Classic aesthetics stainless steel panel with 14 mm. handle. Can be fitted on the fully integrated dishwashers.

**KIT82CAN**

Classic aesthetics anthracite panel with 14 mm. handle. Can be fitted on the fully integrated dishwashers.

**KITGH**

Kit glass holder. It has to be fitted on the first basket but only if there are foldable racks

**KITPL60B**

Toekick Kit in White colour with adjustable height and deepness. Can be installed over all the fully integrated and underbench models with variable fulcrum or flexifit hinges.

**KITPL60N**

Toekick Kit in Black colour with adjustable height and deepness. Can be installed over all the fully integrated and underbench models with variable fulcrum or flexifit hinges.

**KITPL60X**

Toekick Kit in Stainless Steel with adjustable height and deepness. Can be fitted over all the fully integrated and underbench models with variable fulcrum or flexifit hinges.

**KITPLV2**

Kit extension for dishwasher and washing machine: length mt. 2

## Symbols glossary

	Aquatest measures the clarity of the water during an auto program, and automatically ensures the minimum consumption of water and energy.		Installation in column: Installation in column
	COMM_HEIGHT_82_72dpi		Delay Timer: The delay timer can postpone the start of the program by up to 24 hours.
	FlexiZone: The ½ load flexizone allows you to wash a reduced load saving energy, water and time and there are no restrictions on where the items are placed.		Hyclean: When the HYCLEAN option is selected, the dishwasher performs a final 10 minute rinse at a high temperature of 70°C, eliminating virtually all bacteria to achieve the highest possible standards of cleanliness. The Hyclean option can be selected with almost all cycles at temperatures above 50°C.
	Inverter technology: The evolution of Smeg's dryers towards more intelligent and environmentally sustainable models has led to the choice of using Inverter technology with heat pumps, which reduces significantly energy consumption.		Noise Level: Excellent insulation and special devices keep noise to a minimum.
	Delicate: Delicate washing program is designed for delicate dishes which are not heavily soiled.		Delicate: Delicate washing program is designed for delicate dishes which are not heavily soiled.
	PRG_RINSE_72dpi		PRG_STRONG_72dpi
	The symbols show the number of plate settings of the dishwasher.		...
	...		LIGHT SOILING Washing programme with low water and energy consumption.